Appendix IV: Table B. Abundance Estimates.

"Survey Number" refers to surveys described in Table A. "Best" estimate for each species is in bold font.

Species	Stock	Year	Nest	CV	Survey Number	Notes
Humpback Whale	Gulf of Maine	1992	501			Minimum population size estimated from photo-ID data
		1993	652	0.29		YONAH sampling (Clapham et al. 2003)
		1997	497			Minimum population size estimated from photo-ID data
		1999	902	0.45	17	
		2002	521	0.67	18	Palka 2006
		2004	359	0.75	22	Palka 2006
		2006	847	0.55	23	Palka 2005
		2008	823			Mark-recapture estimate (Robbins 2010)
		2011	335	0.42	40+41	Palka 2012
		2015	896			Minimum population size estimated from photo-ID data
		2016	2,368			
		2016	1,396	na		State-space mark-recapture (Pace 2017)
Fin Whale	Western North Atlantic	1995	2,200	0.24	12	Palka 1996
		1999	2,814	0.21	18	Palka 2006
		2002	2,933	0.49	18	Palka 2006
		2004	1,925	0.55	22	Palka 2006
		2006	2,269	0.37	23	Palka 2005
		2007	3,522	0.27	25	Lawson and Gosselin 2009
		2011	1,595	0.33	40+41	Palka 2012
		2011	23	0.87	42	
		2011	1,618	0.33	40+41+42	Estimate summed from north and south surveys
		2016	3,006	0.40	47+48	Garrison 2020; Palka 2020
		2016	2,235	0.41	49	Bay of Fundy/Scotian Shelf (Lawson and Gosselin 2018)
		2016	2,177	0.47	49	Newfoundland/Labrador (Lawson and Gosselin 2018)
		2016	**7,418**	**0.25**	**47+48+49**	
		2021	2,240	0.39	52	Palka 2023
		2021	12	1.02	53	Garrison and Dias 2023
		2021	**2,252**	**0.39**	**52+53**	Garrison and Dias 2023; Palka 2023; Estimate summed from north and south surveys
Sei Whale	Nova Scotia Stock	1977	1,393–2,248			Based on tag-recapture data (Mitchell and Chapman 1977)
		1977	870			Based on census data (Mitchell and Chapman 1977)
		1982	280		1	CETAP 1982
		2002	71	1.01	18	Palka 2006
		2004	386	0.85	22	Palka 2006
		2006	207	0.62	23	Palka 2005
		2011	357	0.52	40+41	Palka 2012
		2010–2013	**6,292**	**1.02**		Springtime average abundance estimate generated from spatially- and temporally-explicit density models derived from visual two-team abundance survey data collected between 2010 and 2013

Species	Stock	Year	Nest	CV	Survey Number	Notes
						(Palka et al. 2017)
		1999–2013	627	0.14		Spring habitat-based density estimates (Roberts et al. 2016)
		1995–2013	717	0.30		Summer habitat-based density estimates (Roberts et al. 2016)
		2016	28	0.55	47	Palka 2016
		2021	34	0.99	52	Palka 2023
Minke Whale	Canadian East Coast	1982	320	0.23	1	CETAP 1982
		1992	2,650	0.31	3+8	
		1993	330	0.66	9	
		1995	2,790	0.32	12	Palka 1996
		1995	1,020	0.27	11	
		1996	620	0.52	13	
		1999	2,998	0.19	17	
		2002	756	0.9	18	Palka 2006
		2004	600	0.61	22	Palka 2006
		2006	3,312	0.74	23	
		2007	20,741	0.3	25	Lawson and Gosselin 2009
		2011	2,591	0.81	40+41	Palka 2012
		2016	5,036	0.68	47	Palka 2020
		2016	6,158	0.40	49	Bay of Fundy/Scotian Shelf (Lawson and Gosselin 2018)
		2016	13,008	0.46	49	Newfoundland/Labrador (Lawson and Gosselin 2018)
		2016	**24,202**	**0.30**	**47+49**	
		2021	5,630	0.58	52	Palka 2023
Sperm Whale	North Atlantic	1982	219	0.36	1	CETAP 1982
		1990	338	0.31	2	
		1991	736	0.33	7	Waring et al.1992, Warring 1998
		1991	705	0.66	6	
		1991	337	0.5	5	
		1993	116	0.4	9	
		1994	623	0.52	10	
		1995	2,698	0.67	12	Palka 1996
		1998	2,848	0.49	16	
		1998	1,181	0.51	14	Mullin and Fulling 2003
		2004	2,607	0.57	22	Palka 2006
		2004	2,197	0.47	21	Garrison et al. 2010
		2004	4,804	0.38	21+22	Estimate summed from north and south surveys
		2011	1,593	0.36	40+41	Palka 2012
		2011	695	0.39	42	
		2011	2,288	0.28	40+41+42	Estimate summed from north and south surveys

Species	Stock	Year	Nest	CV	Survey Number	Notes
		2016	3,321	0.35	47	Palka 2020
		2016	1,028	0.35	48	Garrison 2020
		2016	4,349	0.28	47+48	Estimate summed from north and south surveys
		2021	3,789	0.38	52	Palka 2023
		2021	2,106	0.44	53	Garrison and Dias 2023
		2012	**5,895**	**0.29**	**52+53**	Garrison and Dias 2023; Palka 2023; Estimate summed from north and south surveys
***Kogia* spp.**	Western North Atlantic	1998	115	0.61	16	
		1998	580	0.57	14	Mullin and Fulling 2003
		2004	358	0.44	22	Palka 2006
		2004	37	0.75	21	Garrison et al. 2010
		2004	395	0.4	21+22	Estimate summed from north and south surveys
		2011	1,783	0.62	40+41	Palka 2012
		2011	2,002	0.69	42	
		2011	3,785	0.47	40+41+42	Estimate summed from north and south surveys
		2016	4,548	0.49	47	Palka 2020
		2016	3,202	0.59	48	Garrison 2020
		2016	7,750	0.38	47+48	Estimate summed from north and south surveys
		2021	**9,474**	**0.36**	**52+53**	Estimate summed from north and south surveys
Beaked Whales	Western North Atlantic	1982	120	0.71	1	CETAP 1982
		1990	442	0.51	2	
		1991	262	0.99	7	Waring et al.1992, Warring 1998
		1991	370	0.65	6	
		1991	612	0.73	5	
		1993	330	0.66	9	
		1994	99	0.64	10	
		1995	1,519	0.69	12	Palka 1996
		1998	2,600	0.4	16	
		1998	541	0.55	14	Mullin and Fulling 2003
		2004	2,839	0.78	22	Palka 2006
		2004	674	0.36	21	Garrison et al. 2010
		2004	3,513	0.63	21+22	Estimate summed from north and south surveys
		2006	922	1.47	23	
		2011	5,500	0.67	40+41	2011 estimates are for *Mesoplodon* spp. beaked whales alone (not including *Ziphias*; Palka 2012)
		2011	1,592	0.67	42	2011 estimates are for *Mesoplodon* spp. beaked whales alone (not including *Ziphias*)
		2011	7,092	0.54	40+41+42	2011 estimates are for *Mesoplodon* spp. beaked whales alone (not including *Ziphias*); Estimate summed from north and south surveys
		2016	6,760	0.37	47	Palka 2020
		2016	3,347	0.29	48	Garrison 2020
		2016	10,107	0.27	47+48	Estimate summed from north and south surveys

Species	Stock	Year	Nest	CV	Survey Number	Notes
Cuvier's Beaked Whale	Western North Atlantic	2011	4,962	0.37	40+41	Palka 2012
		2011	1,570	0.65	42	
		2011	6,532	0.32	40+41+42	Estimate summed from north and south surveys
		2016	3,897	0.47	47	Palka 2020
		2016	1,847	0.49	48	Garrison 2020
		2016	5,744	0.36	47+48	Estimate summed from north and south surveys
		2021	**1,742**	**0.39**	**52**	Palka 2023
		2021	**2,928**	**0.31**	**53**	Garrison and Dias 2023
		2021	**4,670**	**0.24**	**52+53**	Garrison and Dias 2023; Palka 2023; Estimate summed from north and south surveys
Risso's Dolphin	Western North Atlantic	1982	4,980	0.34	1	CETAP 1982
		1991	11,017	0.58	7	Waring et al.1992, Warring 1998
		1991	6,496	0.74	5	
		1991	16,818	0.52	6	
		1993	212	0.62	9	
		1995	5,587	1.16	12	Palka 1996
		1998	18,631	0.35	17	
		1998	9,533	0.5	15	
		1998	28,164	0.29	15+17	Estimate summed from north and south surveys
		2002	69,311	0.76	18	Palka 2006
		2004	15,053	0.78	21	Garrison et al. 2010
		2004	5,426	0.54	22	Palka 2006
		2004	20,479	0.59	21+22	Estimate summed from north and south surveys
		2006	14,408	0.38	23	
		2011	15,197	0.55	40+41	Palka 2012
		2011	3,053	0.44	42	
		2011	18,250	0.46	40+41+42	Estimate summed from north and south surveys
		2016	7,245	0.44	48	Garrison 2020
		2016	22,175	0.23	47	Palka 2020
		2016	6,073	0.45	49	Lawson and Gosselin 2018
		2016	**35,493**	**0.19**	**47+48+49**	
		2021	**39,612**	**0.5**	**52**	Palka 2023
		2021	**4,455**	**0.45**	**53**	Garrison and Dias 2023
		2021	**44,067**	**0.45**	**52+53**	Garrison and Dias 2023; Palka 2023; Estimate summed from north and south surveys
Pilot Whale	Western North Atlantic	1951	50,000			Derived from catch data from 1951–1961 drive fishery (Mitchell 1974)
		1975	43,000–96,000			Derived from population models (Mercer 1975)
		1982	11,120	0.29	1	CETAP 1982
		1991	3,636	0.36	7	Waring et al.1992, Warring 1998
		1991	3,368	0.28	5	

Species	Stock	Year	Nest	CV	Survey Number	Notes
		1991	5,377	0.53	6	
		1993	668	0.55	9	
		1995	8,176	0.65	12	Palka 1996
		1995	9,776	0.55	12+16	Sum of US (#12) and Canadian (#16) surveys
		1998	1,600	0.65	16	
		1998	9,800	0.34	17	
		1998	5,109	0.41	15	
		2002	5,408	0.56	18	Palka 2006
		2004	15,728	0.34	22	Palka 2006
		2004	15,411	0.43	21	Garrison et al. 2010
		2004	31,139	0.27	21+22	Estimate summed from north and south surveys
		2006	26,535	0.35	23	Estimate summed from north and south surveys
		2007	16,058	0.79	25	Long-finned pilot whales (Lawson and Gosselin 2009)
		2011	5,636	0.63	40+41	Long-finned pilot whales
		2011	11,865	0.57	40+41	Unidentified pilot whales
		2011	4,569	0.57	40+41	Short-finned pilot whales
		2011	16,946	0.43	42	Short-finned pilot whales
		2011	21,515	0.37	40+41+42	Best estimate for short-finned pilot whales alone; Estimate summed from north and south surveys
		2016	3,810	0.42	47	Short-finned pilot whales (Garrison and Palka 2018)
		2016	25,114	0.27	48	Short-finned pilot whales (Garrison and Palka 2018)
		2016	28,924	0.24	47+48	Best estimate for short-finned pilot whales alone; Estimate summed from north and south surveys
		2016	10,997	0.51	47	Long-finned pilot whales (Garrison 2020; Palka 2020)
		2016	28,218	0.36	48	Long-finned pilot whales (Garrison 2020; Palka 2020)
		2016	39,215	0.30	47+48	Best estimate for long-finned pilot whales alone; Estimate summed from north and south surveys
		2021	**18,726**	**0.33**	**52+53**	Best estimate for short-finned pilot whales alone; Estimate summed from north and south surveys
		2021	**5,711**	**0.62**	**52+53**	Best estimate for long-finned pilot whales alone; Estimate summed from north and south surveys
Atlantic White-sided Dolphin	Western North Atlantic	1982	28,600	0.21	1	
		1992	20,400	0.63	2+7	
		1993	729	0.47	9	
		1995	27,200	0.43	12	Palka 1996
		1995	11,750	0.47	11	
		1996	560	0.89	13	
		1999	51,640	0.38	17	
		2002	109,141	0.3	18	Palka 2006
		2004	2,330	0.8	22	Palka 2006
		2006	17,594	0.3	23	

Species	Stock	Year	Nest	CV	Survey Number	Notes
		2006	63,368	0.27	(18+23)/2	Average of #18 and #23
		2007	5,796	0.43	25	Lawson and Gosselin 2009
		2011	48,819	0.61	40+41	Palka 2012
		2016	31,912	0.61	47	Palka 2020
		2016	61,321	1.04	49	Canadian part of Gulf of Maine and all of Gulf of St. Lawrence population (Lawson and Gosselin 2018)
		2016	**93,233**	**0.71**	**47+49**	
		2021	4,632	0.55	52	Palka 2023; less of the range covered than in 2016
White-beaked Dolphin	Western North Atlantic	1982	573	0.69	1	CETAP 1982
			5,500			Alling and Whitehead 1987
		1982	3,486	0.22		Alling and Whitehead 1987
		2006	2,003	0.94	23	
		2007	11,842		25	
		2008			26	
		2016	**536,016**	**0.31**	**49**	Lawson and Gosselin 2018
Common Dolphin	Western North Atlantic	1982	29,610	0.39	1	
		1991	22,215	0.4	7	Waring et al.1992; Warring 1998
		1993	1,645	0.47	9	
		1995	6,741	0.69	12	Palka 1996
		1998	30,768	0.32	17	
		1998	0		15	
		2002	6,460	0.74	18	
		2004	90,547	0.24	22	Palka 2006
		2004	30,196	0.54	21	Garrison et al. 2010
		2004	120,743	0.23	21+22	Estimate summed from north and south surveys
		2006	84,000	0.36	24	
		2007	173,486	0.55	25	Lawson and Gosselin 2009
		2011	67,191	0.29	40+41	Palka 2012
		2011	2,993	0.87	42	
		2011	70,184	0.28	40+41+42	Estimate summed from north and south surveys
		2016	80,227	0.31	47	Palka 2020
		2016	900	0.57	48	Garrison 2020
		2016	48,574	0.48	49	Newfoundland/Labrador (Lawson and Gosselin 2018)
		2016	43,124	0.28	49	Bay of Fundy/Scotian Shelf (Lawson and Gosselin 2018)
		2016	172,825	0.21	47+48+49	Estimate summed from north, south and Canadian surveys
		2021	**3,722**	**0.67**	**52**	Palka 2023
		2021	**15,004**	**0.38**	**53**	Garrison and Dias 2023
		2021	**18,726**	**0.33**	**52+53**	Garrison and Dias 2023; Palka 2023; Estimate summed from north and south surveys
	Western North Atlantic	1982	6,107	0.27	1	CETAP 1982
		1995	4,772	1.27	12	Palka 1996

Species	Stock	Year	Nest	CV	Survey Number	Notes
Atlantic Spotted Dolphin		1998	32,043	1.39	16	
		1998	14,438	0.63	14	Mullin and Fulling 2003
		2004	3,578	0.48	22	Palka 2006
		2004	47,400	0.45	21	Garrison et al. 2010
		2004	50,978	0.42	21+22	Estimate summed from north and south surveys
		2011	26,798	0.66	40+41	Palka 2012
		2011	17,917	0.42	42	
		2011	44,715	0.43	40+41+42	Estimate summed from north and south surveys
		2016	8,247	0.24	47	Palka 2020
		2016	31,674	0.33	48	Garrison 2020
		2016	39,921	0.27	47+48	Estimate summed from north and south surveys
		2021	**31,506**	**0.28**	**52+53**	Estimate summed from north and south surveys
Pantropical Spotted Dolphin	Western North Atlantic	1982	6,107	0.27	1	CETAP 1982
		1995	4,772	1.27	12	Palka 1996
		1998	343	1.03	16	
		1998	12,747	0.56	14	Mullin and Fulling 2003
		2004	0		22	Palka 2006
		2004	4,439	0.49	21	Garrison et al. 2010
		2004	4,439	0.49	21+22	Estimate summed from north and south surveys
		2011	0	0	40+41	Palka 2012
		2011	3,333	0.91	42	
		2011	3,333	0.91	40+41+42	Estimate summed from north and south surveys
		2016	0	-	47	Palka 2020
		2016	6,593	0.52	48	Garrison 2020
		2016	6,593	0.52	47+48	Estimate summed from north and south surveys
		2021	**2,757**	**0.50**	**52+53**	Estimate summed from north and south surveys
Striped Dolphin	Western North Atlantic	1982	36,780	0.27	1	
		1995	31,669	0.73	12	Palka 1996
		1998	39,720	0.45	16	
		1998	10,225	0.91	14	Mullin and Fulling 2003
		2004	52,055	0.57	22	
		2004	42,407	0.53	21	Garrison et al. 2010
		2004	94,462	0.4	21+22	Estimate summed from north and south surveys
		2011	46,882	0.33	40+41	Palka 2012
		2011	7,925	0.66	42	
		2011	54,807	0.3	40+41+42	Estimate summed from north and south surveys
		2016	42,783	0.25	47	Palka 2020
		2016	24,163	0.66	48	Garrison 2020
		2016	67,036	0.29	47+48	Estimate summed from north and south surveys
	Western North Atlantic	2011	0	0	40+41	Palka 2012
		2011	271	1	42	

Species	Stock	Year	Nest	CV	Survey Number	Notes
Rough-toothed Dolphin		**2011**	**271**	**1**	**40+41+42**	Estimate summed from north and south surveys
Bottlenose Dolphin	Western North Atlantic: Offshore	1998	16,689	0.32	16	
		1998	13,085	0.4	14	Mullin and Fulling 2003
		2002	26,849	0.19	20	
		2002	5,100	0.41	18	Palka 2006
		2004	9,786	0.56	22	Palka 2006
		2004	44,953	0.26	21	Garrison et al. 2010
		2006	2,989	1.11	23	
		2011	26,766	0.52	40+41	Palka 2012
		2011	50,766	0.55	42	
		2011	77,532	0.4	40+41+42	Estimate summed from north and south surveys
		2016	17,958	0.33	47	Palka 2020
		2016	44,893	0.29	48	Garrison 2020
		2016	62,851	0.23	47+48	Estimate summed from north and south surveys
		2021	**64,587**	**0.24**	**52+53**	Estimate summed from north and south surveys
Bottlenose Dolphin	Western North Atlantic Northern Migratory Coastal	2016	6,639	0.41	48	Garrison et al. 2017
Bottlenose Dolphin	Western North Atlantic Southern Migratory Coastal	2016	3,751	0.60	48	Garrison et al. 2017
Bottlenose Dolphin	Western North Atlantic South Carolina/Georgia Coastal	2016	6,027	0.34	48	Garrison et al. 2017
Bottlenose Dolphin	Western North Atlantic Northern Florida Coastal	2016	877	0.49	48	Garrison et al. 2017
Bottlenose Dolphin	Western North Atlantic Central Florida Coastal	2016	1,218	0.35	48	Garrison et al. 2017
Bottlenose Dolphin	Western North Atlantic Bay, Sound and Estuarine (10 stocks)	Northern North Carolina Estuarine System (2013)	823	0.06		Gorgone et al. 2014
		Southern North Carolina Estuarine System (2006)	188	0.19		Urian et al. 2013
		Northern South Carolina Estuarine System (2016)	453	0.28		Silva et al. 2019
		Charleston Estuarine System (2005–2006)	289	0.03		Speakman et al. 2010
		Northern Georgia/Southern South Carolina Estuarine System	unknown	-		

Species	Stock	Year	Nest	CV	Survey Number	Notes
		Central Georgia Estuarine System (2008–2009)	unknown	-		
		Southern Georgia Estuarine System (2008–2009)	unknown	-		
		Jacksonville Estuarine System	unknown	-		
		Indian River Lagoon Estuarine System (2016–2017)	1,032	0.03		Durden et al. 2021
		Biscayne Bay	unknown	-		
Harbor Porpoise	Gulf of Maine, Bay of Fundy	1991	37,500	0.29	3	Palka 1995
		1992	67,500	0.23	8	Smith et al. 1993
		1995	74,000	0.2	12	Palka 1996
		1995	12,100	0.26	11	
		1996	21,700	0.38	14	Mullin and Fulling 2003
		1999	89,700	0.22	17	Survey discovered portions of the range not previously surveyed (Palka 2006)
		2002	64,047	0.48	21	Palka 2006
		2004	51,520	0.65	23	Palka 2006
		2006	89,054	0.47	24	
		2007	4,862	0.31	25	Lawson and Gosselin 2009
		2011	79,883	0.32	40+41	Palka 2012
		2016	75,079	0.38	47	Palka 2020
		2016	20,464	0.39	48	Garrison 2020
		2016	**95,543**	**0.31**	**47+48**	Estimate summed from north and south surveys
		2021	**85,765**	**0.53**	**52**	Palka 2023
Harbor Seal	Western North Atlantic	2001	99,340	0.097	27	Gilbert et al. 2005
		2012	**75,834**	**0.15**	**43**	Waring et al. 2015
Gray Seal	Western North Atlantic	1999	5,611		28	Barlas 1999
		2001	1,731		27	Gilbert et al. 2005
		2004	52,500	0.15	37	Gulf of St Lawrence and Nova Scotia Eastern Shore
		2004	208,720–223,220	0.08–0.14	36	Sable Island
		2012	331,000	95%CI= 263,000-458,000		Gulf of St Lawrence + Nova Scotia Eastern Shore + Sable Island (DFO 2013)
		2014	505,000	95%CI= 329,000–682,000		Gulf of St Lawrence + Nova Scotia Eastern Shore + Sable Island (DFO 2014)
		2016	424,300	95%CI= 263,600–578,300		Gulf of St Lawrence + Nova Scotia Eastern Shore + Sable Island (DFO 2017)
		2016	27,131	95%CI= 18,768–39,221		Derived from total population size to pup ratios in Canada applied to U.S. pup counts
		2021	**366,400**	**317,800-409,400**		Gulf of St. Lawrence and Scotian Shelf; DFO 2022

Species	Stock	Year	Nest	CV	Survey Number	Notes
		2021	**27,911**	**NA**		US portion of the population; Wood et al. 2022
Rice's Whale	Northern Gulf of Mexico	1991–1994	35	1.1	30	Hansen et al. 1995
		1996–2001	40	0.61	33	Mullin and Fulling 2004
		2003–2004	15	1.98	35	
		2009	33	1.07	38	
		2017–2018	51	0.50	50	Garrison et al. 2020a
Sperm Whale	Northern Gulf of Mexico	1991–1994	530	0.31	30	Hansen et al. 1995
		1996–2001	1,349	0.23	33	Mullin and Fulling 2004
		2003–2004	1,665	0.2	35	
		2009	763	0.38	38	
		2017–2018	1,307	0.33	50	Garrison et al. 2020a
***Kogia* spp.**	Northern Gulf of Mexico	1991–1994	547	0.28	30	Hansen et al. 1995
		1996–2001	742	0.29	33	Mullin and Fulling 2004
		2003–2004	453	0.35	35	
		2009	186	1.04	38	
		2017–2018	336	0.35	50	Garrison et al. 2020a
Cuvier's Beaked Whale	Northern Gulf of Mexico	1991–1994	30	0.5	30	Hansen et al. 1995
		1996–2001	95	0.47	33	Mullin and Fulling 2004
		2003–2004	65	0.67	35	
		2009	74	1.04	38	
		2017–2018	18	0.75	50	Garrison et al. 2020a
***Mesoplodon* spp.**	Northern Gulf of Mexico	1996–2001	106	0.41	33	Mullin and Fulling 2004
		2003–2004	57	1.4	35	
		2009	149	0.91	38	
		2017–2018	98	0.46	50	Garrison et al. 2020a
Killer Whale	Northern Gulf of Mexico	1991–1994	277	0.42	30	Hansen et al. 1995
		1996–2001	133	0.49	33	Mullin and Fulling 2004
		2003–2004	49	0.77	35	
		2009	28	1.02	38	
		2017–2018	267	0.75	50	Garrison et al. 2020a
False Killer Whale	Northern Gulf of Mexico	1991–1994	381	0.62	30	Hansen et al. 1995
		1996–2001	1,038	0.71	33	Mullin and Fulling 2004
		2003–2004	777	0.56	35	
		2017–2018	494	0.79	50	Garrison et al. 2020a
Short-finned Pilot Whale	Northern Gulf of Mexico	1991–1994	353	0.89	30	Hansen et al. 1995
		1996–2001	2,388	0.48	33	Mullin and Fulling 2004
		2003–2004	716	0.34	35	
		2009	2,415	0.66	38	

Species	Stock	Year	Nest	CV	Survey Number	Notes
		2017–2018	1,321	0.43	50	Garrison et al. 2020a
Melon-headed Whale	Northern Gulf of Mexico	1991–1994	3,965	0.39	30	Hansen et al. 1995
		1996–2001	3,451	0.55	33	
		2003–2004	2,283	0.76	35	
		2009	2,235	0.75	38	
		2017–2018	1,749	0.68	50	Garrison et al. 2020a
Pygmy Killer Whale	Northern Gulf of Mexico	1991–1994	518	0.81	30	Hansen et al. 1995
		1996–2001	408	0.6	33	Mullin and Fulling 2004
		2003–2004	323	0.6	35	
		2009	152	1.02	38	
		2017–2018	613	1.15	50	Garrison et al. 2020a
Risso's Dolphin	Northern Gulf of Mexico	1991–1994	2,749	0.27	30	Hansen et al. 1995
		1996–2001	2,169	0.32	33	Mullin and Fulling 2004
		2003–2004	1,589	0.27	35	
		2009	2,442	0.57	38	
		2017–2018	1,974	0.46	50	Garrison et al. 2020a
Pantropical Spotted Dolphin	Northern Gulf of Mexico	1991–1994	31,320	0.2	30	Hansen et al. 1995
		1996–2001	91,321	0.16	33	Mullin and Fulling 2004
		2003–2004	34,067	0.18	35	
		2009	50,880	0.27	38	
		2017–2018	37,195	0.24	50	Garrison et al. 2020a
Striped Dolphin	Northern Gulf of Mexico	1991–1994	4,858	0.44	30	Hansen et al. 1995
		1996–2001	6,505	0.43	33	Mullin and Fulling 2004
		2003–2004	3,325	0.48	35	
		2009	1,849	0.77	38	
		2017–2018	1,817	0.56	50	Garrison et al. 2020a
Spinner Dolphin	Northern Gulf of Mexico	1991–1994	6,316	0.43	30	Hansen et al. 1995
		1996–2001	11,971	0.71	33	Mullin and Fulling 2004
		2003–2004	1,989	0.48	35	
		2009	11,441	0.83	38	
		2017–2018	2,991	0.54	50	Garrison et al. 2020a
Clymene Dolphin	Northern Gulf of Mexico	1991–1994	5,571	0.37	30	Hansen et al. 1995
		1996–2001	17,355	0.65	33	Mullin and Fulling 2004
		2003–2004	6,575	0.36	35	
		2009	129	1	38	
		2017–2018	513	1.03	50	Garrison et al. 2020a
	Northern Gulf of Mexico	Oceanic (1991–1994)	3,213	0.44	30	Hansen et al. 1995
		Oceanic (1996–2001)	175	0.84	33	Mullin and Fulling 2004

Species	Stock	Year	Nest	CV	Survey Number	Notes
Atlantic Spotted Dolphin		OCS (1998–2001)	37,611	0.28	34	Abundance estimate is from 2000-2001 surveys only (from Fulling et al. 2003). Current best population size estimate is unknown because data from the continental shelf portion of this species' range are more than 8 years old.
		Oceanic (2003–2004)	0	-	35	
		2009	2968	0.67	38	
		2017–2018	**21,506**	**0.26**	**50+51**	Garrison et al. 2020a and Garrison et al. 2021
Fraser's Dolphin	Northern Gulf of Mexico	1991–1994	127	0.9	30	Hansen et al. 1995
		1996–2001	726	0.7	33	
		2003–2004	0	-	35	
		2009	0	-	38	
		2017–2018	213	1.03	50	Garrison et al. 2020a
Rough-toothed Dolphin	Northern Gulf of Mexico	Oceanic (1991–1994)	852	0.31	30	
		Oceanic (1996–2001)	985	0.44	33	Mullin and Fulling 2004
		OCS (1998–2001)	1,145	0.83	34	Abundance estimate is from 2000-2001 surveys only (from Fulling et al. 2003). Current best population size estimate is unknown because data from the continental shelf portion of this species' range are more than 8 years old.
		Oceanic (2003–2004)	1,508	0.39	35	
		2009	624	0.99	38	
Bottlenose Dolphin	Northern Gulf of Mexico: Oceanic	1996–2001	2,239	0.41	33	Mullin and Fulling 2004
		2003–2004	3,708	0.42	35	
		2009	5,806	0.39	38	
		2017–2018	213	1.03	50	Garrison et al. 2020a
Bottlenose Dolphin	Northern Gulf of Mexico: Continental Shelf	1998–2001	17,777	0.32	34	Abundance estimate is from 2000-2001 surveys only (from Fulling et al. 2003). Current best population size estimate is unknown because data from the continental shelf are more than 8 years old.
		2017–2018	**63,280**	**0.11**	**51**	Garrison et al. 2021
Bottlenose Dolphin	Northern Gulf of Mexico: Coastal (3 stocks)	Eastern (1994)	9,912	0.12	32	
		Eastern (2007)	7,702	0.19	39	
		Eastern (2017–2018)	**16,407**	**0.17**	**51**	Garrison et al. 2021
		Northern (1993)	4,191	0.21	31	Current best population size estimate for this stock is unknown because data are more than 8 years old (Blaylock and Hoggard 1994)
		Northern (2007)	2,473	0.25	39	
		Northern (2017–2018)	**11,543**	**0.19**	**51**	Garrison et al. 2021
		Western (1992)	3,499	0.21	31	Current best population size estimate for this stock is unknown because data are more than 8 years old (Blaylock and Hoggard 1994)

Species	Stock	Year	Nest	CV	Survey Number	Notes
		Western (2017–2018)	**20,759**	**0.13**	**51**	Garrison et al. 2021
Bottlenose Dolphin	Northern Gulf of Mexico: Bay, Sound and Estuarine (32 stocks)	Choctawhatchee Bay (2007)	179	0.04		Conn et al. 2011
		St. Joseph Bay (2011)	142	0.17		Balmer et al. 2018
		Sarasota Bay, Little Sarasota Bay (2015)	158	0.27		Tyson and Wells 2016
		Florida Bay	unk	-		
		Mississippi River Delta (2017–2018)	1,446	0.19	51	Garrison et al. 2021
		Mississippi Sound, Lake Borgne, Bay Boudreau (2018)	1,265	0.35	51	Garrison et al. 2021
		Barataria Bay (2019)	2,071	0.06		Garrison et al. 2020b
		West Bay (2014–2015)	37	0.05		Ronje et al. 2020
		Galveston Bay, East Bay, Trinity Bay (2016)	842	0.8		Ronje et al. 2020
		Terrebonne Bay, Timbalier Bay (2016)	3,870	0.15		Litz et al. 2018
		St. Andrew Bay (2016)	199	0.09		Balmer et al. 2019
		Sabine Lake (2017)	122	0.19		Ronje et al. 2020
		Remaining 20 stocks	unknown	-	3	Current best population size estimate for each of these 20 stocks is unknown because data are more than 8 years old (Blaylock and Hoggard 1994)