Appendix 2. Pacific reports revised in 2022 are highlighted. S=strategic stock, N=non-strategic stock. unk=unknown, undet=undetermined, n/a=not applicable.

| Species (Stock) | $N_{est}$ | CV $N_{est}$ | $N_{min}$ | $R_{max}$ | Fr | PBR | Annual Human-Caused Mortality and Serious Injury | Annual Commercial Fishery Mortality and Serious Injury | Status | Recent Abundance Surveys | | | Revised |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| California sea lion (U.S.) | 257,606 | n/a | 233,515 | 0.12 | 1 | 14,011 | ≥321 | ≥197 | N | 2008 | 2013 | 2014 | 2018 |
| Harbor seal (California) | 30,968 | n/a | 27,348 | 0.12 | 1 | 1,641 | 43 | 30 | N | 2004 | 2009 | 2012 | 2014 |
| Harbor seal (Oregon/Washington Coast) | unk | unk | unk | 0.12 | 1 | undet | 10.6 | 7.4 | N | 1999 | | | 2013 |
| Harbor seal (Washington Northern Inland Waters) | unk | unk | unk | 0.12 | 1 | undet | 9.8 | 2.8 | N | 1999 | | | 2013 |
| Harbor seal (Southern Puget Sound) | unk | unk | unk | 0.12 | 1 | undet | 3.4 | 1 | N | 1999 | | | 2013 |
| Harbor seal (Hood Canal) | unk | unk | unk | 0.12 | 1 | undet | 0.2 | 0.2 | N | 1999 | | | 2013 |
| Northern Elephant Seal (California Breeding) | 187,386 | n/a | 85,369 | 0.12 | 1 | 5,122 | 13.7 | 5.3 | N | 2005 | 2010 | 2013 | 2021 |
| Guadalupe Fur Seal (Mexico) | 34,187 | n/a | 31,019 | 0.137 | 0.5 | 1,062 | ≥3.8 | ≥1.2 | S | 2008 | 2009 | 2013 | 2019 |
| Northern Fur Seal (California) (California) | 14,050 | n/a | 7,524 | 0.12 | 1 | 451 | 1.8 | ≥0.8 | N | 2010 | 2011 | 2013 | 2015 |
| Monk Seal (Hawaii) | 1,465 | 0.03 | 1,431 | 0.07 | 0.1 | 5.0 | ≥4.0 | ≥2.2 | S | 2018 | 2019 | 2020 | 2022 |
| Harbor porpoise (Morro Bay) | 4,191 | 0.56 | 2,698 | 0.096 | 0.5 | 65 | 0 | 0 | N | 2008 | 2011 | 2012 | 2021 |
| Harbor porpoise (Monterey Bay) | 3,760 | 0.561 | 2,421 | 0.058 | 0.5 | 35 | ≥0.2 | ≥0.2 | N | 2011 | 2012 | 2013 | 2021 |
| Harbor porpoise (San Francisco - Russian River) | 7,777 | 0.62 | 4,811 | 0.061 | 0.5 | 73 | ≥0.4 | ≥0.4 | N | 2014 | 2016 | 2017 | 2021 |
| Harbor porpoise (Northern CA/Southern OR) | 24,685 | 0.41 | 17,713 | 0.04 | 1 | 354 | 0 | 1 | N | 2011 | 2014 | 2016 | 2021 |
| Harbor porpoise (Northern OR/Washington Coast) | 21,487 | 0.44 | 15,123 | 0.04 | 0.5 | 151 | ≥3.0 | ≥3.0 | N | 2002 | 2010 | 2011 | 2013 |
| Harbor porpoise (Washington Inland Waters) | 11,233 | 0.37 | 8,308 | 0.04 | 0.4 | 66 | ≥7.2 | ≥7.2 | N | 2013 | 2014 | 2015 | 2016 |
| Dall's porpoise (California/Oregon/Washington) | 16,498 | 0.61 | 10,286 | 0.04 | 0.48 | 99 | ≥0.66 | ≥0.66 | N | 2008 | 2014 | 2018 | 2021 |
| Pacific white-sided dolphin (California/Oregon/Washington) | 34,999 | 0.222 | 29,090 | 0.04 | 0.48 | 279 | 7 | 4 | N | 2008 | 2014 | 2018 | 2021 |

Appendix 2. Pacific reports revised in 2022 are highlighted. S=strategic stock, N=non-strategic stock. unk=unknown, undet=undetermined, n/a=not applicable.

| Species (Stock) | $N_{est}$ | CV $N_{est}$ | $N_{min}$ | $R_{max}$ | Fr | PBR | Annual Human-Caused Mortality and Serious Injury | Annual Commercial Fishery Mortality and Serious Injury | Status | Recent Abundance Surveys | | | Revised |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Risso's dolphin (California/Oregon/Washington) | 6,336 | 0.32 | 4,817 | 0.04 | 0.48 | 46 | ≥3.7 | ≥3.7 | N | 2005 | 2008 | 2014 | 2016 |
| Common Bottlenose dolphin (California Coastal) | 453 | 0.06 | 346 | 0.04 | 0.48 | 2.7 | ≥2.0 | ≥1.6 | N | 2009 | 2010 | 2011 | 2016 |
| Common Bottlenose dolphin (California/Oregon/Washington Offshore) | 3,477 | 0.696 | 2,048 | 0.04 | 0.48 | 19.7 | ≥0.82 | ≥0.82 | N | 2008 | 2014 | 2018 | 2021 |
| Striped dolphin (California/Oregon/Washington) | 29,988 | 0.3 | 23,448 | 0.04 | 0.48 | 225 | ≥4.0 | ≥4.0 | N | 2008 | 2014 | 2018 | 2021 |
| Common dolphin, short-beaked (California/Oregon/Washington) | 1,056,308 | 0.21 | 888,971 | 0.04 | 0.5 | 8,889 | ≥30.5 | ≥30.5 | N | 2008 | 2014 | 2018 | 2021 |
| Common dolphin, long-beaked (California) | 83,379 | 0.216 | 69,636 | 0.04 | 0.48 | 668 | ≥29.7 | ≥26.5 | N | 2008 | 2014 | 2018 | 2021 |
| Northern right whale dolphin (California/Oregon/Washington) | 29,285 | 0.72 | 17,024 | 0.04 | 0.48 | 163 | ≥6.6 | ≥6.6 | N | 2008 | 2014 | 2018 | 2021 |
| Killer whale (Eastern N Pacific Offshore) | 300 | 0.1 | 276 | 0.04 | 0.5 | 2.8 | 0 | 0 | N | 2010 | 2011 | 2012 | 2018 |
| Killer whale (Eastern N Pacific Southern Resident) | 74 | n/a | 74 | 0.035 | 0.1 | 0.13 | ≥0.4 | 0 | S | 2019 | 2020 | 2021 | 2022 |
| Short-finned pilot whale (California/Oregon/Washington) | 836 | 0.79 | 466 | 0.04 | 0.48 | 4.5 | 1.2 | 1.2 | N | 2005 | 2008 | 2014 | 2016 |
| Baird's beaked whale (California/Oregon/Washington) | 1,363 | 0.53 | 894 | 0.04 | 0.5 | 8.9 | ≥0.2 | 0 | N | 2008 | 2014 | 2018 | 2021 |
| Mesoplodont beaked whales (California/Oregon/Washington) | 3,044 | 0.54 | 1,967 | 0.04 | 0.5 | 20 | 0.1 | 0.1 | N | 2005 | 2008 | 2014 | 2017 |
| Cuvier's Beaked whale (California/Oregon/Washington) | 5,454 | 0.27 | 4,214 | 0.04 | 0.5 | 42 | <0.1 | <0.1 | N | 2008 | 2014 | 2016 | 2022 |
| Pygmy Sperm whale (California/Oregon/Washington) | 4,111 | 1.12 | 1,924 | 0.04 | 0.5 | 19.2 | 0 | 0 | N | 2005 | 2008 | 2014 | 2016 |

Appendix 2. Pacific reports revised in 2022 are highlighted. S=strategic stock, N=non-strategic stock. unk=unknown, undet=undetermined, n/a=not applicable.

| Species (Stock) | $N_{est}$ | CV $N_{est}$ | $N_{min}$ | $R_{max}$ | Fr | PBR | Annual Human-Caused Mortality and Serious Injury | Annual Commercial Fishery Mortality and Serious Injury | Status | Recent Abundance Surveys | | | Revised |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Dwarf sperm whale (California/Oregon/Washington) | unk | unk | unk | 0.04 | 0.5 | undet | 0 | 0 | N | 2005 | 2008 | 2014 | 2016 |
| Sperm whale (California/Oregon/Washington) | 1,997 | 0.57 | 1,270 | 0.04 | 0.1 | 2.5 | 0.6 | 0.64 | S | 2005 | 2008 | 2014 | 2019 |
| Gray whale (Eastern N Pacific) | 26,960 | 0.05 | 25,849 | 0.062 | 1 | 801 | 131 | 9.3 | N | 2011 | 2015 | 2016 | 2020 |
| Gray whale (Western N Pacific) | 290 | n/a | 271 | 0.062 | 0.1 | 0.12 | unk | unk | S | 2014 | 2015 | 2016 | 2020 |
| Humpback whale (Central America / Southern Mexico - California-Oregon-Washington) | 1,496 | 0.171 | 1,284 | 0.082 | 0.1 | 3.5 | 14.9 | 8.1 | S | 2019 | 2020 | 2021 | 2022 |
| Humpback whale (Mainland Mexico - California-Oregon-Washington) | 3,477 | 0.101 | 3,185 | 0.082 | 0.5 | 43 | 22 | 11.4 | S | 2016 | 2017 | 2018 | 2022 |
| Blue whale (Eastern N Pacific) | 1,898 | 0.085 | 1,767 | 0.04 | 0.2 | 4.1 | ≥ 19.5 | ≥ 1.54 | S | 2016 | 2017 | 2018 | 2021 |
| Fin whale (California/Oregon/Washington) | 11,065 | 0.405 | 7,970 | 0.04 | 0.5 | 80 | ≥ 43.6 | ≥ 0.64 | S | 2008 | 2014 | 2018 | 2021 |
| Sei whale (Eastern N Pacific) | 519 | 0.4 | 374 | 0.04 | 0.1 | 0.75 | ≥ 0.2 | ≥ 0.2 | S | 2005 | 2008 | 2014 | 2018 |
| Minke whale (California/Oregon/Washington) | 915 | 0.792 | 509 | 0.04 | 0.4 | 4.1 | ≥ 0.59 | ≥ 0.59 | N | 2008 | 2014 | 2018 | 2021 |
| Bryde's whale (Eastern Tropical Pacific) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | N | n/a | n/a | n/a | 2015 |
| Rough-toothed dolphin (Hawai'i) | 76,375 | 0.41 | 54,804 | 0.04 | 0.5 | 548 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Rough-toothed dolphin (American Samoa) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | unk | n/a | n/a | n/a | 2010 |
| Risso's dolphin (Hawai'i) | 7,385 | 0.22 | 6,150 | 0.04 | 0.5 | 61 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Common Bottlenose dolphin (Hawai'i Pelagic) | unk | unk | unk | 0.04 | 0.5 | undet | 0 | 0 | N | 2002 | 2010 | 2017 | 2017 |
| Common Bottlenose dolphin (Kaua'i and Ni'ihau) | unk | unk | 97 | 0.04 | 0.5 | 1 | unk | unk | N | 2003 | 2012 | 2015 | 2017 |
| Common Bottlenose dolphin (O'ahu) | unk | unk | n/a | 0.04 | 0.5 | undet | unk | unk | N | 2002 | 2003 | 2006 | 2017 |

Appendix 2. Pacific reports revised in 2022 are highlighted. S=strategic stock, N=non-strategic stock. unk=unknown, undet=undetermined, n/a=not applicable.

| Species (Stock) | $N_{est}$ | CV $N_{est}$ | $N_{min}$ | $R_{max}$ | Fr | PBR | Annual Human-Caused Mortality and Serious Injury | Annual Commercial Fishery Mortality and Serious Injury | Status | Recent Abundance Surveys | | | Revised |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Common Bottlenose dolphin (4 Islands Region) | unk | unk | n/a | 0.04 | 0.5 | undet | unk | unk | N | 2002 | 2003 | 2006 | 2017 |
| Common Bottlenose dolphin (Hawai'i Island) | unk | unk | 91 | 0.04 | 0.5 | 0.9 | unk | unk | N | 2002 | 2003 | 2006 | 2017 |
| Pantropical Spotted dolphin (Hawai'i Pelagic) | 39,798 | 0.51 | 26,548 | 0.04 | 0.5 | 265 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Pantropical Spotted dolphin (O'ahu) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | N | | | n/a | 2017 |
| Pantropical Spotted dolphin (4 Islands Region) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | N | | | n/a | 2017 |
| Pantropical Spotted dolphin (Hawai'i Island) | unk | unk | unk | 0.04 | 0.5 | undet | ≥ 0.2 | ≥ 0.2 | N | | | n/a | 2017 |
| Spinner dolphin (Hawai'i Island) | 665 | 0.09 | 617 | 0.04 | 0.5 | 6.2 | ≥ 1.0 | unk | N | 2010 | 2011 | 2012 | 2018 |
| Spinner dolphin (O'ahu / 4 Islands Region) | n/a | n/a | n/a | 0.04 | 0.5 | undet | ≥ 0.4 | unk | N | 1998 | 2002 | 2007 | 2018 |
| Spinner dolphin (Kaua'i and Ni'ihau) | n/a | n/a | n/a | 0.04 | 0.5 | undet | unk | unk | N | 1995 | 1998 | 2005 | 2018 |
| Spinner dolphin (Hawai'i Pelagic) | unk | unk | unk | 0.04 | 0.5 | undet | 0 | 0 | N | | 2002 | 2010 | 2018 |
| Spinner dolphin (Kure / Midway) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | N | | 1998 | 2010 | 2018 |
| Spinner dolphin (Pearl and Hermes Reef) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | N | | | n/a | 2018 |
| Spinner dolphin (American Samoa) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | unk | | | n/a | 2010 |
| Striped dolphin (Hawai'i Pelagic) | 35,179 | 0.23 | 29,058 | 0.04 | 0.5 | 291 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Fraser's dolphin (Hawai'i) | 40,960 | 0.7 | 24,068 | 0.04 | 0.5 | 241 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Melon-headed whale (Hawaiian Islands) | 40,647 | 0.74 | 23,301 | 0.04 | 0.5 | 233 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Melon-headed whale (Kohala Resident) | unk | unk | unk | 0.04 | 0.5 | undet | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |

Appendix 2. Pacific reports revised in 2022 are highlighted. S=strategic stock, N=non-strategic stock. unk=unknown, undet=undetermined, n/a=not applicable.

| Species (Stock) | $N_{est}$ | CV $N_{est}$ | $N_{min}$ | $R_{max}$ | Fr | PBR | Annual Human-Caused Mortality and Serious Injury | Annual Commercial Fishery Mortality and Serious Injury | Status | Recent Abundance Surveys | | | Revised |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Pygmy killer whale (Hawai'i) | 10,328 | 0.75 | 5,885 | 0.04 | 0.5 | 59 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| False killer whale (NW Hawaiian Islands) | 477 | 1.71 | 178 | 0.04 | 0.4 | 1.4 | 0.1 | 0.1 | N | 2002 | 2010 | 2017 | 2021 |
| False killer whale (Hawai'i Pelagic) | 2,086 | 0.35 | 1,567 | 0.04 | 0.5 | 16 | 9.8 | 9.8 | N | 2002 | 2010 | 2017 | 2021 |
| False killer whale (Main Hawaiian Islands Insular) | 167 | 0.14 | 149 | 0.04 | 0.1 | 0.3 | 0.03 | 0.03 | S | 2013 | 2014 | 2015 | 2021 |
| False killer whale (Palmyra Atoll) | 1,329 | 0.65 | 806 | 0.04 | 0.4 | 6.4 | 0.3 | 0.3 | N | | | 2005 | 2012 |
| False killer whale (American Samoa) | unk | unk | unk | 0.04 | 0.5 | undet | unk | unk | unk | n/a | n/a | n/a | 2010 |
| Killer whale (Hawai'i) | 161 | 1.06 | 78 | 0.04 | 0.5 | 0.8 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Pilot whale, short-finned (Hawai'i) | 12,607 | 0.18 | 10,847 | 0.04 | 0.4 | 87 | 0.9 | 0.9 | N | 2002 | 2010 | 2017 | 2020 |
| Blainville's beaked whale (Hawai'i Pelagic) | 1,132 | 0.99 | 564 | 0.04 | 0.5 | 5.6 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Longman's Beaked Whale (Hawai'i) | 2,550 | 0.67 | 1,527 | 0.04 | 0.5 | 15 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Cuvier's beaked whale (Hawai'i Pelagic) | 4,431 | 0.41 | 3,180 | 0.04 | 0.5 | 32 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Pygmy sperm whale (Hawai'i) | 42,083 | 0.64 | 25,695 | 0.04 | 0.5 | 257 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Dwarf sperm whale (Hawai'i) | unk | unk | unk | 0.04 | 0.5 | undet | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Sperm whale (Hawai'i) | 5,707 | 0.23 | 4,486 | 0.04 | 0.2 | 18 | 0 | 0 | S | 2002 | 2010 | 2017 | 2020 |
| Blue whale (Central N Pacific) | 133 | 1.09 | 63 | 0.04 | 0.1 | 0.1 | 0 | 0 | S | | 2002 | 2010 | 2017 |
| Fin whale (Hawai'i) | 203 | 0.99 | 101 | 0.04 | 0.1 | 0.2 | 0 | 0 | S | 2002 | 2010 | 2017 | 2020 |
| Bryde's whale (Hawai'i) | 602 | 0.22 | 501 | 0.04 | 0.5 | 5 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Sei whale (Hawai'i) | 391 | 0.9 | 204 | 0.04 | 0.1 | 0.4 | 0.2 | 0.2 | S | n/a | 2002 | 2010 | 2017 |
| Minke whale (Hawai'i) | 438 | 1.05 | 212 | 0.04 | 0.5 | 2.1 | 0 | 0 | N | 2002 | 2010 | 2017 | 2020 |
| Humpback whale (American Samoa) | unk | unk | 150 | 0.106 | 0.1 | 0.4 | 0 | 0 | S | 2006 | 2007 | 2008 | 2009 |