California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings

Date: 08/05/2008

Page: 1

| | Int | o California Durin | g 2007 | | |
|-------------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
| ishes | | | | | |
| Anchovy, northern | 22,905,466 | 0 | 0 | 0 | 22,905,466 |
| Barracuda, California | 89,481 | 0 | 0 | 0 | 89,481 |
| Bass, giant sea | 7,952 | 0 | 0 | 0 | 7,952 |
| Blacksmith | 16 | 0 | 0 | 0 | 16 |
| Bonito, Pacific | 483,127 | 0 | 0 | 5,327 | 488,454 |
| Butterfish (Pacific pompano) | 12,657 | 0 | 0 | 0 | 12,657 |
| Cabezon | 56,063 | 0 | 0 | 0 | 56,063 |
| Carp | 7,276 | 0 | 0 | 0 | 7,276 |
| Corvina, shortfin | 61 | 0 | 0 | 0 | 61 |
| Croaker, unspecifed | 2,264 | 0 | 0 | 0 | 2,264 |
| Croaker, white | 65,008 | 0 | 0 | 0 | 65,008 |
| Dolphin (fish) | 183 | 0 | 1,822 | 2,167 | 4,172 |
| Eel, California moray | 1,722 | 0 | 0 | 0 | 1,722 |
| Fal mankaufaaa (mulakkahaak) | Γ0 | 0 | 0 | 0 | ГС |

| Blacksmith | 16 | 0 | 0 | 0 | 16 |
|--------------------------------|-----------|---|-------|-------|-----------|
| Bonito, Pacific | 483,127 | 0 | 0 | 5,327 | 488,454 |
| Butterfish (Pacific pompano) | 12,657 | 0 | 0 | 0 | 12,657 |
| Cabezon | 56,063 | 0 | 0 | 0 | 56,063 |
| Carp | 7,276 | 0 | 0 | 0 | 7,276 |
| Corvina, shortfin | 61 | 0 | 0 | 0 | 61 |
| Croaker, unspecifed | 2,264 | 0 | 0 | 0 | 2,264 |
| Croaker, white | 65,008 | 0 | 0 | 0 | 65,008 |
| Dolphin (fish) | 183 | 0 | 1,822 | 2,167 | 4,172 |
| Eel, California moray | 1,722 | 0 | 0 | 0 | 1,722 |
| Eel, monkeyface (prickleback) | 50 | 0 | 0 | 0 | 50 |
| Eel | 75 | 0 | 0 | 0 | 75 |
| Escolar | 103 | 0 | 60 | 812 | 975 |
| Fish, unspecified | 1,224 | 0 | 0 | 1,620 | 2,844 |
| Flounder, arrowtooth | 131,969 | 0 | 0 | 0 | 131,969 |
| Flounder, starry | 29,367 | 0 | 0 | 0 | 29,367 |
| Flounder, unspecified | 624 | 0 | 0 | 0 | 624 |
| Goby, yellowfin | 1,121 | 0 | 0 | 0 | 1,121 |
| Greenling, kelp | 3,294 | 0 | 0 | 0 | 3,294 |
| Greenling, rock | 1 | 0 | 0 | 0 | 1 |
| Grenadier | 232,699 | 0 | 0 | 0 | 232,699 |
| Guitarfish, shovelnose | 10,358 | 0 | 0 | 0 | 10,358 |
| Hagfishes | 1,699,723 | 0 | 0 | 0 | 1,699,723 |
| Halfmoon | 81 | 0 | 0 | 0 | 81 |
| | | | | | |

California Department of Fish and Game Page: 2 Table 7 - Origin and Poundage of Commercial Fish Landings Into California During 2007

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|--------------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Halibut, California | 389,312 | 0 | 0 | 0 | 389,312 |
| Halibut, Pacific | 196 | 0 | 0 | 0 | 196 |
| Herring, Pacific - roe on kelp | 18,726 | 0 | 0 | 0 | 18,726 |
| Herring, Pacific - roe | 576,210 | 0 | 0 | 0 | 576,210 |
| Herring, Pacific | 741,483 | 0 | 0 | 0 | 741,483 |
| Jacksmelt | 20,661 | 0 | 0 | 0 | 20,661 |
| Kelpfish, giant | 2 | 0 | 0 | 0 | 2 |
| Lingcod | 176,177 | 0 | 0 | 0 | 176,177 |
| Lizardfish, California | 215 | 0 | 0 | 0 | 215 |
| Louvar | 946 | 0 | 0 | 0 | 946 |
| Mackerel, Pacific | 11,062,217 | 0 | 0 | 300 | 11,062,517 |
| Mackerel, jack | 1,387,925 | 0 | 0 | 0 | 1,387,925 |
| Mackerel, unspecified | 1,162 | 0 | 0 | 0 | 1,162 |
| Midshipman, plainfin | 439 | 0 | 0 | 0 | 439 |
| Oilfish | 78 | 0 | 0 | 0 | 78 |
| Opah | 106,867 | 0 | 8,641 | 10,291 | 125,798 |
| Opaleye | 1,678 | 0 | 0 | 0 | 1,678 |
| Pomfret, Pacific | 47 | 0 | 47 | 84 | 178 |
| Queenfish | 30 | 0 | 0 | 0 | 30 |
| Ratfish, spotted | 160 | 0 | 0 | 0 | 160 |
| Ray, Pacific electric | 667 | 0 | 0 | 0 | 667 |
| Ray, bat | 8,997 | 0 | 0 | 0 | 8,997 |
| Ray, unspecified | 1,415 | 0 | 0 | 0 | 1,415 |
| Rockfish, China | 9,246 | 0 | 0 | 0 | 9,246 |
| Rockfish, Mexican | 329 | 0 | 0 | 0 | 329 |
| Rockfish, Pacific ocean perch | 55 | 0 | 0 | 0 | 55 |
| Rockfish, aurora | 8,245 | 0 | 0 | 0 | 8,245 |

California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings

Page: 3

| nto (| Calif | ornia | During | 2007 |
|-------|-------|-------|--------|------|
|-------|-------|-------|--------|------|

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|--------------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Rockfish, bank | 56,812 | 0 | 0 | 0 | 56,812 |
| Rockfish, black-and-yellow | 22,729 | 0 | 0 | 0 | 22,729 |
| Rockfish, black | 178,413 | 0 | 0 | 0 | 178,413 |
| Rockfish, blackgill | 56,044 | 0 | 0 | 0 | 56,044 |
| Rockfish, blue | 38,236 | 0 | 0 | 0 | 38,236 |
| Rockfish, bocaccio | 13,334 | 0 | 0 | 0 | 13,334 |
| Rockfish, bronzespotted | 106 | 0 | 0 | 0 | 106 |
| Rockfish, brown | 48,318 | 0 | 0 | 0 | 48,318 |
| Rockfish, canary | 2,253 | 0 | 0 | 0 | 2,253 |
| Rockfish, chilipepper | 125,920 | 0 | 0 | 0 | 125,920 |
| Rockfish, copper | 11,549 | 0 | 0 | 0 | 11,549 |
| Rockfish, cowcod | 130 | 0 | 0 | 0 | 130 |
| Rockfish, darkblotched | 90,077 | 0 | 0 | 0 | 90,077 |
| Rockfish, flag | 340 | 0 | 0 | 0 | 340 |
| Rockfish, gopher | 44,155 | 0 | 0 | 0 | 44,155 |
| Rockfish, grass | 41,986 | 0 | 0 | 0 | 41,986 |
| Rockfish, greenblotched | 1,901 | 0 | 0 | 0 | 1,901 |
| Rockfish, greenspotted | 1,915 | 0 | 0 | 0 | 1,915 |
| Rockfish, greenstriped | 40 | 0 | 0 | 0 | 40 |
| Rockfish, group black/blue | 3 | 0 | 0 | 0 | 3 |
| Rockfish, group bolina | 1,351 | 0 | 0 | 0 | 1,351 |
| Rockfish, group deep nearshore | 889 | 0 | 0 | 0 | 889 |
| Rockfish, group gopher | 1,711 | 0 | 0 | 0 | 1,711 |
| Rockfish, group nearshore | 925 | 0 | 0 | 0 | 925 |
| Rockfish, group red | 25,533 | 0 | 0 | 0 | 25,533 |
| Rockfish, group rosefish | 44,944 | 0 | 0 | 0 | 44,944 |

California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings

Page: 4

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|------------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Rockfish, group shelf | 14,105 | 0 | 0 | 0 | 14,105 |
| Rockfish, group slope | 143,983 | 0 | 0 | 0 | 143,983 |
| Rockfish, group small | 163 | 0 | 0 | 0 | 163 |
| Rockfish, honeycomb | 4 | 0 | 0 | 0 | 4 |
| Rockfish, kelp | 1,008 | 0 | 0 | 0 | 1,008 |
| Rockfish, olive | 2,414 | 0 | 0 | 0 | 2,414 |
| Rockfish, quillback | 14,491 | 0 | 0 | 0 | 14,491 |
| Rockfish, redbanded | 2,379 | 0 | 0 | 0 | 2,379 |
| Rockfish, rosethorn | 5 | 0 | 0 | 0 | 5 |
| Rockfish, rosy | 1,198 | 0 | 0 | 0 | 1,198 |
| Rockfish, speckled | 93 | 0 | 0 | 0 | 93 |
| Rockfish, splitnose | 177,128 | 0 | 0 | 0 | 177,128 |
| Rockfish, squarespot | 454 | 0 | 0 | 0 | 454 |
| Rockfish, starry | 1,193 | 0 | 0 | 0 | 1,193 |
| Rockfish, stripetail | 5 | 0 | 0 | 0 | 5 |
| Rockfish, swordspine | 8 | 0 | 0 | 0 | 8 |
| Rockfish, treefish | 2,452 | 0 | 0 | 0 | 2,452 |
| Rockfish, unspecified | 30,634 | 0 | 0 | 0 | 30,634 |
| Rockfish, vermilion | 39,677 | 0 | 0 | 0 | 39,677 |
| Rockfish, widow | 18,188 | 0 | 0 | 0 | 18,188 |
| Rockfish, yelloweye | 401 | 0 | 0 | 0 | 401 |
| Rockfish, yellowtail | 11,353 | 0 | 0 | 0 | 11,353 |
| Sablefish | 3,190,727 | 0 | 0 | 0 | 3,190,727 |
| Salmon, Chinook | 1,506,998 | 0 | 0 | 0 | 1,506,998 |
| Salmon, Roe (Chinook, Coho) | 83 | 0 | 0 | 0 | 83 |
| Salmon | 5,317 | 0 | 0 | 0 | 5,317 |
| Sanddab, Pacific | 8,956 | 0 | 0 | 0 | 8,956 |

California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings Int

Date: 08/05/2008

Page: 5

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|--------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Sanddab | 347,102 | 0 | 0 | 0 | 347,102 |
| Sardine, Pacific | 178,476,460 | 0 | 0 | 600 | 178,477,060 |
| Sargo | 12 | 0 | 0 | 0 | 12 |
| Scorpionfish, California | 7,831 | 0 | 0 | 0 | 7,831 |
| Sculpin, staghorn | 3,147 | 0 | 0 | 0 | 3,147 |
| Seabass, white | 460,509 | 0 | 0 | 0 | 460,509 |
| Senorita | 16 | 0 | 0 | 0 | 16 |
| Shad, American | 9 | 0 | 0 | 0 | 9 |
| Shad, threadfin | 43,544 | 0 | 0 | 0 | 43,544 |
| Shark, Pacific angel | 8,936 | 0 | 0 | 0 | 8,936 |
| Shark, bigeye thresher | 6,302 | 0 | 0 | 0 | 6,302 |
| Shark, blue | 20,397 | 0 | 0 | 0 | 20,397 |
| Shark, brown smoothhound | 1,299 | 0 | 0 | 0 | 1,299 |
| Shark, gray smoothhound | 445 | 0 | 0 | 0 | 445 |
| Shark, horn | 87 | 0 | 0 | 0 | 87 |
| Shark, leopard | 19,958 | 0 | 0 | 0 | 19,958 |
| Shark, pelagic thresher | 2,257 | 0 | 0 | 0 | 2,257 |
| Shark, salmon | 81 | 0 | 0 | 0 | 81 |
| Shark, sevengill | 141 | 0 | 0 | 0 | 141 |
| Shark, shortfin mako | 66,535 | 0 | 0 | 1,186 | 67,721 |
| Shark, sixgill | 76 | 0 | 0 | 0 | 76 |
| Shark, smooth hammerhead | 166 | 0 | 0 | 0 | 166 |
| Shark, soupfin | 30,228 | 0 | 0 | 0 | 30,228 |
| Shark, spiny dogfish | 27,905 | 0 | 0 | 0 | 27,905 |
| Shark, swell | 3 | 0 | 0 | 0 | 3 |
| Shark, thresher | 263,744 | 0 | 0 | 0 | 263,744 |
| Shark, unspecified | 5,085 | 0 | 0 | 0 | 5,085 |

California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings Into California During 2007

Page: 6 Date: 08/05/2008

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Shark, white | 568 | 0 | 0 | 0 | 568 |
| Sheephead, California | 67,869 | 0 | 0 | 0 | 67,869 |
| Silversides | 84 | 0 | 0 | 0 | 84 |
| Skate, big | 12 | 0 | 0 | 0 | 12 |
| Skate, unspecified | 247,469 | 0 | 0 | 0 | 247,469 |
| Smelt, night | 169,471 | 0 | 0 | 0 | 169,471 |
| Smelt, surf | 116,388 | 0 | 0 | 0 | 116,388 |
| Smelts, true | 1,880 | 0 | 0 | 0 | 1,880 |
| Sole, Dover | 6,101,550 | 0 | 0 | 0 | 6,101,550 |
| Sole, English | 398,527 | 0 | 0 | 0 | 398,527 |
| Sole, fantail | 5 | 0 | 0 | 0 | 5 |
| Sole, petrale | 2,020,351 | 0 | 0 | 0 | 2,020,351 |
| Sole, rex | 379,204 | 0 | 0 | 0 | 379,204 |
| Sole, rock | 11,781 | 0 | 0 | 0 | 11,781 |
| Sole, sand | 13,989 | 0 | 0 | 0 | 13,989 |
| Sole, slender | 172 | 0 | 0 | 0 | 172 |
| Sole, unspecified | 46,557 | 0 | 0 | 0 | 46,557 |
| Stingray | 4,590 | 0 | 0 | 0 | 4,590 |
| Sunfish, ocean | 51 | 0 | 0 | 0 | 51 |
| Surfperch, barred | 1,682 | 0 | 0 | 0 | 1,682 |
| Surfperch, black | 9 | 0 | 0 | 0 | 9 |
| Surfperch, calico | 3 | 0 | 0 | 0 | 3 |
| Surfperch, redtail | 11,872 | 0 | 0 | 0 | 11,872 |
| Surfperch, rubberlip | 123 | 0 | 0 | 0 | 123 |
| Surfperch, unspecified | 4,904 | 0 | 0 | 0 | 4,904 |
| Swordfish | 835,121 | 0 | 0 | 786 | 835,907 |

California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings Into California During 2007

Page: 7

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Thornyhead, longspine | 1,105,450 | 0 | 0 | 0 | 1,105,450 |
| Thornyhead, shortspine | 729,109 | 0 | 0 | 0 | 729,109 |
| Thornyheads | 27,984 | 0 | 0 | 0 | 27,984 |
| Triggerfish | 7 | 0 | 0 | 0 | 7 |
| Tuna, albacore | 1,530,854 | 347,283 | 291 | 11,202 | 1,889,630 |
| Tuna, bigeye | 0 | 0 | 1,068 | 25,480 | 26,548 |
| Tuna, bluefin | 98,583 | 0 | 54 | 0 | 98,637 |
| Tuna, skipjack, black | 284 | 0 | 0 | 0 | 284 |
| Tuna, skipjack | 6,208 | 0 | 4,532 | 415 | 11,155 |
| Tuna, unspecified | 13 | 0 | 0 | 0 | 13 |
| Tuna, yellowfin | 186,127 | 0 | 34,024 | 9,423 | 229,574 |
| Turbot, curlfin | 11 | 0 | 0 | 0 | 11 |
| Turbot | 949 | 0 | 0 | 0 | 949 |
| Wahoo | 200 | 0 | 113 | 478 | 791 |
| Whitefish, ocean | 4,020 | 0 | 0 | 0 | 4,020 |
| Whiting, Pacific | 6,543,217 | 0 | 0 | 0 | 6,543,217 |
| Wrasse, rock | 10 | 0 | 0 | 0 | 10 |
| Yellowtail | 24,193 | 0 | 0 | 27 | 24,220 |
| rustaceans | | | | | |
| Crab, Dungeness | 11,029,883 | 0 | 0 | 0 | 11,029,883 |
| Crab, box | 3,035 | 0 | 0 | 0 | 3,035 |
| Crab, brown rock | 3,418 | 0 | 0 | 0 | 3,418 |
| Crab, claws | 1,213 | 0 | 0 | 0 | 1,213 |
| Crab, king | 181 | 0 | 0 | 0 | 181 |
| Crab, red rock | 155,923 | 0 | 0 | 0 | 155,923 |
| Crab, rock unspecified | 885,753 | 376 | 0 | 0 | 886,128 |
| Crab, spider | 79,520 | 0 | 0 | 0 | 79,520 |

California Department of Fish and Game Page: 8 Table 7 - Origin and Poundage of Commercial Fish Landings Into California During 2007

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|---------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Crab, spider/sheep claws | 175 | 0 | 0 | 0 | 175 |
| Crab, yellow rock | 238,369 | 0 | 0 | 0 | 238,369 |
| Crayfish, red swamp | 525 | 0 | 0 | 0 | 525 |
| Crayfish, unspecified | 166,199 | 0 | 0 | 0 | 166,199 |
| Crustacean, unspecified | 165 | 0 | 0 | 0 | 165 |
| Lobster, California spiny | 663,031 | 0 | 0 | 0 | 663,031 |
| Prawn, ridgeback | 278,202 | 0 | 0 | 0 | 278,202 |
| Prawn, spot | 260,298 | 0 | 0 | 0 | 260,298 |
| Shrimp, bay | 50,519 | 0 | 0 | 0 | 50,519 |
| Shrimp, brine | 768,349 | 0 | 0 | 0 | 768,349 |
| Shrimp, coonstriped | 22,142 | 0 | 0 | 0 | 22,142 |
| Shrimp, ghost | 42 | 0 | 0 | 0 | 42 |
| Shrimp, mantis | 300 | 0 | 0 | 0 | 300 |
| Shrimp, ocean (pink) | 628,027 | 8,917 | 0 | 0 | 636,944 |
| Echinoderms | | | | | |
| Bryozoan | 35 | 0 | 0 | 0 | 35 |
| Echinoderm, unspecified | 44 | 0 | 0 | 0 | 44 |
| Sand dollar | 136 | 0 | 0 | 0 | 136 |
| Sea cucumber, giant red | 119,305 | 0 | 0 | 0 | 119,305 |
| Sea cucumber, unspecified | 12,589 | 0 | 0 | 0 | 12,589 |
| Sea cucumber, warty | 354,194 | 0 | 0 | 0 | 354,194 |
| Sea stars | 7,999 | 0 | 0 | 0 | 7,999 |
| Sea urchin, purple | 3,313 | 0 | 0 | 0 | 3,313 |
| Sea urchin, red | 11,136,943 | 0 | 0 | 0 | 11,136,943 |
| Mollusks | | | | | |
| Chiton, unspecified | 2 | 0 | 0 | 0 | 2 |
| Limpet, keyhole | 976 | 0 | 0 | 0 | 976 |

California Department of Fish and Game Table 7 - Origin and Poundage of Commercial Fish Landings Into California During 2007

Page: 9 Date: 08/05/2008

| Species | California Waters | Waters North of State | Waters South of State | Unknown/Other Waters | Total Landings |
|--------------------------|----------------------|--------------------------|--------------------------|-------------------------|----------------|
| Limpet, unspecified | 13 | 0 | 0 | 0 | 13 |
| Mollusk, unspecified | 606 | 0 | 0 | 0 | 606 |
| Mussel | 997 | 0 | 0 | 0 | 997 |
| Octopus, unspecified | 2,803 | 0 | 0 | 0 | 2,803 |
| Oyster, giant Pacific | 5 | 0 | 0 | 0 | 5 |
| Sea hare | 7,513 | 0 | 0 | 0 | 7,513 |
| Sea slug | 0 | 0 | 0 | 0 | 0 |
| Snail, bubble | 1 | 0 | 0 | 0 | 1 |
| Snail, sea | 1,415 | 0 | 0 | 0 | 1,415 |
| Snail, tegula | 371 | 0 | 0 | 0 | 371 |
| Snail, top | 475 | 0 | 0 | 0 | 475 |
| Squid, jumbo | 164,060 | 0 | 0 | 0 | 164,060 |
| Squid, market | 108,991,960 | 0 | 0 | 0 | 108,991,960 |
| Whelk, Kellet's | 172,038 | 0 | 0 | 0 | 172,038 |
| Plants | | | | | |
| Algae, marine | 61 | 0 | 0 | 0 | 61 |
| Kelp | 869 | 0 | 0 | 0 | 869 |
| Vorms | | | | | |
| Invertebrate Unspecified | 67 | 0 | 0 | 0 | 67 |
| Invertebrates, colonial | 5 | 0 | 0 | 0 | 5 |
| Sea pansy | 7 | 0 | 0 | 0 | 7 |
| Spiders, sea | 16 | 0 | 0 | 0 | 16 |
| Tunicates | 3 | 0 | 0 | 0 | 3 |
| Total Pounds: | 382,936,291 | 356,576 | 50,651 | 70,198 | 383,413,715 |

Total Records: 110,086

End of Report