Species	Eureka region		Sacramento region		San Francisco region		Monterey region	
	Pounds	Value	Pounds	Value	Pounds	Value	Pounds	Value
nchovy	940	\$706			338,559	\$7,143	2,546,690	\$38,455
onito abezone abrilla	129	7			2,492	73	16,462	339
arp	201,728	2,017	814,314 280,636	\$20,943 53,193	19,914 19,458	1,782 3,887		
lounderlying fish	536,015	19,135		65	323,590	13,072	38,106	1,954
rouper. ake. alibut, California.					11.771	2,320	500 79,610	5 16,957
alibut, Pacific	95,936	25,739 455			105,942 1,194,201	20,854 10,747	206,115	5,153
ingfish	937,347	63,552	241	29	5,227 776,871	295 52,439	296,579 145,606	15,896 13,133
fackerel, jack fackerel, Pacific					879,015 19,397	10,725 679	31,511,952 385,378	617,634 11,061
orekompano, California	30,896	3,241			80,752 243	10,320 60	34,293 152,712	2,493 43,310
lock bass	3,744,222	115,696			989,603	39,290	2,438,790	169,740
ablefishalmon	625,264 2,221,509	46,520 522,721	1,211,513	292,703	236,825 2,868,570 364,530	23,755 798,623 18,008	845,504 769,705 141,841	32,045 250,616 8,979
and dabedineeulpin	1,337	8,264 134	1,891,000	32,963	24,551,685	18,008 428,427	41,684,458	783,668
na base, black						763	130,042	20,065
eatrout, greenlinghad			1,263,365	82,751			411	14
hark		1,612			58,993	13,280	291,532	2,537

TABLE 18
The Value, by Region, of the Annual Landings and Shipments of Commercial Fish Into California During 1950

Total pounds and value	36.268.227	\$3,257,236	5,463,393	\$483.051	55,067,851	\$4,208,235	97,916,588	\$3,929.083
Squid							5,992,571	157,000
Dyster, Pacific					124,502	14,031		
Oyster, native					36,166	4,770		
Dyster, eastern					117,079	16,134		
harter exetern		327			26,660	1,192	24,738	2,64
Detopus	7.368	179					404	
dusel	921	74						
Clam, Pismo.	7.022	754						
Tam Pirmo								
Jam, jackknife							4,290	43
Jam, gaper							4.290	
lam					18,369	2,009	13,750	1,5
lusk: balone					18.369	2,550	13,750	1.5
					913,181	38,718		
hrimp					913.181		5,790	2,3
rawn							7 500	
obster, spiny	0,210,010	102,423			0,002,470	666,914	22,181	3,3
rab ¹	6,249,315	700.407	l		5.052.470			
stacean:								
cellaneous fish	56,249	2,459	536	239	48,926	2,871	2,664	
itefish, ocean								
itebait	127,842	11,378			79.040	7,999	725	
bot	15,335	478			100,196	3,938	7.917	3
a, yellowfin					1,098,051	178,214		
na, unclassified					40,000	5,800		
a, skipjack			L		489.732	70,164		
a, bluefin			L		107.878	16,182		
a, albaeore	5,600,592	1,060,752	L		6.961.085	1.293,370	8,738,811	1.643.77
seed					317	14		
rdfish, broadbill					347	144		
ttail			1.531	225		0.03847	1,000,010	
	15,555,730	665,785	L		6,590,887	383,920	1 999 773	76.61
dt	53.969	3,005			306.687	23,308	126,280	6.22
le					105.015	1.449	30.408	

^{1.}All crab landlings north of Santa Barbara are market crab, with the exception of 1,462 pounds of rock crab landed in the San Francisco region. South of Santa Barbara the eatch is exclusively rock crab, whereas in the Santa Barbara acrab, which sender our included.

-

TABLE 18—Cont'd.

TABLE 18—Continued The Yalue, by Region, of the Annual Landings and Shipments of Commercial Fish Into California During 1950									
Species	Santa Barbara region		Los Angeles region		San Diego region		Total		
	Pounds	Value	Pounds	Value	Pounds	Value	Pounds	Value	
nchory arracuda	78,679	\$4,521 10,457	1,700,198 1,502,197 422,527	\$33,493 232,389 40,858	600 677,539 273,087	\$54 86,319 26,845	4,978,687 2,258,415 695,614	\$84,372 329,165 67,703	
abelia abelia arp			615 253,145 30,125	40 30,605 708	30,435		21,679 283,580 1,066,081 299,494	34,555 25,450 57,080	
lounder. lying fish :			1,982 60,714 278,819	245 4,815 53,227	208 17,549	2,659	913,110 60,714 296,368 500	35,056 4,815 55,886 5	
alibut, California alibut, Pacific erring, Pacific	320,045 993	62,793 45	365,036 56,213	64,210 17,988	376,283 3,554	78,342 107	1,092,745 258,091 1,425,351	224,622 64,581 16,507	
ingdah ingood kackerel, jack ackerel, Pacific	45,693 2,668,697 892,532	266 5,090 38,963 15,359	415,268 4,862 98,150,038 30,800,137	18,396 469 1,904,110 748,442	9,334 3,105 45,050 552,125	768 290 437 18,938	747,387 1,914,725 133,255,782 32,649,969	35,621 135,002 2,571,869 794,479 17,382	
ullet	15,210 160 18,064	2,186 40 1,886	84,289 30,582 159,308	16,984 4,288 24,137	239,421	2,699	239,421 245,440 183,697 205,367	35,224 47,698 28,722	
ockfishblefish	5,860	18,913 206 575 201	660,874 206,518 683,497 8,394	56,967 24,885 250,137 1,390	92,912		8,115,909 1,919,971 7,758,591 682,861	409,125 127,411 2,115,375 36,842	
rdine ulpin a bass, black	95,023,884 1,938 1,858	1,415,857 152 224 81,406	547,412,341 111,503 90,563 595,322	9,437,388 20,294 15,150 145,555	3,957,056 26,082 65,833 383,681	41,945 3,348 9,296 74,051	714,521,761 139,523 158,254 1,532,730	12,140,322 23,794 24,670 321,840	
a bass, white		9,799					1,263,365 717,247	14 82,751 56,050	

TABLE 18
The Value, by Region, of the Annual Landings and Shipments of Commercial Fish Into California During 1950

TABLE 18—Continued

The Value, by Region, of the Annual Landings and Shipments of Commercial Fish Into California During 1950

108

Species	Santa Barbara region		Los Angeles region		San Diego region		Total	
	Pounds	Value	Pounds	Value	Pounds	Value	Pounds	Value
nchovy	291,700	\$4,521	1,700,198	\$33,493	600	\$54	4.878.687	\$84,372
arracuda		10,457	1,502,197	232.389	677,539	86,319	2,258,415	329,165
enito	10000	10,400	422,527	40.858	273.087	26.845	695,614	67,703
abezone	1.681	97	615	40			21,679	556
shrilla			253,145	30,605	30,435	3.950	283,580	34,555
MP			30,125	708			1.056.081	25,450
MP			30,123				299,494	57,080
lounder		570	1,982	245	208	15	913,110	35,056
lying fish.			60,714	4.815	***		60.714	4.815
			278,819	53,227	17.549	2.659	296.368	55,886
rouper					2.10.11	2,000	500	50,000
akealibut, California		62,793	305,036	64,210	376,283	78,342	1.092.745	224,622
			56,213	17,988			258.001	64,581
alibut, Pacific		45	,		3,554	107	1,425,351	16,507
lerring, Pacific		45 266	415.268	18,396	9,334	768	747,387	35.621
ingfish			415,268	18,396	3,105	290	1,914,725	135,002
ngood		5,090	98.150.038	1.904.110	45,050	437	133.255,752	2,571,869
lackerel, jack		38,953						794,479
ackerel, Pacific		15,359	30,800,137	748,442	552,125	18,938	32,649,969 239,421	17,382
(ullet					239,421	17,382		
erch	15,210	2,186	84,289	16,984			245,440	35,224
ompano, California		40	30,582	4,288			183,697	47,698
oek bass		1,886	159,308	24,137	27,995	2,699	205,367	28,722
oekfish	189,508	18,913	660,874	56,967	92,912	8,529	8,115,909	409,135
iblefish	5,860	206	206,518	24,885			1,919,971	127,411
dmon	1,797	575	685,497	250,137			7,758,591	2,115,375
and dab	2,833	201	8,394	1,390			682,861	36,842
rdine	95,023,884	1,415,857	547,412,341	9,437,388	3,957,056	41,945	714,521,761	12,140,322
ulpin,	1,938	152	111,503	20,294	26,082	3,348	139,523	23,794
a bass, black	1,858	224	90,563	15,150	65,833	9,296	158,254	24,670
na bass, white	420,050	81,406	595,322	145,555	383,681	74,051	1,532,730	321,840
atrout, greenling							411	14
had							1,263,365	82,751
ark		9,799	185,836	21,539	79,161	7,283	717,247	56,050

TABLE~18-Cont'd.