TABLE 23 Inshore Bait Landings by Area Pounds and Value 1973

| Species | Sacramento | San Francisco and Monterey | Los Angeles | San Diego | Statewide* |
|----------------------------|----------------------------|-------------------------------|-----------------|------------|--------------------------|
| Clam | | | | | |
| Freshwater | 688,931 | | | | 688,931 |
| Gaper | \$92,122 | | | | \$92,122 67 |
| Gaper | | | | | \$19 |
| Jacknife | | | 31,505 | 11,881 | 43,386 |
| Jackinie | | | \$26,054 | \$7,234 | \$33,288 |
| Purple | | | 482 | 13,894 | 14,376 |
| a upocaration and a second | | | \$283 | \$6,998 | \$7,281 |
| Softshell | | | | 40,000 | 134 |
| | | | | | \$27 |
| | | | | | |
| Carp | | | | | 1,481 |
| | | | | | \$726 |
| Crab | | | | | |
| Sand | | 99 | 6,331 | 1 | 6,431 |
| | | \$44 | \$16,428 | \$5 | \$16,477 |
| Shore | | | 189 | 8 | 197 |
| 0 1 | | | \$965 | \$155 | \$1,120 |
| Crayfish | | | | | 3,994 |
| Mudsucker, longjaw | 0.000 | 0.710 | | | \$1,805 |
| | 2,082 \$2,684 | 2,716 | | 23 \$25 | 4,821 |
| V1 (11) | | \$4,046 135 | 81.577 | 13,423 | \$6,755 95,135 |
| Mussel (bay and rock) | | \$13 | \$17.208 | \$1.646 | \$18,867 |
| Sculpin, staghorn | 271 | 233 | , | , | 504 |
| scurpin, stagnorn | \$955 | \$877 | | | \$1.832 |
| | \$300 | 4011 | | | \$1,002 |
| Shrimp | | | | | |
| Bay | 61,176 | 1,132 | | | 62,308 |
| 2u, | \$112,501 | \$3,042 | | | \$115,543 |
| Brine | 4-1-, | 40,012 | | | 1,422,360 |
| | | | | | \$254,891 |
| Ghost | | | | | 12,766 |
| | | | | | \$40,397 |
| Red | | | 931 | 5 | 936 |
| | | | \$931 | \$27 | \$958 |
| | | | | | |
| Total | 752,460 | 4,315 | 121,015 | 39,235 | 2,357,827 |
| | \$ 208 , 262 | \$8,022 | \$61,869 | \$16,090 | \$592,108 |

^{*} Some figures are reported statewide only to avoid revealing the business of an individual in an area.

TABLE 23

Inshore Bait Landings by Area Pounds and Value 1973

TABLE 24 Recorded Catch of Live Bait for Saltwater Sportfishing 1969-1973

| Species | Thousands of pounds $^{\bullet}$ | | | | | | |
|--|----------------------------------|---------------------|---------------------------------|-----------------|-------------------------------------|--|--|
| | 1969 | 1970 | 1971 | 1972 | 1973 | | |
| Anchovy Mackerel, jack Mackerel, Pacific Sardine, adult Sardine, juvenile Squid Miscellaneous† | 10,627 103 8 34 | 12,210 6 | 12,774 9 1 T 10 | 11,700 5 | 12,432 120 75 66 80 | | |
| Total pounds | 10,781 | 12,220 | 12,794 | 11,721 | 12,773 | | |
| Number of Vessels‡ | 10 | 11 | 14 | 12 | 11 | | |

^{*} Weights are estimated from voluntary records. They should be regarded as minimal because some fishermen do not supply catch information.

T Less than 500 pounds.
† Consists primarily of queenfish and white croaker.

The number of live bait fishing vessels reported here should be considered minimal because some fishing operations utilize more than one vessel simultaneously or alternately, while others do not volunteer catch information at all.

TABLE 24

Recorded Catch of Live Bait for Saltwater Sportfishing 1969–1973