
HYDROSTATIC TEST RIGS



CREINTORS TEKNOSOL PVT. LTD.

www.creintors.com

4.0 **INDUSTRY 4.0 ENABLED WITH AI**

HYDROTHRUST TEST RIG

Creintors

come...let's grow

WE CAN TEST



BUTTERFLY VALVE



SAFETY RELIEF VALVE



BALL VALVE



GATE VALVE



KNIFE GATE VALVE



TRUNNION MOUNTED BALL VALVE



PINCH VALVE



GLOBE VALVE



PLUG VALVE



CHECK VALVE



CENTRIFUGAL PUMP CASINGS



HYDRANT VALVE



TUBE / PIPE



DELUGE VALVE




NEEDLE VALVE

- These customised test stands can test:
  Gate Valve | Globe Valve | Check Valve | Ball Valve | Trunnion Mounted ball Valve | Butterfly Valve
  Plug Valve | Sluice Valve | Air Valve | Pinch Valve | Knife Gate Valve | Safety Relief Valve
- We at Creintors, confine to:
  API Standards | ANSI Standards | AWWA Standards | FCI Standards | EN-ISO Standards
- Valve End Types Connections:
  Flanged End | Butt Weld | Socket Weld | Screwed Male | Screwed Female |
  Raised Face and Ring Joint Type
- Valve Sizes Vary From:
  1/2" to 56" & more
- Test Pressure Ranges:
  PN series (PN 10 to PN 25)
  API 6D (# 150 to # 4500)
  API 6A (# 10000 to # 15000)
- Test Stands can be supplied in following modes of operations.
  Manual (M)
  Manual with Data Logging (MD)
  Automatic (A)

CLAMPING STYLE

FACE SEALING




BORE SEALING
(With Inner Radial Sealing / Bungs)




FACE CUM BORE SEALING



NON COMPRESSION SEALING



CLAMP SEALING
SINGLE FLANGE



CLAMP SEALING
BOTH FLANGE



UNIVERSAL
TYPE SEALING

REACTION FORCE CHART

Force in Metric Tonn (MT)

PRESSURE RATING	VALVE SIZE (inch)		1/2″	3/4″	1″	1.5″	2″	2.5″	3″	4″	6″	8″	10″	12″	14″	16″	18″
	VALVE SIZE (mm)		15	20	25	40	50	65	80	100	150	200	250	300	350	400	450
#150	SHELL (Kg/Cm^2)	32	16	16	16	16	16	16	16	16	16	16	20	30	40	50	63
# 300	SHELL (Kg/Cm^2)	80	16	16	16	16	16	16	16	16	20	40	50	80	100	150	150
# 600	SHELL (Kg/Cm^2)	160	16	16	16	16	16	16	16	20	40	63	100	150	200	250	300
# 900	SHELL (Kg/Cm^2)	240	16	16	16	16	16	16	20	30	63	100	150	250	300	400	500
# 1500	SHELL (Kg/Cm^2)	396	16	16	16	16	16	30	40	50	100	160	250	400	500	630	800
# 2500	SHELL (Kg/Cm^2)	690	16	16	16	20	30	40	63	80	200	300	500	600	800	1250	1400
# 10000 -6A	SHELL (Kg/Cm^2)	1035	16	16	16	30	40	63	80	120	250	500	630	1000	1250	1600	2000
# 4500	SHELL (Kg/Cm^2)	1200	16	16	25	40	50	80	100	150	300	500	800	1250	1400	2000	2500
# 15000 -6A	SHELL (Kg/Cm^2)	1550	16	16	25	50	63	100	120	200	400	620	1000	1400	1800	2500	

PRESSURE RATING	VALVE SIZE (inch)		20″	24″	26″	28″	30″	36″	40″	42″	48″	50″	52″	54″	56″	60″
	VALVE SIZE (mm)		500	600	650	700	750	900	1000	1050	1200	1250	1300	1350	1400	1500
#150	SHELL (Kg/Cm^2)	32	80	120	150	150	200	250	300	300	500	500	500	600	600	800
# 300	SHELL (Kg/Cm^2)	80	200	300	300	400	500	600	800	800	1250	1250	1250	1400	1400	1600
# 600	SHELL (Kg/Cm^2)	160	400	600	620	800	1000	1250	1600	1600	2500	2500	2500			
# 900	SHELL (Kg/Cm^2)	240	600	800	1000	1250	1250	1800	2500	2500						
# 1500	SHELL (Kg/Cm^2)	396	1000	1400	1600	1800	2500									
# 2500	SHELL (Kg/Cm^2)	690	1800	2500												

Force in Metric Tonn (MT)

TYPE OF HYDRO STATIC TEST STANDS



















HYDROSTATIC TEST RIGS

www.creintors.com

Raw Material & Bought out Storage



ASRS



Pick to Light



Vertical Carousel

MARKETING INPUTS



Forecasting
Orders in Hand
Delivery Promised

Finished Goods Storage



ASRS



Vertical Carousel

Insert and Tool Management System



Vertical Carousel



Tool Management Software



Tool Presetter



Insert Management System

Testing



Factory Integration



Automated Guided Vehicle
(AGV)

Production Process





CNC

Planning Software


INDUSTRY 4.0

ERP Solutions





SOFTWARE



Creintors is committed to provide all valve testing solutions under one roof, with our expertise in design and manufacture of customized valve testing equipments which after integration ensure desired results. There has always been customer demand or flexible automated and zero maintenance plants. This demand has always been satisfied by our expert automation and integration team.

We have access and implementation expertise on latest technologies which involves SCADA, GSM, based communication and controls with state of art reporting system, data collection, storage and authorised retrieval systems. Automated mobile and computer email alerts and reports with Creintors own mobile and computer applications (apps) that work with cloud computing technologies. Where there are issues with GSM based communication network, we provide dedicated RF transmitter and receiver system that work for 2.45 Ghz. and 5 Ghz. international free band frequencies.


Our automation architecture has inbuilt redundancy and supports all mode of operations from fully automation, semi automation to fully manual systems with most simplified controls.

- Software – Capabilities and Projects.
- PLC and HMI - Capabilities and Projects.
- Embedded – Capabilities and Projects.
- Web based live reporting and online access.
- App based live reporting and smart device access.
- Online customer feedback form and response.
- Online cloud reporting, storage and access.

SOFTWARE


WEB REPORT:


Stay connected & updated Real Time across the globe.




APP REPORT:

Updates at your fingertips.







HYDROTHRUST TEST RIG
Creintors
come...let's grow

Creintors Teknosol Pvt. Ltd.
Survey No. 22/3, Waghawade Road,
Waghawade, Belgaum 590018,
Karnataka, India.

Tel: +91_7625063841
E-mail: sales@creintors.com
Website: www.creintors.com