

1996-2025 Critical Period Management

1996 – No CPM enforcement

February 23, 1996 - J-17 fell to 649.91ft. into Stage I

February 28, 1996 - J-17 rose to 650.12 ft. out of Stage I

April 16, 1996 – J-17 fell to 649.97 ft to Stage I

April 17, 1996 – J-17 fell to 639.67 ft to Stage II

June 16, 1996 – J-17 fell to 629.86ft to Stage III

June 26, 1996 – J-17 rose to 630.13 ft. to Stage II

July 7, 1996 – J-17 fell to 628.55 ft to Stage III

July 10, 1996 – J-17 rose to 630.1 ft. Stage II

July 21, 1996 – J-17 fell to 629.7 for two days Stage III

July 23, 1996 - J-17ft. rose to 630.73ft Stage II

August 11, 1996 – J-17 fell to 629.39 ft. Stage III

August 20, 1996 – J-17 rose to 631.07ft. Stage II

September 1, 1996 -J-17 rose to 640.13 Stage I

December 16, 1996 – J-17 rose to 650.03ft. out of Stage I

December 18, 1996 – J-17 fell to 649.86ft. into Stage I

December 22, 1996 – J-17 rose to 650.23ft. out of Stage I

San Antonio Pool CPM days based on J-17 levels only.

CPM 1996	DAYS
Stage I	146
Stage II	88
Stage III	19
Total days:	253

CPM days based on emergency rules adopted in later years. 10-day averages were not taken into account at that time. Agency was new and did not have formal CPM rules adopted in 1996. Uvalde did not fall to Stage I level in 1996.

1996-2025 Critical Period Management

1998

June 1, 1998 J-17 index well dropped to 649.2ft.msl entering into Stage I for 78 days.

August 16, 1998 J-17 index well rose to 650.8ft msl out of Stage I

San Antonio Pool CPM days based on J-17 levels only.

CPM 1998	DATES	DAYS
Stage I	06/01/00 to 08/15/1998	76

Emergency rules implemented but had difficulty enforcing rules. Uvalde did not drop to Stage I in 1998.

2000

May 1, 2000 Stage I was declared due to level at J-17 falling below 650 ft. mean sea level (msl).

August 16, 2000 Stage II was declared due to level at J-17 falling below 640 ft. msl.

September 8, 2000 Region wide Sprinkler ban was imposed due to levels at Comal Springs falling below 150 cfs. USGS reported it at 145 cfs.

September 21, 2000 Sprinkler ban is lifted.

October 13, 2000 Stage II is lifted and Stage I is in effect.

November 6, 2000 all restrictions are lifted.

Total days in CPM = 189 days.

Reductions for Stage I = 5% Formula: Days in CPM / days in month x 5%

Reductions for Stage II = 10% Formula: Days in CPM / days in month x 10%

San Antonio Pool

CPM 2000	DATES	DAYS
Stage I	05/01/00 to 08/15/00	107
Stage II	08/16/00 to 10/12/00	58
Stage I	10/13/00 to 11/05/00	24
Total Days in CPM =		189

Note: In 2000 CPM was managed and enforce on a monthly basis based on monthly pumping schedules and reductions applied to municipal and industrial users.

Month	Stage I Days	Stage II Days	Monthly Reduction
May	31	0	5%
June	30	0	5%
July	31	0	5%
August	15	16	7.6%

1996-2025 Critical Period Management

September	0	30	10%
October	19	12	7%
November	5	0	0.8%

No Reductions in the **Uvalde Pool**.

2006

July 20, 2006 CPM was declared due to levels at J-17 falling below 650 ft. msl.

Stage I: July 20th to September 4th = 47 days in Quarter III

Stage I = 5%

Formula: Days in CPM in Quarter III (47) /Days in Quarter III (92) x 5%

Reduction = **2.6% in Quarter III** for municipal and industrial users only in the San Antonio Pool.

Note: In 2006 CPM was managed and enforced based on quarterly withdrawal schedules. The Uvalde Pool was not in CPM in 2006. This was the last year that Quarterly allocation schedules were used to manage withdrawals and CPM reductions.

2007

On May 28, 2007, the EAA Act was Amended by the 80th Texas Legislature and increased the permitted pumping cap to 572,000 acre-feet annually and also changed the triggers for each stage of CPM to begin sooner and at higher aquifer levels. It also allowed for irrigators to finish out crops already planted prior to the implementation of CPM without regard to increased permit reductions due to CPM. This exemption was inserted into EAA EAA Rules resulting in the creation of the Notice of Intent to Finish Out a Crop Program and implemented for the first time in 2008.

2008

June 23, 2008 Stage I CPM was declared due to the 10 average at J-17 index well falling below 660 ft. msl.

Stage I: June 23rd to July 22nd = 30 days

Stage I reduction = 20%

1996-2025 Critical Period Management

In 2008 CPM reductions were not applied to schedules but to permit holders total annual permitted amounts.

Formula: $30 \text{ days in CPM} / 365 \text{ days} \times 20\% = 1.64\%$

Annual CPM Reduction for permit holders in the San Antonio Pool = **1.64%**

2009

April 23, 2009 The USGS measured discharge from San Marcos Springs and revised the rating curve by decreasing the flow measurements from the springs by two cubic feet per second (cfs). This adjustment was applied to spring discharge occurring from Tuesday, April 21 through Thursday, April 23.

April 26, 2009 The USGS gauge for San Marcos Springs discharge for Sunday, April 26 was determined to be 94 cfs and the 10-day rolling average for discharge on the same day was 94.3cfs which was below the 96 cfs threshold for Stage I

April 27, 2009 Authority's General Manager Declares Commencement of Stage I Critical Period based on San Marcos Spring Flows 10-day average falling below 96 cfs on Sunday April 26, 2009.

April 27 -June 17 **Stage I CPM remains in effect for 52 days.**

June 18, 2009 Authority staff recorded the groundwater elevation for J-17 at 645.8 feet above mean sea level (msl) which brings the 10-day rolling average for J-17 to 649.6 which is below the Critical Period Stage II threshold of 650.0 feet msl.

June 18, 2009 Authority's General Manager declares Stage II Critical Period Management due to J-17 index well 10-day rolling average falling below 650 feet msl.

June 18 - Sept. 16 **Stage II CPM remains in effect for 91 days**

September 17, 2009 The 10-day average for J-17 was 651.2 ft msl the Comal Springs flow level was 201.6 cfs and San Marcos Springs flow level was 93 cfs., all levels were above the Stage II trigger of CPM.

September 22, 2009 Authority's General Manager declares expiration of Stage II and the return of Stage I Critical Period effective September 17, 2009.

Sept. 9 - Oct 12 **Stage I remains in effect for 26 days**

October 13, 2009 The 10-day averages for J-17 was 662.6 ft msl, Comal Springs was 249.9 cfs and San Marcos Springs was 129.0 cfs, all were above the Stage I trigger of CPM.

1996-2025 Critical Period Management

October 15, 2009 Authority's General Manager declares an end to Stage I of CPM effective October 13, 2009.

2009 Critical Period Results:

San Antonio Pool

CPM 2009	DATES	DAYS
Stage I	4/27/09 to 6/17/09	52
Stage II	6/18/09 to 9/16/09	91
Stage I	9/17/09 to 10/12/09	26
Total Days in CPM =		169
Calculated reduction		
STAGES	DAYS	FORMULA
Stage I	78	$78/365 \times 20 = 4.3\%$
Stage II	91	$91/365 \times 30 = 7.5\%$

Total Annual CPM Reduction = 11.8%

2010 – No Critical Period Management

2011

April 18, 2011 The daily reading at the J-17 index well was reported at 658.9 feet mean seal level resulting in the 10-day average of 659.8 feet mean sea level. The EAA's General Manger declares Stage I in the San Antonio Pool requiring a 20% reduction on withdrawals.

April 18, 2011 – June 1, 2011 **Stage I remains in effect for 45 days.**

June 2, 2011 The daily reading at the J-17 index well was reported at 646.6 feet, mean sea level resulting in the 10-day average of 649.8 feet mean sea level. The EAA's General Manager declares implementation of Stage II CPM in the San Antonio Pool requiring a 30% reduction on withdrawals.

June 27, 2011 The General Manager declares Stage II for the Uvalde Pool. The daily reading for the J-27 index well in Uvalde fell to 849.9 ft. msl and its 10-day average was 849.9 ft. msl. The readings in the SA Pool on this day at the J-17 index well was 646.3 and its 10-day average was 643.4 ft. msl. In Comal Springs the reading was 190 cfs and the 10-day average was 177; at San Marcos Springs the daily reading was 111 cfs and it's 10-day average was 110 cfs.

December 4, 2011 The daily reading at the J-17 rose above the Stage II trigger mark to 651.0 and it's 10-day average to 650.1 ft. mean sea level. On the same day the Comal Spring daily reading was 207 cfs and it's 10-day average was 202 cfs. The San Marcos Spring daily reading was 96 cfs and the 10-day average was 95 cfs. Note: Because the aquifer levels were hovering at the Stage I and II threshold the General Manager chose not to declare an end to Stage II CPM.

1996-2025 Critical Period Management

December 23, 2011 On this day the General Manager declared an end to Stage II CPM for the San Antonio Pool and made the declaration retroactive to December 4, 2011. Because of the retroactive declaration the last date of Stage II was December 3, 2011 and Stage I began on December 4, 2011. The aquifer conditions on December 23, 2011 were as follows: The J-17 daily reading was 653.5 ft. msl. and the 10-day average was 652.5 ft. msl. The Comal Springs daily reading was 224 cfs and the 10-day average was 216 cfs and the San Marcos Springs daily reading was 100 cfs and the 10-day average was 100 cfs.

December 31, 2011 The year ends with Stage I in effect for the San Antonio Pool and Stage II in effect for the Uvalde Pool.

2011 Critical Period Results:

San Antonio Pool

CPM 2011	DATES	DAYS
Stage I	4/18/11 to 6/1/11	45
Stage II	6/2/11 to 12/3/11	185
Stage I	12/4/11 to 12/31/11	28
Total Days in CPM =		258
Calculated reduction		
STAGES	DAYS	FORMULA
Stage I	73	$73/365 \times 20 = 4\%$
Stage II	185	$185/365 \times 30 = 15.2\%$

Total Annual CPM Reduction = 19.2%

Uvalde Pool

CPM 2011	DATES	DAYS
Stage I	Not applicable	Not applicable
Stage II	6/27/11 to 12/31/11	188
Total Days in CPM =		188
Calculated reduction		
STAGES	DAYS	FORMULA
Stage II	188	$188/365 \times 5 = 2.6\%$

Total Annual CPM Reduction = 2.6%

1996-2025 Critical Period Management

2012

January 1, 2012 Both the San Antonio and Uvalde Pools begin the year in a Stage of CPM, Stage I (20% reduction) in SA Pool and Stage II (5% reduction) in Uvalde Pool.

February 10, 2012 The 10-day average at the J-17 index well in the San Antonio Pool rises above 660 ft. msl and Stage I ends.

April 18, 2012 the 10-day average at J-17 index wells falls below the Stage I trigger of 660 ft. msl and Stage I is declared for the San Antonio Pool.

May 3, 2012 The 10-day average at the J-17 index well falls below the Stage II trigger of 650 ft. msl. and Stage II is in effect for the San Antonio Pool.

May 10, 2012 The 10-day average at the Uvalde J-27 index well falls below the Stage III trigger level of 845 ft. msl. Stage III is in effect for the Uvalde Pool as of May 10, 2012

June 2, 2012 The 10-day average at the J-17 index well in the San Antonio Pool rises above the Stage II trigger of 650 ft. msl and effective June 2, 2012 the San Antonio Pool re-enters into Stage I.

June 13, 2012 The 10-day average at the J-17 index well again falls below the Stage II trigger level of 650 ft. msl. Effective June 13, 2012 Stage II is in effect.

June 22, 2012 The 10-day average at the Uvalde J-27 index well falls below the Stage IV trigger level of 842 ft. msl. The Stage IV is in effect for the Uvalde Pool as of June 22, 2012.

August 15, 2012 The 10-day average at the J-17 index well falls below 640 ft. msl. Stage III is declared for the first time in the San Antonio Pool effective August 15, 2012.

August 28, 2012 The daily high 10-day average at the J-27 index well for the Uvalde Pool rose above the Stage IV trigger level of 842 and was reported to be 842.1 ft. mean sea level.

August 29, 2012 Geary Schindel P.G. EAA Chief Technical Officer reported that the daily high 10-day average at J-27 index well rose to 842.1 ft msl on August 28, 2012 and the criteria for coming out of Stage IV in the Uvalde Pool had been met.

August 30, 2012 EAA Interim General Manager, Roland Ruiz declared an end to Stage IV and return to Stage III in the Uvalde Pool effective August 28, 2012. Stage III begins in the Uvalde Pool August 28, 2012.

September 16, 2012 The 10-day average at the J-17 index well in San Antonio rose to 640.4 ft. msl.

September 18, 2012 Interim General Manager, Roland Ruiz declares an end to Stage III in the San Antonio Pool effective September 16, 2012. Note: On August 22, 2012 to September 9,

1996-2025 Critical Period Management

2012 (19 days) the J-17 10-day average rose above 640ft for a short period of time however the end of Stage III was not declared effective until September 16, 2012.

December 5, 2012 The J-17 index well rose to 650.5 ft. msl resulting in the 10-day average of 650.0 ft msl. At this time the Comal Springs was at 205 cfs and San Marcos Springs was at 128 cfs.

December 13, 2012 The General Manager issued a Notice of Expiration of Stage II and return to Stage I for the San Antonio Pool effective December 6, 2012.

December 31, 2012 The year ends with Stage I still in effect for the San Antonio Pool and Stage III in effective for the Uvalde Pool.

2012 Critical Period Results:

San Antonio Pool

CPM 2012	DATES	DAYS
Stage I	01/01/12-02/09/12	40
No CPM Stage in effect	02/10/12 – 04/17/12	68
Stage I	04/18/12-05/02/12	15
Stage II	05/03/12-6/01/12	30
Stage I	06/02/12-06/12/12	11
Stage II	06/13/12-08/14/12	63
Stage III	08/15/12 – 9/15/12	32
Stage II	09/16/12 – 12/05/12	81
Stage I	12/06/12 – 12/31/12	26
Total Days in CPM =		298
Calculated reduction		
STAGES	DAYS	FORMULA
Stage I	92	$92/366 \times 20 = 5.0\%$
Stage II	174	$174/366 \times 30 = 14.3\%$
Stage III	32	$32/366 \times 35 = 3.1\%$

Total Annual CPM Reduction = 22.4%

Uvalde Pool

CPM 2012	DATES	DAYS
Stage I	Not applicable	Not applicable
Stage II	1/1/12-5/9/12	130
Stage III	5/10/12-6/21/12	43
Stage IV	6/22/12-8/27/12	67
Stage III	08/28/12 – 12/31/12	126
Total Days in CPM =		366
Calculated reduction		
STAGES	DAYS	FORMULA

1996-2025 Critical Period Management

Stage II	130	$130/366 \times 5 = 1.8\%$
Stage III	169	$169/366 \times 20 = 9.2\%$
Stage IV	67	$67/366 \times 35 = 6.4\%$

Total Annual CPM Reduction = 17.4%

2013

January 4, 2013 - EAA Chief Technical Officer, Geary Schindel reported the daily reading at J-27 in Uvalde County to be 841 ft. msl. resulting in the 10-day average of 841.2 ft msl. This report confirmed the 10-day average aquifer level at the J-27 index well to be below the Stage IV threshold of 842 ft. msl for the Uvalde Pool.

On this same day the EAA General Manager, Roland Ruiz declares Stage IV CPM reductions for the Uvalde Pool effective January 4, 2013.

March 11, 2013 - EAA Chief Technical Officer, Geary Schindel reported that on March 8, 2011 EAA staff confirmed the daily high at the J-17 index well in Bexar County (San Antonio Pool) to be 649.0 ft. msl. resulting in the 10-day average of 650.0 ft msl. The J-17 rose slightly on Saturday and Sunday (March 9 – March 10) however the 10-day average remains at 649.8 since Saturday, March 9 which is below the Stage II threshold of 650 ft msl for the San Antonio Pool.

On this same day the EAA General Manager, Roland Ruiz declares Stage II CPM reductions for the San Antonio Pool effective March 11, 2013.

March 28, 2013 - EAA Chief Technical Officer, Geary Schindel reported that on Wednesday, March 27, 2013, EAA staff confirmed the daily high water level at J-27 index well in Uvalde to be 837.8 feet above mean sea level (ft msl). That daily high water level resulted in a ten-day rolling average of 838.1 ft msl which is below the 840.0 ft msl threshold for Stage V within the Uvalde Pool. On this same day EAA General Manager, Roland Ruiz declares Stage V CPM reductions for the Uvalde Pool effective March 28, 2013.

On June 4, 2013 – EAA Chief Technical Officer, Geary Schindel reported that as a result of recent rainfall across the region, the 10-day rolling average water level at well J-17 has risen above the Stage II trigger level including spring flow level at Comal Springs. The 10-day rolling average at San Marcos Springs had not dropped below its Stage I trigger level. Therefore, all water level and spring flow index data for the San Antonio Pool of the aquifer are above their relative Stage II trigger levels. The data indicates the San Antonio Pool entered into Stage I of Critical Period on June 1, 2013. On June 1, 2013 the 10-day rolling average levels were recorded as follows: J-17 index well - 653.3 ft msl, Comal Springs – 201 cfs, San Marcos Springs – 101 cfs.

On this same day the EAA General Manager, Roland Ruiz declares expiration of Stage II CPM reductions for the San Antonio Pool effective (retroactive) June 1, 2013.

1996-2025 Critical Period Management

June 28, 2013 – EAA Chief Technical Officer, Geary Schindel reported that on Friday June 28, 2013, staff confirmed the daily high water level for the J-17 index well was 644.7 feet above mean sea level resulting in a ten-day rolling average of 649.6 ft msl which is below the 650 ft msl threshold for stage II for the San Antonio Pool. In addition, discharge at Comal Springs was 191 cfs on June 27, 2013 and the ten-day rolling average was 199 cfs which is below the 200 cfs threshold for Stage II for the San Antonio Pool. Geary Schindel confirmed that the ten-day rolling average water level in the San Antonio Pool index well meets the criteria for entering into Stage II Critical Period Management for the San Antonio Pool. The 10-day rolling average levels were recorded as follows: J-17 index well – 649.6 ft msl, Comal Springs – 198 cfs, San Marcos Springs – 115 cfs.

On this same day the EAA General Manager, Roland Ruiz declares Stage II CPM reductions for the San Antonio Pool effective June 28, 2013.

July 31, 2013 – EAA Chief Technical Officer, Geary Schindel, P.G. reported that EAA staff confirmed the daily high water level at J-17 to be 637.5 feet above mean sea level (ft msl) resulting in a ten-day rolling average of 639.7 ft msl which is below the Stage III trigger level of 640 ft msl. Geary Schindel confirmed that the ten-day rolling average water level in the San Antonio Pool index well met the criteria for entering into Stage III Critical Period Management for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 639.7 ft msl, Comal Springs – 165 cfs, San Marcos Springs – 110 cfs.

On the same day the EAA General Manager, Roland Ruiz, declares Stage III for the San Antonio Pool of the Edwards Aquifer Region effective July 31, 2013.

November 5, 2013 – EAA staff reported the daily reading at the J-17 index well in the San Antonio Pool to be 642.5 feet mean sea level (ft. msl) resulting in a 10-day rolling average of 640.2 ft. msl. The 10-day rolling average levels for the J-17 index well and springs were as follows: J-17 index well – 640.2 ft msl, Comal Springs – 154.7 cfs, San Marcos Springs – 130 cfs.

November 6, 2013 - EAA General Manager issues a Notice of Expiration of Stage III and return to Stage II Critical Period Management for the San Antonio Pool effective November 5, 2013

December 16, 2013 – EAA Chief Technical Officer, Geary Schindel, P.G. reported that EAA staff confirmed the daily high water level at J-17 index well to be 639.6 feet above mean sea level (ft. msl) resulting in 10-day rolling average at 639.9 ft msl which is below the 640 ft msl threshold for Stage III Critical Period Management for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 639.9 ft msl, Comal Springs – 159 cfs, San Marcos Springs – 190 cfs.

On the same day the EAA General Manager, Roland Ruiz, declares Stage III for the San Antonio Pool of the Edwards Aquifer Region effective December 16, 2013.

1996-2025 Critical Period Management

2013 Critical Period Results:

San Antonio Pool

CPM 2013	DATES	DAYS
Stage I	01/01/13 – 03/10/13	69
Stage II	03/11/13 – 05/31/13	82
Stage I	06/01/13 – 06/27/13	27
Stage II	06/28/13 – 07/30/13	33
Stage III	07/31/13 – 11/04/13	97
Stage II	11/05/13 – 12/15/13	41
Stage III	12/16/13 – 12/31/13	16
Total Days in CPM =		365
Calculated reduction		
STAGES	DAYS	FORMULA
Stage I	96	$96/365 \times 20 = 5.3\%$
Stage II	156	$156/365 \times 30 = 12.8\%$
Stage III	113	$113/365 \times 35 = 10.8\%$

Total Annual CPM Reduction on December 31, 2013 = 28.9%

Uvalde Pool

CPM 2013	DATES	DAYS
Stage III	01/01/13 - 01/03/13	3
Stage IV	01/04/13 – 03/27/13	83
Stage V	03/28/13- 12/31/13	279
Total Days in CPM =		365
Calculated reduction		
STAGES	DAYS	FORMULA
Stage III	3	$3/365 \times 20 = 0.2\%$
Stage IV	83	$83/365 \times 35 = 8\%$
Stage V	279	$279/365 \times 44 = 33.6\%$

Total Annual CPM Reduction on December 31, 2013 = 41.8%

2014

January 1, 2014 – San Antonio Pool of the Edwards Aquifer Region is in Stage III CPM and Uvalde Pool is in Stage V. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 639.5 ft msl, Comal Springs – 157 cfs, San Marcos Springs – 189 cfs. In Uvalde the 10-day rolling average for J-27 index was 834.7 ft msl with a imputed 10-day rolling average of 836.5 ft msl.

1996-2025 Critical Period Management

January 6, 2014 - EAA Chief Technical Officer, Geary Schindel reported the daily reading at J-17 in Bexar County on January 4, 2014 to be 641.7 ft msl resulting in the 10-day average of 640.1 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the Stage III threshold of 640 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 640.1 ft msl, Comal Springs – 158 cfs, San Marcos Springs – 190 cfs.

On this same day the EAA General Manager, Roland Ruiz declares expiration of Stage III CPM reductions for the San Antonio Pool effective January 4, 2014.

April 10, 2014 – EAA Executive Director of Aquifer Management Services reported the daily reading at J-17 in Bexar County to be 639.0 ft msl, resulting in a 10-day rolling average of 639.7 ft msl, which is below the 640 ft msl threshold for Stage III Critical Period Management for the San Antonio Pool. On April 9, 2014 the USGS reported that the daily average springflow at Comal Springs was 149 cubic feet per second (cfs), below the 150 cfs threshold for Stage III however, this data had not yet been validated prior to the validation of the J-17 index well readings by EAA staff. . The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 639.7 ft msl, Comal Springs – 148 cfs, San Marcos Springs – 129 cfs.

On this same day the EAA General Manager, Roland Ruiz declares commencement of Stage III CPM reductions for the San Antonio Pool effective April 10, 2014.

August 12, 2014 – EAA Executive Director of Aquifer Management Services, J. Mark Hamilton, P.G. and Director/Chief Technical Officer, Geary M. Schindel, P.G. reported the daily reading at the J-17 index well in Bexar County to be 628.0 ft msl, resulting in a 10-day rolling average of 629.7 ft msl, which is below the 630 ft msl threshold for Stage IV Critical Period Management for the San Antonio Pool. The Comal discharge rate was also confirmed at 92 cubic feet per second (cfs) on Monday, August 11, 2014 (as reported on Tuesday, August 12, 2014). The 10-day rolling average for Comal Springs was 99 cfs and is also below the Stage IV threshold of 100 cfs. The San Antonio Pool 10-day rolling average levels were recorded for Tuesday were as follows: J-17 index well – 628.0 ft msl, Comal Springs – 91 cfs, San Marcos Springs – 115 cfs.

On this same day the EAA General Manager, Roland Ruiz declares commencement of Stage IV CPM reductions for the San Antonio Pool effective August 12, 2014.

November 08, 2014 - EAA General Manager, Roland Ruiz declares expiration of Stage IV CPM reductions for the San Antonio Pool and return to Stage III effective November 9, 2014. The reported daily reading at the Comal Spring flow gauge in Comal County was 122 cfs, resulting in a 10-day rolling average of 104 cfs, which is above the 100 cfs threshold for Stage IV Critical Period Management for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels recorded on Sunday November 9, 2014 were as follows: J-17 index well – 634.5 ft msl, Comal Springs – 104 cfs, San Marcos Springs – 106 cfs.

1996-2025 Critical Period Management

2014 Critical Period:

San Antonio Pool

CPM 2014	DATES	DAYS
Stage III	01/01/14 – 01/03/14	3
Stage II	01/04/14 – 04/09/14	96
Stage III	04/10/14 – 08/11/14	124
Stage IV	08/12/14 – 11/08/14	89
Stage III	11/09/14 – 12/31/14	53
Total Days in CPM =		365
Calculated reduction		
STAGES	DAYS	FORMULA
Stage I	0	$0/365 \times 20 = 0\%$
Stage II	96	$96/365 \times 30 = 7.9\%$
Stage III	180	$180/365 \times 35 = 17.3\%$
Stage IV	89	$89/365 \times 40 = 9.8\%$

Total Annual CPM Reduction = 35%

Uvalde Pool

CPM 2014	DATES	DAYS
Stage V	01/01/14 – 12/31/14	365
Stage IV	NA	0
Stage III	NA	0
Total Days in CPM =		0
Calculated reduction		
STAGES	DAYS	FORMULA
Stage II	0	$0/365 \times 5 = 0.0\%$
Stage III	0	$0/365 \times 20 = 0.0\%$
Stage IV	0	$0/365 \times 35 = 0\%$
Stage V	365	$365/365 \times 44 = 44\%$

Total Annual CPM Reduction = 44%

2015

January 1, 2015 – San Antonio Pool of the Edwards Aquifer Region is in Stage III CPM and Uvalde Pool is in Stage V. The San Antonio Pool daily levels were recorded as follows: J-17 index well 634 ft msl, Comal Springs 134 cfs, San Marcos Springs 117 cfs. In Uvalde the daily level for J-27 index well was 824.3 ft msl.

January 28, 2015 – End of Stage III CPM in the San Antonio Pool

1996-2025 Critical Period Management

January 29, 2015 - EAA Chief Technical Officer, Geary Schindel reported that on Wednesday January 28, 2015 the daily reading at J-17 index well in Bexar County to be 644.4 ft msl resulting in the 10-day average of 642.9 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the Stage III threshold of 640 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well 642.9 ft msl, Comal Springs 151 cfs, San Marcos Springs 133 cfs.

On this same day the EAA General Manager, Roland Ruiz declares expiration of Stage III CPM reductions for the San Antonio Pool effective January 28, 2015.

April 29, 2015 - EAA Chief Technical Officer, Geary Schindel reported that on Wednesday April 29, 2015 the daily reading at the J-17 index well in Bexar County to be 652.5 ft msl resulting in the 10-day average of 650.1 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the Stage II threshold of 650 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 650.1 ft msl, Comal Springs – 208 cfs, San Marcos Springs – 172 cfs.

May 1, 2015 - The EAA General Manager, Roland Ruiz declares expiration of Stage II and entry into Stage I CPM reductions for the San Antonio Pool effective April 29, 2015.

May 12, 2015 - EAA Chief Technical Officer, Geary Schindel reported that on Sunday May 10, 2015 the daily reading at the J-17 index well in Bexar County to be 648.4 ft msl resulting in the 10-day average of 649.7 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be below the Stage I threshold of 650 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 649.7 ft msl, Comal Springs – 219 cfs, San Marcos Springs – 180 cfs.

May 14, 2015 - The EAA General Manager, Roland Ruiz declares commencement of Stage II of the EAA Critical Period Management Plan and reductions for the San Antonio Pool effective May 10, 2015.

May 19, 2015 - EAA Chief Technical Officer, Geary Schindel reported that on Tuesday May 19, 2015 the daily reading at the J-17 index well in Bexar County to be 654.6 ft msl resulting in the 10-day average of 650.3 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the Stage II threshold of 650 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 650.3 ft msl, Comal Springs – 236 cfs, San Marcos Springs – 191 cfs.

May 19, 2015 - The EAA General Manager, Roland Ruiz declares expiration of Stage II and entry into Stage I CPM reductions for the San Antonio Pool effective May 19, 2015.

June 1, 2015 – Executive Director of Aquifer Management, Mark Hamilton, P.G. reported that on Saturday May 30, 2015 the daily reading at the J-17 index well in Bexar County to be 664.2 ft msl resulting in the 10-day average of 660.5 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the Stage I threshold of 660 ft msl for the San Antonio

1996-2025 Critical Period Management

Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 660.5 ft msl, Comal Springs – 267 cfs, San Marcos Springs – 228 cfs.

On this same day (June 1, 2015) the EAA General Manager, Roland Ruiz declares expiration of Stage I CPM for the San Antonio Pool effective May 30, 2015.

June 5, 2015 – Executive Director of Aquifer Management, Mark Hamilton, P.G. reported that on Thursday June 4, 2015 the daily reading at the J-27 index well in Uvalde County to be 843.0 ft msl resulting in the 10-day average of 840.2 ft msl. This report confirmed the 10-day average aquifer level at the J-27 index well to be above the Stage V threshold of 840 ft msl for the Uvalde Pool. In the San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 664.3 ft msl, Comal Springs – 295 cfs, San Marcos Springs – 246 cfs.

On this same day (June 5, 2015) the EAA General Manager, Roland Ruiz declares expiration of Stage V CPM for the Uvalde Pool effective June 4, 2015.

June 11, 2015 - Executive Director of Aquifer Management, Mark Hamilton, P.G. reported that on Monday June 8, 2015 the daily reading at the J-27 index well in Uvalde County to be 843.7 ft msl resulting in the 10-day average of 842.3 ft msl. This report confirmed the 10-day average aquifer level at the J-27 index well to be above the Stage IV threshold of 842 ft msl for the Uvalde Pool. In the San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 665.1 ft msl, Comal Springs – 318 cfs, San Marcos Springs – 344 cfs.

On this same day (June 11, 2015) the EAA General Manager, Roland Ruiz declares expiration of Stage IV CPM for the Uvalde Pool effective June 8, 2015.

June 24, 2015 - Executive Director of Aquifer Management, Mark Hamilton, P.G. reported that on Wednesday June 24, 2015 the daily reading at the J-27 index well in Uvalde to be 846.3 ft. msl and based on this reading it confirmed that on Monday June 22, 2015 the 10-day reading at the J-27 index well was 845.1 ft msl. This report confirmed the 10-day average aquifer level at the J-27 index well to be above the Stage III threshold of 845 ft msl for the Uvalde Pool. In the San Antonio Pool 10-day rolling average levels on June 22, 2015 were recorded as follows: J-17 index well – 667.5 ft msl, Comal Springs – 319 cfs, San Marcos Springs – 351 cfs.

On this same day (June 24, 2015) the EAA General Manager, Roland Ruiz declares expiration of Stage III CPM for the Uvalde Pool effective June 22, 2015.

July 30, 2015 - EAA Chief Technical Officer/Director, Geary Schindel reported that on Thursday July 30, 2015 the daily reading at the J-17 index well in Bexar County to be 656.6 ft above msl resulting in the 10-day average of 659.5 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be below the 660 ft msl threshold for Stage I within the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 659.5 ft msl, Comal Springs (on July 28) – 331 cfs, San Marcos Springs (on July 28) – 314 cfs.

1996-2025 Critical Period Management

On this same day the EAA General Manager, Roland Ruiz declares commencement of Stage I of the EAA Critical Period Management Plan for the San Antonio Pool effective July 30, 2015.

August 5, 2015 - EAA Chief Technical Officer/Director, Geary Schindel reported that on Tuesday August 4, 2015 the daily reading at the J-27 index well in Uvalde County to be 850.4 ft above msl resulting in the 10-day average of 850.0 ft msl. This report confirmed the 10-day average aquifer level at the J-27 index well to be at or above the 850 ft msl threshold for Stage II within the Uvalde Pool. The levels in the San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 654.4 ft msl, Comal Springs – 325 cfs, San Marcos Springs – 308 cfs.

On this same day the EAA General Manager, Roland Ruiz declares expiration of Stage II of the EAA Critical Period Management Plan for the Uvalde Pool effective August 4, 2015.

August 17, 2015 - EAA Chief Technical Officer/Director, Geary Schindel reported that on Saturday August 15, 2015 the daily reading at the J-17 index well in Bexar County to be 648.7 ft above msl resulting in the 10-day average of 649.7 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be below the 650 ft msl threshold for Stage II in the San Antonio Pool. The levels in the San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 649.7 ft msl, Comal Springs – 287 cfs, San Marcos Springs – 287 cfs.

On this same day the EAA General Manager, Roland Ruiz declares implementation of Stage II of the EAA Critical Period Management Plan for the San Antonio Pool effective August 15, 2015.

November 3, 2015 – Executive Director of Aquifer Management, Mark Hamilton, reported that on Saturday October 15, 2015 the 10-day average reading at the J-17 index well in Bexar County to be 650.7 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the 650 ft msl threshold for Stage II in the San Antonio Pool. The levels in the San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 650.7 ft msl, Comal Springs – 231 cfs, San Marcos Springs – 200 cfs.

On this same day the EAA General Manager, Roland Ruiz declares expiration of Stage II and entrance into Stage I of the EAA Critical Period Management Plan for the San Antonio Pool effective October 31, 2015.

November 10, 2015 - Executive Director of Aquifer Management, Mark Hamilton, reported that on Monday November 9, 2015 the daily reading at the J-17 index well in Bexar County to be 661.8 ft msl resulting in a 10-day rolling average of 660.1 ft. msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the 660 ft msl threshold for Stage I in the San Antonio Pool. The levels in the San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 660.1 ft msl, Comal Springs – 231 cfs, San Marcos Springs – 189 cfs.

On this same day the EAA General Manager, Roland Ruiz declares expiration of Stage I and end of Critical Period Management for the San Antonio Pool effective November 9, 2015.

1996-2025 Critical Period Management

2015 Critical Period:

San Antonio Pool

CPM 2015	DATES	DAYS
Stage III	01/01/15 – 01/27/15	27
Stage II	01/28/15 – 04/28/15	91
Stage I	04/29/15 – 05/09/15	11
Stage II	05/10/15 – 05/18/15	9
Stage I	05/19/15 – 05/29/15	11
No Stage	05/30/15 – 07/29/15	61 Days not in CPM
Stage I	07/30/15 – 08/14/15	16
Stage II	08/15/15 – 10/30/15	77
Stage I	10/31/15 – 11/08/15	9
Total Days in CPM =		251
Calculated reduction		
STAGES	DAYS	FORMULA
Stage I	47	$47/365 \times 20 = 2.6\%$
Stage II	177	$177/365 \times 30 = 14.5\%$
Stage III	27	$27/365 \times 35 = 2.6\%$
Stage IV	0	NA
Stage V	0	NA

Total Annual CPM Reduction = 19.7%

Uvalde Pool

CPM 2015	DATES	DAYS
Stage V	01/01/15 – 06/03/15	154
Stage IV	06/04/15 – 06/07/15	4
Stage III	06/08/15 – 06/21/15	14
Stage II	06/22/15 – 08/03/15	43
Total Days in CPM =		215
Calculated reduction		
STAGES	DAYS	FORMULA
Stage II	43	$43/365 \times 5 = 0.6\%$
Stage III	14	$14/365 \times 20 = 0.8\%$
Stage IV	4	$4/365 \times 35 = 0.4\%$
Stage V	154	$154/365 \times 44 = 18.6\%$

Total Annual CPM Reduction = 20.4%

2016

No stages of critical period were declared for the San Antonio or Uvalde Pool during calendar year 2016.

1996-2025 Critical Period Management

2017

January 1, 2017 – No critical period stage is in effect for the San Antonio Pool or the Uvalde Pool.

July 13, 2017 - EAA Chief Technical Officer, Geary Schindel reported that on Thursday, July 13, 2017 the daily reading at J-17 index well in Bexar County to be 658.1 ft msl resulting in the 10-day average of 659.9 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be below the Stage I threshold of 660 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well 659.9 ft msl, Comal Springs 314 cfs, San Marcos Springs 217 cfs.

On this same day the EAA General Manager, Roland Ruiz declares Notice of Stage I CPM reductions for the San Antonio Pool effective on July 13, 2017.

August 29, 2017 - EAA Chief Technical Officer, Geary Schindel reported that on Tuesday, August 29, 2017, the daily reading at J-17 index well in Bexar County to be 665.0 ft msl resulting in the 10-day average of 660.4 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be above the Stage I threshold of 660 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well 660.4 ft msl, Comal Springs 275 cfs, San Marcos Springs 185 cfs.

September 18, 2017 - EAA Chief Technical Officer, Geary Schindel reported that on Saturday, September 16, 2017 the daily reading at the J-17 index well in Bexar County to be 658.7 ft msl resulting in the 10-day average of 659.7 ft msl. This report confirmed the 10-day average aquifer level at the J-17 index well to be below the Stage I threshold of 660.0 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well – 659.7, Comal Springs – 274 cfs, San Marcos Springs – 237 cfs.

September 18, 2017 - The EAA General Manager, Roland Ruiz declares Notice of Stage I CPM reductions for the San Antonio Pool effective on September 16, 2017.

October 2, 2017 Executive Director, Mark Hamilton reported that on Friday, September 29, 2017, the daily reading at J-17 index well in Bexar County to be 663.7 ft msl. On Saturday, September 30, 2017 the daily high resulted in the 10-day average of 660.1 ft msl which is above the Stage I threshold of 660 ft msl for the San Antonio Pool. The San Antonio Pool 10-day rolling average levels were recorded as follows: J-17 index well 660.1 ft msl, Comal Springs 293 cfs, San Marcos Springs 229 cfs.

1996-2025 Critical Period Management

2017 Critical Period:

San Antonio Pool

CPM 2017	DATES	DAYS
No Stage	01/01/17 – 07/12/17	193 days not in CPM
Stage I	07/13/17 – 8/28/17	47
No Stage	08/29/17 – 09/15/17	18
Stage I	09/16/17 – 09/29/17	14
No Stage	09/30/17 – 12/31/17	93 days not in CPM
Total Days in CPM =		61
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage I	61	$61/365 \times 20 = 3.4\%$
Stage II	0	NA
Stage III	0	NA
Stage IV	0	NA
Stage V	0	NA

Total Annual CPM Reduction = 3.4%

Uvalde Pool

CPM 2015	DATES	DAYS
Stage II	NA	0
Stage III	NA	0
Stage IV	NA	0
Stage V	NA	0
Total Days in CPM =		0
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage II	0	$0/365 \times 5 = 0\%$
Stage III	0	$0/365 \times 20 = 0\%$
Stage IV	0	$0/365 \times 35 = 0\%$
Stage V	0	$0/365 \times 44 = 0\%$

Total Annual CPM Reduction = 0%

1996-2025 Critical Period Management

2018

San Antonio Pool

CPM 2018	DATES	DAYS
No Stage	01/01/18 – 05/19/18	139 not in CPM
Stage I	05/20/18 – 6/09/18	21
Stage II	06/10/18 – 07/13/18	34
Stage I	07/14/18 – 07/26/18	13
Stage II	07/27/18 – 09/12/18	48
Stage I	9/13/2018 – 9/14/2018	2
No Stage	9/15/2018 – 12/31/2018	108 not in CPM
Total Days In CPM =		118
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage I	36	$36/365 \times 20 = 2.0\%$
Stage II	82	$82/365 \times 30 = 6.7$
Stage III	0	NA
Stage IV	0	NA
Stage V	0	NA

Total Annual CPM Reduction = 8.7%

Uvalde Pool

CPM 2018	DATES	DAYS
Stage II	NA	0
Stage III	NA	0
Stage IV	NA	0
Stage V	NA	0
Total Days in CPM =		0
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage II	0	$0/365 \times 5 = 0\%$
Stage III	0	$0/365 \times 20 = 0\%$
Stage IV	0	$0/365 \times 35 = 0\%$
Stage V	0	$0/365 \times 44 = 0\%$

Total Annual CPM Reduction = 0%

1996-2025 Critical Period Management

2019

No stages of critical period were declared for the San Antonio or Uvalde Pool during calendar year 2019.

2020

San Antonio Pool

CPM 2020	DATES	DAYS
No Stage	01/01/20 – 07/08/20	190 days not in CPM
Stage I	07/09/20 – 09/13/20	67
No Stage	09/14/20 – 10/15/20	32 days not in CPM
Stage I	10/16/20 – 12/01/20	47
No Stage	12/02/20 – 12/31/20	30 days not in CPM
Total Days In CPM =		114
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage I	114	$114/365 \times 20 = 6.25\%$
Stage II	0	N/A
Stage III	0	NA
Stage IV	0	NA
Stage V	0	NA

Total Annual CPM Reduction = 6.25%

Uvalde Pool

CPM 2020	DATES	DAYS
Stage II	NA	0
Stage III	NA	0
Stage IV	NA	0
Stage V	NA	0
Total Days in CPM =		0
Calculated Reduction = N/A		

1996-2025 Critical Period Management

2021

San Antonio Pool

CPM 2021	DATES	DAYS
No Stage	01/01/21 – 02/20/21	51 not in CPM
Stage I	02/21/21 – 03/03/21	11
No Stage	03/04/21 – 03/23/21	20
Stage I	03/24/21 – 04/18/21	26
Stage II	04/19/21 – 04/29/21	11
Stage I	04/30/21 – 05/06/21	7
No Stage	05/07/21 – 08/31/21	117 not in CPM
Stage 1	09/01/21 – 10/14/21	44
No Stage	10/15/21 – 12/31/21	78
Total Days In CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage I	88	$88/365 \times 20 = 4.81\%$
Stage II	11	$11/365 \times 30 = 0.90$
Stage III	0	NA
Stage IV	0	NA
Stage V	0	NA

Total Annual CPM Reduction = 5.71%

Uvalde Pool

CPM 2021	DATES	DAYS
Stage II	NA	0
Stage III	NA	0
Stage IV	NA	0
Stage V	NA	0
Total Days in CPM =		0
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage II	0	$0/365 \times 5 = 0\%$
Stage III	0	$0/365 \times 20 = 0\%$
Stage IV	0	$0/365 \times 35 = 0\%$
Stage V	0	$0/365 \times 44 = 0\%$

Total Annual CPM Reduction = 0%

1996-2025 Critical Period Management

2022

San Antonio Pool

CPM 2022	DATES	DAYS
No Stage	01/01/22 – 03/08/22	67 not in CPM
Stage I	03/09/22 – 04/10/22	33
Stage II	04/11/22 – 06/12/22	63
Stage III	06/13/22 – 08/11/22	60
Stage IV	08/12/22 – 08/17/22	6
Stage III	08/18/22 – 10/07/22	51
Stage IV	10/08/22 – 10/25/22	18
Stage III	10/26/22 – 12/31/22	66
Total Days In CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
No Stage	67	$67/365 \times 0\% = 0$
Stage I	33	$33/365 \times 20 = 1.81$
Stage II	63	$63/365 \times 30 = 5.18$
Stage III	177	$177/365 \times 35 = 16.97$
Stage IV	24	$24/365 \times 40 = 2.63$

Total Annual CPM Reduction = 26.59%

Uvalde Pool

CPM 2022	DATES	DAYS
No Stage	01/01/22 – 06/20/22	171
Stage II	06/21/22 – 07/26/22	36
Stage III	07/27/22 – 09/09/22	45
Stage II	09/10/22 – 12/31/22	112
Total Days in CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
No Stage	171	$171/365 \times 0 = 9\%$
Stage II	148	$148/365 \times 5 = 2.02$
Stage III	45	$45/365 \times 20 = 2.47\%$

Total Annual CPM Reduction = 4.49%

1996-2025 Critical Period Management

2023

San Antonio Pool

CPM 2023	DATES	DAYS
Stage III	01/01/23 – 04/29/23	119
Stage II	04/30/23 – 05/03/23	4
Stage III	05/04/23 – 05/14/23	11
Stage II	05/15/23 – 06/23/23	40
Stage III	06/24/23 – 07/20/23	27
Stage IV	07/21/23 – 10/31/23	103
Stage III	11/01/23 – 12/31/23	61
Total Days In CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage II	44	$44/365 \times 30 = 3.62$
Stage III	218	$218/365 \times 35 = 20.90$
Stage IV	103	$103/365 \times 40 = 11.29$

Total Annual CPM Reduction = 35.81%

Uvalde Pool

CPM 2023	DATES	DAYS
Stage II	01/01/23 – 05/06/23	126
Stage III	05/07/23 – 05/22/23	16
Stage II	05/23/23 – 06/25/23	34
Stage III	06/26/23 – 08/10/23	46
Stage IV	08/11/23 – 11/12/23	94
Stage III	11/13/23 – 12/31/23	49
Total Days in CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage II	160	$160/365 \times 5 = 2.20\%$
Stage III	111	$111/365 \times 20 = 6.08$
Stage IV	94	$94/365 \times 35 = 9.01\%$

Total Annual CPM Reduction = 17.29%

1996-2025 Critical Period Management

2024

San Antonio Pool

CPM 2024	DATES	DAYS
Stage III	01/01/24 – 01/24/24	24
Stage II	01/25/24 – 04/02/24	69
Stage III	04/03/24 – 06/05/24	64
Stage IV	06/06/24 – 06/20/24	15
Stage III	06/21/24 – 06/29/24	9
Stage IV	06/30/24 – 07/23/24	24
Stage III	07/24/24 – 08/21/24	29
Stage IV	08/22/24 – 09/15/24	25
Stage III	09/16/24 – 09/17/24	2
Stage IV	09/18/24 – 12/31/24	105
Total Days In CPM =		366
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage II	69	$69/366 \times 30 = 5.7$
Stage III	128	$128/366 \times 35 = 12.2$
Stage IV	169	$169/366 \times 40 = 18.5$

Total Annual CPM Reduction = 36.4%

Uvalde Pool

CPM 2024	DATES	DAYS
Stage III	01/01/24 – 03/09/24	69
Stage IV	03/10/24 – 04/05/24	27
Stage V	04/06/24 – 12/31/24	270
Total Days in CPM =		366
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage III	69	$69/366 \times 20 = 3.8\%$
Stage IV	27	$27/366 \times 35 = 2.6\%$
Stage V	270	$270/366 \times 44 = 32.5\%$

Total Annual CPM Reduction = 38.9%

1996-2025 Critical Period Management

2025

San Antonio Pool

CPM 2025	DATES	DAYS
Stage IV	01/01/25 – 05/22/25	142
Stage V	05/23/25 – 05/28/25	6
Stage IV	05/29/25 – 06/09/25	12
Stage III	06/10/25 – 08/11/25	63
Stage IV	08/12/25 – 12/31/25	142
Total Days In CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage III	67	$67/365 \times 35 = 6.43$
Stage IV	292	$292/365 \times 40 = 32$
Stage V	6	$6/365 \times 44 = 0.73$

Total Annual CPM Reduction = 39.16%

Uvalde Pool

CPM 2024	DATES	DAYS
Stage V	01/01/25 – 12/31/25	365
Total Days in CPM =		365
Calculated Reduction		
STAGES	DAYS	FORMULA
Stage V	365	$365/365 \times 44 = 44\%$

Total Annual CPM Reduction = 44%