

POST-OPERATIVE INSTRUCTIONS

Denture Soft Treatment Liner Care

IMMEDIATE CARE (First 24 Hours)

- Mild discomfort is normal
- Take over-the-counter pain relievers as needed
- Eat soft, cool foods only
- Avoid hot beverages for first 2 hours

DAILY CLEANING

DO:

- Remove dentures twice daily for cleaning
- Use lukewarm water only (never hot)
- Brush gently with soft-bristled brush
- Use mild soap or approved denture cleanser
- Store in cool water when not wearing

DON'T:

- Use hot water (damages liner)
- Use regular toothpaste or bleach
- Scrub harshly
- Let dentures dry out
- Use denture adhesives unless instructed

WEARING SCHEDULE

- Gradually increase wearing time over first week
- Start with 2-4 hours, increase daily
- Remove at night to let tissues rest
- Some speech difficulty is normal initially

FOODS TO AVOID

- Very hot foods and drinks
- Hard foods (nuts, raw vegetables)
- Sticky foods (gum, caramel)
- Tough meats
- Small seeds

CALL IMMEDIATELY IF:

- Severe or increasing pain
- Excessive bleeding
- Signs of infection (fever, swelling, pus)
- Loose or damaged liner pieces
- Unable to wear dentures due to pain

IMPORTANT REMINDERS

- Keep all follow-up appointments
- Soft liners are temporary (2-6 weeks typically)
- Do not attempt repairs yourself
- Some color change is normal