

Post-Care Instructions for Dental Crown Visits

After Crown Preparation

- Numbness: Your mouth may stay numb for a few hours. Avoid chewing on that side until the numbness wears off.
- Temporary Crown: Be gentle with the temporary crown. Avoid sticky or hard foods (like gum, caramel, or ice) that might loosen it. If it comes off, call our office so we can re-cement it.
- Sensitivity: Mild sensitivity to hot, cold, or pressure is normal. This will improve once the permanent crown is placed.
- Oral Care: Brush and floss gently around the temporary crown. Slide the floss out to the side rather than lifting straight up.
- Discomfort: Mild soreness can usually be managed with over-the-counter pain relievers.

If you experience significant pain, swelling, or your temporary crown comes off, contact our office right away.

After Final Crown Placement

- Numbness: Wait until numbness wears off before chewing to avoid biting your cheek or tongue.
- Chewing: Avoid very hard or sticky foods for the first 24 hours to allow the cement to fully set.
- Sensitivity: Some mild sensitivity to hot or cold is normal at first but should lessen over time.
- Oral Care: Brush and floss as usual around your new crown to keep the gum tissue healthy.
- Bite Adjustment: If your bite feels uneven or uncomfortable after the crown placement, call our office for an adjustment.

Your new crown is designed to look and function like a natural tooth. With proper care, it should last for many years.