

Tabla 1 — La matriz completa

nivel	método	resultado	costo (movimientos)	nodos expandidos	frontera máxima	memoria máxima	tiempo (ms)
n1_micro	BFS	ÉXITO	8	35	10	53	< 0,1
n1_micro	IDDFS	ÉXITO	8	79	7	30	< 0,1
n1_micro	A*(h ₆)	ÉXITO	8	8	9	26	< 0,1
n1_micro	Greedy(h ₆)	ÉXITO	8	8	9	26	< 0,1
n1_micro	DFS	ÉXITO	8	8-56	5-9	26-63	< 0,1
n2_akk04	BFS	ÉXITO	45	9.839	661	11.111	38,4
n2_akk04	IDDFS	ÉXITO	45	271.398	42	9.643	1.216,8
n2_akk04	A*(h ₆)	ÉXITO	45	4.460	677	5.793	33,4
n2_akk04	Greedy(h ₆)	ÉXITO	103	1.565	292	2.149	11,0
n2_akk04	DFS	ÉXITO	113-181	1.329-8.358	76-193	1.521-8.542	17,7
n3_caminata	BFS	ÉXITO	104	1.816	79	1.836	6,0
n3_caminata	IDDFS	ÉXITO	104	355.058	48	1.826	1.438,4
n3_caminata	A*(h ₆)	ÉXITO	104	1.702	122	1.778	10,0
n3_caminata	Greedy(h ₆)	ÉXITO	108	1.243	126	1.445	7,0
n3_caminata	DFS	ÉXITO	164-448	408-1.412	65-151	535-1.621	3,0
n4_matching	BFS	ÉXITO	70	60.410	2.028	62.306	253,2
n4_matching	IDDFS	FRACASO	cortado en 3.000.000	3.000.000	44	47.397	14.494,6
n4_matching	A*(h ₆)	ÉXITO	70	43.628	3.265	47.121	338,4
n4_matching	Greedy(h ₆)	ÉXITO	95	219	115	449	2,0
n4_matching	DFS	ÉXITO	196-1.158	339-5.533	104-622	539-6.762	9,2
n5_limite	BFS	ÉXITO	306	429.817	4.917	430.017	1.958,0
n5_limite	IDDFS	FRACASO	cortado en 3.000.000	3.000.000	50	46.949	13.513,0
n5_limite	A*(h ₆)	ÉXITO	306	426.808	10.434	427.601	3.592,6
n5_limite	Greedy(h ₆)	ÉXITO	390	231.220	7.246	245.450	1.654,0
n5_limite	DFS	ÉXITO	1.786-7.692	294.796-381.328	819-3.456	298.913-387.702	1.374,5

DFS: rango de las 24 permutaciones