Appendix 9 - Netbeans IDE Log

This document contains the IDE log produced from Netbeans running on Aberystwyth University's *Minted* server.

Original files can be found in: **Documentation/Original_Logs/**.

Listing 1: Extended Mission Application Example Runthrough (Minted)

```
--------------------------------------------------------------------------------
>Log Session: Friday, December 14, 2012 9:59:34 AM GMT
>System Info:
  Product Version          = NetBeans IDE 7.2 (Build 201207171143) (#
      b6c037585768)
  Operating System         = SunOS version 5.10 running on sparc
  Java; VM; Vendor         = 1.7.0_07; Java HotSpot(TM) Client VM 23.3-b01
      ; Oracle Corporation
  Runtime                  = Java(TM) SE Runtime Environment 1.7.0_07-b10
  Java Home                = /usr/jdk/instances/jdk1.7.0/jre
  System Locale; Encoding  = en_GB (nb); ISO8859-1
  Home Directory           = /aber/clg11
  Current Directory        = /berw/homes1/c/clg11
  User Directory           = /aber/clg11/.netbeans/7.2
  Cache Directory          = /aber/clg11/.cache/netbeans/7.2
  Installation             = /opt/netbeans-7.2/nb
                             /opt/netbeans-7.2/ergonomics
                             /opt/netbeans-7.2/ide
                             /opt/netbeans-7.2/java
                             /opt/netbeans-7.2/apisupport
                             /opt/netbeans-7.2/webcommon
                             /opt/netbeans-7.2/websvccommon
                             /opt/netbeans-7.2/enterprise
                             /opt/netbeans-7.2/profiler
                             /opt/netbeans-7.2/php
                             /opt/netbeans-7.2/harness
                             /opt/netbeans-7.2/cnd
                             /opt/netbeans-7.2/dlight
                             /opt/netbeans-7.2/groovy
                             /opt/netbeans-7.2/javafx
                             /opt/netbeans-7.2/platform
  Boot & Ext. Classpath    = /usr/jdk/instances/jdk1.7.0/jre/lib/resources
      .jar:/usr/jdk/instances/jdk1.7.0/jre/lib/rt.jar:/usr/jdk/instances/
      jdk1.7.0/jre/lib/sunrsasign.jar:/usr/jdk/instances/jdk1.7.0/jre/lib/
      jsse.jar:/usr/jdk/instances/jdk1.7.0/jre/lib/jce.jar:/usr/jdk/
      instances/jdk1.7.0/jre/lib/charsets.jar:/usr/jdk/instances/jdk1.7.0/
```

```
                    jre/lib/jfr.jar:/usr/jdk/instances/jdk1.7.0/jre/classes:/usr/jdk/
                    instances/jdk1.7.0/jre/lib/ext/sunpkcs11.jar:/usr/jdk/instances/jdk1
                    .7.0/jre/lib/ext/gnome-java-bridge.jar:/usr/jdk/instances/jdk1.7.0/
                    jre/lib/ext/ucrypto.jar:/usr/jdk/instances/jdk1.7.0/jre/lib/ext/
                    zipfs.jar:/usr/jdk/instances/jdk1.7.0/jre/lib/ext/dnsns.jar:/usr/jdk
                    /instances/jdk1.7.0/jre/lib/ext/localedata.jar:/usr/jdk/instances/
                    jdk1.7.0/jre/lib/ext/sunec.jar:/usr/jdk/instances/jdk1.7.0/jre/lib/
                    ext/sunjce_provider.jar:/usr/jdk/packages/lib/ext/jhall.jar
Application Classpath   = /opt/netbeans-7.2/platform/lib/boot.jar:/opt/
                    netbeans-7.2/platform/lib/org-openide-modules.jar:/opt/netbeans-7.2/
                    platform/lib/org-openide-util-lookup.jar:/opt/netbeans-7.2/platform/
                    lib/org-openide-util.jar:/opt/netbeans-7.2/platform/lib/locale/
                    boot_ja.jar:/opt/netbeans-7.2/platform/lib/locale/boot_pt_BR.jar:/
                    opt/netbeans-7.2/platform/lib/locale/boot_ru.jar:/opt/netbeans-7.2/
                    platform/lib/locale/boot_zh_CN.jar:/opt/netbeans-7.2/platform/lib/
                    locale/org-openide-modules_ja.jar:/opt/netbeans-7.2/platform/lib/
                    locale/org-openide-modules_pt_BR.jar:/opt/netbeans-7.2/platform/lib/
                    locale/org-openide-modules_ru.jar:/opt/netbeans-7.2/platform/lib/
                    locale/org-openide-modules_zh_CN.jar:/opt/netbeans-7.2/platform/lib/
                    locale/org-openide-util_ja.jar:/opt/netbeans-7.2/platform/lib/locale
                    /org-openide-util_pt_BR.jar:/opt/netbeans-7.2/platform/lib/locale/
                    org-openide-util_ru.jar:/opt/netbeans-7.2/platform/lib/locale/org-
                    openide-util_zh_CN.jar:/opt/netbeans-7.2/platform/lib/locale/org-
                    openide-util-lookup_ja.jar:/opt/netbeans-7.2/platform/lib/locale/org
                    -openide-util-lookup_pt_BR.jar:/opt/netbeans-7.2/platform/lib/locale
                    /org-openide-util-lookup_ru.jar:/opt/netbeans-7.2/platform/lib/
                    locale/org-openide-util-lookup_zh_CN.jar:/usr/java/lib/dt.jar:/usr/
                    java/lib/tools.jar
Startup Classpath       = /opt/netbeans-7.2/platform/core/org-openide-
                    filesystems.jar:/opt/netbeans-7.2/platform/core/core.jar:/opt/
                    netbeans-7.2/platform/core/locale/org-openide-filesystems_ru.jar:/
                    opt/netbeans-7.2/platform/core/locale/org-openide-filesystems_ja.jar
                    :/opt/netbeans-7.2/platform/core/locale/org-openide-
                    filesystems_pt_BR.jar:/opt/netbeans-7.2/platform/core/locale/core_ja
                    .jar:/opt/netbeans-7.2/platform/core/locale/core_zh_CN.jar:/opt/
                    netbeans-7.2/platform/core/locale/core_ru.jar:/opt/netbeans-7.2/
                    platform/core/locale/core_pt_BR.jar:/opt/netbeans-7.2/platform/core/
                    locale/org-openide-filesystems_zh_CN.jar:/opt/netbeans-7.2/nb/core/
                    org-netbeans-upgrader.jar:/opt/netbeans-7.2/nb/core/locale/core_nb.
                    jar:/opt/netbeans-7.2/nb/core/locale/org-netbeans-upgrader_zh_CN.jar
                    :/opt/netbeans-7.2/nb/core/locale/core_nb_pt_BR.jar:/opt/netbeans
                    -7.2/nb/core/locale/core_nb_ru.jar:/opt/netbeans-7.2/nb/core/locale/
                    org-netbeans-upgrader_pt_BR.jar:/opt/netbeans-7.2/nb/core/locale/
                    core_nb_zh_CN.jar:/opt/netbeans-7.2/nb/core/locale/core_nb_ja.jar:/
                    opt/netbeans-7.2/nb/core/locale/org-netbeans-upgrader_ru.jar:/opt/
                    netbeans-7.2/nb/core/locale/org-netbeans-upgrader_ja.jar
```

```
--------------------------------------------------------------------------------

Java Accessibility Bridge for GNOME loaded.
INFO [org.netbeans.modules.netbinox]: Install area set to file:/opt/
    netbeans-7.2/
WARNING [org.netbeans.core.modules]: the modules [org.netbeans.modules.
    editor.structure, org.netbeans.modules.xml.text] use org.netbeans.
    modules.editor.deprecated.pre65formatting which is deprecated.
INFO [org.netbeans.modules.masterfs.watcher.Watcher]: Notifier class org.
    netbeans.modules.masterfs.watcher.solaris.FAMNotifier refused to be
    initialized
INFO [org.netbeans.core.startup.NbEvents]: Turning on modules:
        org.openide.util.lookup [8.15.2 201209251619]
        org.openide.util [8.25.1 201207171143]
        org.openide.modules [7.32.1 201207171143]
        org.openide.filesystems [7.62.1 201207171143]
        org.netbeans.api.annotations.common/1 [1.14.1 201207171143]
        org.openide.awt [7.46.1 201207171143]
        org.netbeans.api.progress/1 [1.28.1 201207171143]
        org.openide.dialogs [7.25.1 201207171143]
        org.openide.nodes [7.28.1 201207171143]
        org.openide.windows [6.55.2 201209251619]
        org.netbeans.modules.editor.mimelookup/1 [1.26.1 201207171143]
        org.openide.text [6.49.1 201207171143]
        org.netbeans.swing.tabcontrol [1.36.1 201207171143]
        org.netbeans.swing.outline [1.20.1 201207171143]
        org.openide.explorer [6.45.1 201207171143]
        org.openide.actions [6.26.1 201207171143]
        org.netbeans.modules.queries/1 [1.28.1 201207171143]
        org.openide.loaders [7.37.3 201209251619]
        org.openide.io [1.31.2 201209251619]
        org.openide.execution [1.27.1 201207171143]
        org.netbeans.upgrader [4.22.1 201207171143]
        org.netbeans.swing.plaf [1.25.1 201207171143]
        org.netbeans.modules.projectapi/1 [1.46.1 201207171143]
        org.netbeans.swing.dirchooser [1.16.1 201207171143]
        org.netbeans.spi.viewmodel/2 [1.36.1 201207171143]
        org.netbeans.spi.tasklist/1 [1.19.1.1 1 201207171143]
        org.netbeans.spi.quicksearch [1.14.1 201207171143]
        org.netbeans.spi.palette/1 [1.32.1 201207171143]
        org.netbeans.spi.navigator/1 [1.23.1 201207171143]
        org.netbeans.modules.editor.settings/1 [1.41.1 201207171143]
        org.netbeans.modules.editor.util/1 [1.47.1 201207171143]
        org.netbeans.modules.lexer/2 [1.46.1.1 1 201207171143]
        org.netbeans.modules.editor.lib2/1 [1.61.1.32 32 201209251619]
        org.netbeans.modules.editor.fold/1 [1.29.2.32 32 201209251619]
```

```
org.netbeans.modules.editor.indent/2 [1.28.1 201207171143]
org.netbeans.modules.editor.lib/3 [3.24.1.20.32 20 201209251619]
org.netbeans.spi.editor.hints/0 [1.25.1.7.32 7 201209251619]
org.netbeans.api.debugger/1 [1.37.1 201207171143]
org.netbeans.modules.projectuiapi/1 [1.57.1.8 8 201207171143]
org.netbeans.spi.debugger.ui/1 [2.32.1 201207171143]
org.netbeans.api.xml/1 [1.30.1 201207171143]
org.netbeans.modules.xml.core/2 [1.30.1.4 4 201207171143]
org.netbeans.modules.editor.errorstripe.api/1 [2.20.1.1 1
    201207171143]
org.netbeans.modules.editor.errorstripe/2 [2.21.1.1.1 1
    201207171143]
org.netbeans.bootstrap/1 [2.52.2 201209251619]
org.netbeans.core.startup/1 [1.40.1 201207171143]
org.netbeans.modules.sampler [1.1.1 201207171143]
org.netbeans.modules.keyring [1.11.1 201207171143]
org.netbeans.core/2 [3.33.1 201207171143]
org.netbeans.modules.options.api/1 [1.26.1 201207171143]
org.netbeans.modules.editor.settings.storage/1 [1.33.1
    201207171143]
org.netbeans.api.search [1.2.1 201207171143]
org.netbeans.modules.editor/3 [1.63.1.5.20.32 5 201209251619]
org.netbeans.modules.options.keymap [1.19.2 201209251619]
org.netbeans.modules.options.editor/1 [1.32.1 201207171143]
org.netbeans.modules.diff/1 [1.37.1.42.1 42 201207171143]
org.netbeans.modules.editor.completion/1 [1.30.1.1 1
    201207171143]
org.netbeans.modules.editor.codetemplates/1 [1.26.1.1 1
    201207171143]
org.netbeans.core.ui/1 [1.31.1 201207171143]
org.netbeans.modules.project.indexingbridge [1.3.1 201207171143]
org.netbeans.api.java.classpath/1 [1.33.1 201207171143]
org.netbeans.libs.lucene/3 [3.7.1 201207171143]
org.netbeans.modules.masterfs/2 [2.38.2 201209251619]
org.netbeans.modules.parsing.lucene/2 [2.13.1 201207171143]
org.netbeans.modules.parsing.api/1 [1.55.1.6 6 201207171143]
org.netbeans.modules.jumpto/1 [1.28.1.1 1 201207171143]
org.netbeans.modules.editor.guards/1 [1.16.1 201207171143]
org.netbeans.modules.refactoring.api [1.28.2.1 1 201209251619]
org.netbeans.core.multiview/1 [1.29.1 201207171143]
org.netbeans.modules.csl.api/2 [2.28.2.2.1.1.6 2 201209251619]
org.netbeans.modules.xml.lexer [1.17.1 201207171143]
org.netbeans.modules.editor.deprecated.pre65formatting/0
    [1.8.1.1.5.20.32 1 201209251619]
org.netbeans.modules.editor.structure/1 [1.33.1.1 1 201207171143]
org.netbeans.modules.editor.bracesmatching/0 [1.22.1
```

```
    201207171143]
org.netbeans.modules.xml.text/2 [1.33.1 201207171143]
org.netbeans.modules.xml.xam/1 [1.18.1.1 1 201207171143]
org.netbeans.modules.xml.schema.model/1 [1.19.1.1 1 201207171143]
org.netbeans.modules.xml.axi [1.18.1 201207171143]
org.apache.xml.resolver [1.19.1.12 12 201207171143]
org.netbeans.modules.xml.retriever/1 [1.18.1 201207171143]
org.netbeans.modules.xml [1.17.2 201209251619]
org.netbeans.modules.servletapi/1 [1.27.1 201207171143]
org.netbeans.modules.httpserver/2 [2.23.1.42 42 201207171143]
org.netbeans.modules.xsl/1 [1.30.1 201207171143]
org.netbeans.modules.xml.xdm/1 [1.19.1.1 1 201207171143]
org.netbeans.libs.xerces/1 [1.26.1.280 280 201207171143]
org.netbeans.modules.xml.tax/2 [1.30.1.280 201207171143]
org.netbeans.modules.xml.tools/2 [1.30.1 201207171143]
org.netbeans.modules.xml.schema.completion [1.17.1 201207171143]
org.netbeans.modules.xml.catalog/2 [1.28.1.4 4 201207171143]
org.netbeans.core.execution/1 [1.28.1 201207171143]
org.netbeans.modules.favorites/1 [1.29.1 201207171143]
org.netbeans.modules.sendopts/2 [2.22.1 201207171143]
org.netbeans.modules.projectui [1.35.1.8 201207171143]
org.netbeans.modules.welcome/1 [1.29.1 201207171143]
org.netbeans.modules.web.common [1.19.1 201207171143]
org.netbeans.modules.web.indent [1.4.1 201207171143]
org.netbeans.modules.spellchecker.apimodule [1.12.1 201207171143]
org.netbeans.modules.extexecution/2 [1.31.1 201207171143]
org.netbeans.modules.versioning.core/1 [1.5.2.1.42 1
    201209251619]
org.netbeans.modules.versioning/1 [1.32.1.1 1 201207171143]
org.netbeans.modules.versioning.util [1.26.3.42.1 201209251619]
org.netbeans.modules.versioning.ui/1 [1.5.1.42.1 201207171143]
org.netbeans.modules.autoupdate.services [1.33.1 201207171143]
org.netbeans.modules.autoupdate.ui [1.27.2 201209251619]
org.netbeans.modules.versioning.system.cvss.installer [1.3.1
    201207171143]
org.netbeans.modules.versioning.masterfs [1.1.1 201207171143]
org.netbeans.modules.versioning.indexingbridge/0 [1.12.1
    201207171143]
org.netbeans.modules.utilities/1 [1.44.3 201209251619]
org.netbeans.modules.utilities.project/1 [1.24.1 201207171143]
org.netbeans.modules.javahelp/1 [2.27.1 201207171143]
org.netbeans.modules.usersguide/1 [1.36.1 201207171143]
org.netbeans.modules.updatecenters/1 [1.27.1 201207171143]
org.netbeans.lib.uihandler [1.30.1 201207171143]
org.netbeans.modules.uihandler [2.20.1 201207171143]
org.netbeans.modules.uihandler.exceptionreporter [1.16.1
```

```
        201207171143]
org.netbeans.lib.terminalemulator [1.20.1 201207171143]
org.netbeans.modules.terminal [1.9.1 201207171143]
org.netbeans.modules.tasklist.ui/1 [1.18.1.1 201207171143]
org.netbeans.modules.tasklist.todo/1 [1.17.1.1 1 201207171143]
org.netbeans.modules.tasklist.projectint/1 [1.16.1 201207171143]
org.netbeans.modules.tasklist.kit [1.16.1 201207171143]
org.netbeans.libs.svnClientAdapter/1 [1.23.1 201207171143]
org.netbeans.libs.ini4j/1 [1.18.1 201207171143]
org.netbeans.modules.subversion [1.24.3.42.1 201209251619]
org.netbeans.modules.editor.plain.lib/1 [1.21.1 201207171143]
org.netbeans.modules.spellchecker [1.21.1.1.7 1 201207171143]
org.netbeans.modules.spellchecker.kit [1.13.1 201207171143]
org.netbeans.modules.spellchecker.dictionary_en [1.10.1
        201207171143]
org.netbeans.modules.properties/1 [1.40.1 201207171143]
org.netbeans.modules.properties.syntax/1 [1.36.1 201207171143]
org.netbeans.modules.spellchecker.bindings.properties [1.9.1
        201207171143]
org.netbeans.modules.html.lexer/1 [1.18.1 201207171143]
org.netbeans.modules.spellchecker.bindings.htmlxml [1.14.1
        201207171143]
org.netbeans.modules.settings/1 [1.35.1 201207171143]
org.netbeans.core.ide/1 [1.28.1 201207171143]
org.netbeans.modules.server/0 [1.20.1 201207171143]
org.netbeans.modules.dlight.libs.common [1.13.1.1 1 201207171143]
com.jcraft.jsch [0.1.45 0.1.45]
org.netbeans.libs.jna/1 [1.21.1 201207171143]
org.netbeans.modules.dlight.nativeexecution [1.15.2.1 1
        201207171143]
org.netbeans.modules.dlight.remote [1.13.2.1 1 201207171143]
org.netbeans.modules.dlight.remote.impl [1.13.1.1 1 201207171143]
org.netbeans.modules.remotefs.versioning [1.2.1.1 1 201207171143]
org.netbeans.modules.projectui.buildmenu/1 [1.14.1.1 1
        201207171143]
org.netbeans.modules.project.libraries/1 [1.36.1 201207171143]
org.netbeans.modules.project.ant/1 [1.48.1 201207171143]
org.netbeans.modules.progress.ui [1.20.1 201207171143]
org.netbeans.modules.print.editor [7.14.1 201207171143]
org.netbeans.modules.print [7.13.1 201207171143]
org.netbeans.modules.parsing.ui [1.1.1 201207171143]
org.netbeans.libs.osgi [1.9.1 201207171143]
org.netbeans.core.netigso [1.16.1 201207171143]
org.netbeans.modules.netbinox [1.26.2 201209251619]
org.netbeans.modules.mercurial [1.26.1.42.1 201207171143]
org.netbeans.modules.masterfs.solaris [1.1.1 201207171143]
```

```
org.netbeans.modules.localhistory [1.20.1 201207171143]
org.netbeans.modules.lexer.nbbridge/1 [1.19.1.1 201207171143]
org.netbeans.libs.bytelist/1 [0.15.1.1 1 201207171143]
org.netbeans.libs.jvyamlb/1 [0.17.1 201207171143]
org.netbeans.modules.languages.yaml [2.19.1 201207171143]
org.netbeans.modules.languages.neon [1.1.1 201207171143]
org.netbeans.modules.languages.manifest [1.19.1 201207171143]
org.netbeans.modules.languages.diff [1.20.1 201207171143]
org.netbeans.modules.languages.apacheconf [1.1.1 201207171143]
org.netbeans.modules.keyring.impl [1.7.1 201207171143]
org.netbeans.libs.junit4 [1.14 201207171143]
org.netbeans.modules.junitlib [1.1 201207171143]
org.netbeans.libs.antlr3.runtime [1.9.1.1 1 201207171143]
org.netbeans.modules.css.lib/1 [1.8.1 201207171143]
org.netbeans.modules.css.editor/1 [1.28.1 201207171143]
org.netbeans.modules.html.editor.lib/3 [3.6.1 201207171143]
org.netbeans.modules.html.editor/2 [2.4.1 201207171143]
org.mozilla.rhino.patched/1 [1.117.1 201207171143]
org.netbeans.modules.javascript.editing/1 [0.107.1 201207171143]
org.netbeans.modules.javascript.refactoring/1 [0.78.1
    201207171143]
org.netbeans.modules.javascript.hints/1 [0.53.1 201207171143]
org.netbeans.modules.javascript.kit/1 [0.119.1 201207171143]
org.netbeans.modules.image/1 [1.35.1 201207171143]
org.netbeans.modules.editor.bookmarks/1 [1.23.1 201207171143]
org.netbeans.modules.editor.actions/1 [1.15.1.32 201209251619]
org.netbeans.core.browser/1 [1.14.1.1 1 201207171143]
org.netbeans.core.output2/1 [1.26.1 201207171143]
org.netbeans.modules.css.visual/1 [2.23.1 201207171143]
org.netbeans.modules.editor.search [1.4.1.0.32 0 201209251619]
org.netbeans.modules.html/1 [1.44.1 201207171143]
org.netbeans.modules.html.parser/1 [1.15.1.1 1 201207171143]
org.apache.commons.logging [1.1.0 1.1.0]
org.netbeans.modules.html.validation/1 [1.15.1 201207171143]
org.netbeans.modules.editor.kit [1.18.1 201207171143]
org.netbeans.modules.dlight.terminal [1.10.1.1 1 201207171143]
org.netbeans.modules.editor.plain/2 [1.22.1 201207171143]
org.netbeans.libs.felix [2.3.1 201207171143]
org.netbeans.core.windows/2 [2.49.3 201209251619]
org.netbeans.modules.core.kit [1.16.1 201207171143]
org.netbeans.modules.editor.macros/0 [1.17.1.1.20 1 201209251619]
org.netbeans.modules.extbrowser/1 [1.28.1 201207171143]
org.netbeans.modules.defaults/1 [1.19.1 201207171143]
org.netbeans.modules.ide.kit [1.19.1 201207171143]
org.netbeans.modules.ide.ergonomics [1.16.1 201207171143]
org.netbeans.modules.autoupdate.pluginimporter [1.5.1
```

```
    201207171143]
org.netbeans.modules.ide.branding/1 [1.20.1 201207171143]
org.netbeans.modules.ide.branding.kit [1.16.1 201207171143]
org.netbeans.libs.commons_net/2 [2.5.1.301 301 201207171143]
org.netbeans.modules.gsf.testrunner/1 [1.27.2 201209251619]
org.netbeans.modules.hudson [1.20.1 201207171143]
org.netbeans.modules.hudson.tasklist [1.3.1 201207171143]
org.netbeans.modules.hudson.subversion [1.15.1 201207171143]
org.netbeans.modules.hudson.mercurial [1.15.1 201207171143]
org.netbeans.modules.hudson.git [1.4.1 201207171143]
org.netbeans.modules.db.metadata.model/0 [0.17.1 201207171143]
org.netbeans.modules.db/1 [1.48.1.30 30 201207171143]
org.netbeans.modules.dbapi [1.21.1.30 201207171143]
org.netbeans.modules.derby [1.27.1 201207171143]
org.netbeans.modules.glassfish.common/0 [1.24.1 201207171143]
org.eclipse.jgit [1.3.0 1.3.0.201202151440-r]
org.netbeans.libs.git/1 [1.1.1 201207171143]
org.netbeans.modules.git [1.5.2.1 201209251619]
org.apache.commons.io [1.4 1.4]
org.netbeans.modules.extexecution.destroy [1.12.1 201207171143]
org.netbeans.modules.editor.mimelookup.impl/1 [1.18.1
    201207171143]
org.netbeans.modules.editor.indent.project/0 [1.9.1 201207171143]
org.netbeans.modules.editor.global.format/1 [1.2.1.1 1
    201207171143]
org.netbeans.modules.dlight.util [1.13.1.1 1 201207171143]
org.netbeans.modules.dlight.kit [1.13.1.1 1 201207171143]
org.netbeans.api.visual [2.32.1 201207171143]
org.netbeans.modules.db.sql.visualeditor/1 [2.17.1.30
    201207171143]
org.netbeans.libs.swingx/1 [1.14.1 201207171143]
org.netbeans.modules.db.dataview [1.15.1 201207171143]
org.netbeans.modules.db.core [1.23.1 201207171143]
org.netbeans.modules.db.sql.editor [1.23.1.30 201207171143]
org.netbeans.modules.db.mysql [0.15.1.2 2 201207171143]
org.netbeans.modules.db.drivers [1.17.1 201207171143]
org.netbeans.modules.db.kit [1.18.1 201207171143]
org.netbeans.modules.cnd.utils [1.17.2.1 1 201207171143]
org.netbeans.modules.cnd.api.remote/1 [1.13.1.1 1 201207171143]
org.netbeans.modules.cnd.lexer/1 [1.16.2.1 1 201207171143]
org.netbeans.modules.cnd.source [1.10.1.1 1 201207171143]
org.netbeans.modules.cnd.api.project/1 [1.22.1.1 1 201207171143]
org.netbeans.modules.cnd.toolchain [1.12.1.1 1 201207171143]
org.netbeans.modules.cnd/1 [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.api.model/1 [1.17.1.1 1 201207171143]
org.netbeans.modules.cnd.modelutil/1 [1.18.1.1 1 201207171143]
```

```
org.netbeans.modules.cnd.makeproject/2 [2.11.2.1 1 201209251619]
org.netbeans.modules.cnd.testrunner [1.10.1.1 1 201207171143]
org.netbeans.modules.cnd.script [1.9.1.1 1 201207171143]
org.netbeans.modules.cnd.spellchecker.bindings/1 [1.18.1.1 1
    201207171143]
org.netbeans.modules.cnd.model.services/1 [1.19.2.1 1
    201207171143]
org.netbeans.modules.cnd.simpleunit [1.9.1.1.1 1 201207171143]
org.netbeans.modules.cnd.search [1.1.1 201207171143]
org.netbeans.modules.cnd.repository.api/1 [1.17.1.1 1
    201207171143]
org.netbeans.modules.cnd.repository [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.antlr [2.23.1.1 1 201207171143]
org.netbeans.modules.cnd.apt [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.modelimpl/1 [1.20.2.1 1 201209251619]
org.netbeans.modules.cnd.remote [1.15.1.1 1 201207171143]
org.netbeans.modules.cnd.discovery [1.19.4.1 1 201209251619]
org.netbeans.modules.cnd.dwarfdump [1.19.1.1 1 201207171143]
org.netbeans.modules.cnd.remote.projectui [1.3.1.1 1
    201207171143]
org.netbeans.modules.cnd.editor/1 [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.refactoring/1 [1.17.2.1 1 201209251619]
org.netbeans.modules.cnd.qnavigator/1 [1.19.1.1 1 201207171143]
org.netbeans.modules.cnd.callgraph [1.14.1.1 1 201207171143]
org.netbeans.modules.cnd.navigation [1.21.1.1 1 201207171143]
org.netbeans.modules.cnd.modelui [1.19.1.1 1 201207171143]
org.netbeans.modules.cnd.modeldiscovery [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.makeproject.source.bridge [1.13.1.1 1
    201207171143]
org.netbeans.modules.cnd.litemodel [1.8.1.1 1 201207171143]
org.netbeans.modules.cnd.asm/1 [1.16.1.2 2 201207171143]
org.netbeans.modules.cnd.classview/1 [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.debugger.common2/3 [3.6.2.3 3
    201209251619]
org.netbeans.modules.cnd.debugger.gdb2/1 [1.6.2.1 1 201209251619]
org.netbeans.modules.cnd.highlight [1.19.1.1.1 1 201207171143]
org.netbeans.modules.cnd.completion/1 [1.20.1.1 1 201207171143]
org.netbeans.modules.cnd.gotodeclaration [1.19.1.1 1
    201207171143]
org.netbeans.modules.cnd.cncppunit [1.10.1.1.1 1 201207171143]
org.netbeans.modules.cnd.dwarfdiscovery [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.folding [1.18.1.1 1 201207171143]
org.netbeans.modules.cnd.kit [1.18.1.1 1 201207171143]
org.eclipse.mylyn.tasks.core [3.6.0 3.6.0.v20110608-1400]
org.netbeans.modules.bugtracking [1.27.1 201207171143]
org.eclipse.equinox.common [3.6.0 3.6.0.v20100503]
```

```
              org.eclipse.mylyn.bugzilla.core [3.6.0 3.6.0.v20110608-1400]
              org.eclipse.core.runtime [3.6.0 3.6.0.v20100505]
              org.apache.commons.httpclient [3.1.0 3.1.0]
              org.eclipse.mylyn.commons.net [3.6.0 3.6.0.v20110608-1400]
              org.netbeans.modules.bugzilla [1.23.1 201207171143]
              org.netbeans.modules.bugzilla.exceptionreporter [1.9.1
                  201207171143]
              org.netbeans.modules.bugtracking.bridge [1.19.1 201207171143]
              org.netbeans.libs.svnClientAdapter.svnkit/1 [1.7.1 201207171143]
              org.netbeans.libs.svnClientAdapter.javahl/1 [1.8.1 201207171143]
              org.netbeans.libs.freemarker/1 [2.19.1.238 238 201207171143]
              org.netbeans.core.nativeaccess/1 [1.16.1 201207171143]
              org.netbeans.core.io.ui/1 [1.16.1 201207171143]
              org.eclipse.mylyn.commons.xmlrpc [3.6.0 3.6.0.v20110608-1400]
              org.eclipse.mylyn.commons.core [3.6.0 3.6.0.v20110608-1400]
              org.eclipse.equinox.security [1.0.200 1.0.200.v20100503]
              org.eclipse.equinox.registry [3.5.0 3.5.0.v20100503]
              org.eclipse.equinox.preferences [3.3.0 3.3.0.v20100503]
              org.eclipse.equinox.app [1.3.1 1.3.1.R36x_v20100803]
              org.eclipse.core.runtime.compatibility.auth [3.2.200 3.2.200.
                  v20100517]
              org.eclipse.core.net [1.2.100 1.2.100.I20100511-0800]
              org.eclipse.core.jobs [3.5.1 3.5.1.R36x_v20100824]
              org.eclipse.core.contenttype [3.4.100 3.4.100.v20100505-1235]
              org.apache.xmlrpc [3.0.0 3.0.0]
              org.apache.ws.commons.util [1.0.1 1.0.1]
              org.apache.commons.lang [2.4.0 2.4.0]
              org.apache.commons.codec [1.3.0 1.3.0]
              com.jcraft.jzlib [1.0.7 1.0.7]
INFO [org.netbeans.core.netigso.Netigso]: bundle org.eclipse.osgi@3.7.1.
    R37x_v20110808-1106 started
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 762 ms for org.openide.
    awt.MenuBar$MenuBarFolder@1fcf967(FolderList{MultiFileObject@5e2b6e[
    Menu]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 551 ms for org.openide.
    awt.Toolbar$Folder@159e164(FolderList{MultiFileObject@1ba71a9[Toolbars
    /Build]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 954 ms for org.openide.
    awt.Toolbar$Folder@27eb13(FolderList{MultiFileObject@5b6234[Toolbars/
    Debug]})
WARNING [org.netbeans.modules.editor.settings.storage.keybindings.
    KeyMapsStorage]: The keybinding 'A-MOUSE_WHEEL_UP' in Editors/
    Keybindings/NetBeans/Defaults/org-netbeans-modules-editor-keybindings.
    xml may not work correctly on Mac. Keybindings starting with Alt or
    Ctrl should be coded with latin capital letters 'O' or 'D'
    respectively. For details see org.openide.util.Utilities.stringToKey()
```

```
                     .
WARNING [org.netbeans.modules.editor.settings.storage.keybindings.
   KeyMapsStorage]: The keybinding 'A-MOUSE_WHEEL_DOWN' in Editors/
   Keybindings/NetBeans/Defaults/org-netbeans-modules-editor-keybindings.
   xml may not work correctly on Mac. Keybindings starting with Alt or
   Ctrl should be coded with latin capital letters 'O' or 'D'
   respectively. For details see org.openide.util.Utilities.stringToKey()
                     .
WARNING [org.netbeans.TopSecurityManager]: use of system property
   netbeans.user has been obsoleted in favor of InstalledFileLocator/
   Places at org.netbeans.modules.versioning.masterfs.
   FilesystemInterceptor.getRootFilesystem(FilesystemInterceptor.java:81)
WARNING [org.netbeans.TopSecurityManager]: use of system property
   netbeans.user has been obsoleted in favor of InstalledFileLocator/
   Places at org.netbeans.modules.versioning.core.Utils.
   getUnversionedFolders(Utils.java:283)
WARNING [org.netbeans.TopSecurityManager]: use of system property
   netbeans.user has been obsoleted in favor of InstalledFileLocator/
   Places at org.netbeans.modules.uihandler.Installer.logsDirectory(
   Installer.java:851)
INFO [org.netbeans.core.nativeaccess.NativeWindowSystemImpl]
java.lang.Error: Failed to create temporary file for jnidispatch library:
    java.io.IOException: Permission denied
        at com.sun.jna.Native.loadNativeLibraryFromJar(Native.java:762)
        at com.sun.jna.Native.loadNativeLibrary(Native.java:697)
        at com.sun.jna.Native.<clinit>(Native.java:127)
        at com.sun.jna.platform.unix.X11.<clinit>(X11.java:348)
        at com.sun.jna.platform.WindowUtils$X11WindowUtils.
           getAlphaVisualIDs(WindowUtils.java:1221)
        at com.sun.jna.platform.WindowUtils$X11WindowUtils.
           isWindowAlphaSupported(WindowUtils.java:1171)
        at com.sun.jna.platform.WindowUtils.isWindowAlphaSupported(
           WindowUtils.java:1507)
[catch] at org.netbeans.core.nativeaccess.NativeWindowSystemImpl.
   isWindowAlphaSupported(NativeWindowSystemImpl.java:77)
        at org.netbeans.core.windows.FloatingWindowTransparencyManager$1.
           run(FloatingWindowTransparencyManager.java:90)
        at java.lang.Thread.run(Thread.java:722)
Diagnostic information
Input arguments:
        -Djdk.home=/usr/java
        -Dnetbeans.default_userdir_root=/aber/clg11/.netbeans
        -Dnetbeans.system_http_proxy=DIRECT
        -Dnetbeans.system_http_non_proxy_hosts=
        -Dnetbeans.dirs=/opt/netbeans-7.2/nb:/opt/netbeans-7.2/ergonomics
           :/opt/netbeans-7.2/ide:/opt/netbeans-7.2/java:/opt/netbeans
```

11

```
            -7.2/ apisupport :/ opt / netbeans -7.2/ webcommon :/ opt / netbeans -7.2/
            websvccommon :/ opt / netbeans -7.2/ enterprise :/ opt / netbeans -7.2/
            mobility :/ opt / netbeans -7.2/ profiler :/ opt / netbeans -7.2/ python :/
            opt / netbeans -7.2/ php :/ opt / netbeans -7.2/ identity :/ opt / netbeans
            -7.2/ harness :/ opt / netbeans -7.2/ cnd :/ opt / netbeans -7.2/ dlight :/
            opt / netbeans -7.2/ groovy :/ opt / netbeans -7.2/ extra :/ opt / netbeans
            -7.2/ javacard :/ opt / netbeans -7.2/ javafx :
        - Dnetbeans . home =/ opt / netbeans -7.2/ platform
        - Dnetbeans . importclass = org . netbeans . upgrade . AutoUpgrade
        - Dnetbeans . accept_license_class = org . netbeans . license .
            AcceptLicense
        - XX : MaxPermSize =384 m
        - Xmx768m
        - Xss2m
        - Xms32m
        - XX : PermSize =32 m
        - Dapple . laf . useScreenMenuBar = true
        - Dapple . awt . graphics . UseQuartz = true
        - Dsun . java2d . noddraw = true
        - Dsun . zip . disableMemoryMapping = true
        - XX :+ HeapDumpOnOutOfMemoryError
        - XX : HeapDumpPath =/ aber / clg11 /. netbeans /7.2/ var / log / heapdump . hprof
Compiler : HotSpot Client Compiler
Heap memory usage : initial 32.0 MB maximum 742.4 MB
Non heap memory usage : initial 56.2 MB maximum 440.0 MB
Garbage collector : Copy ( Collections =75 Total time spent =7 s )
Garbage collector : MarkSweepCompact ( Collections =2 Total time spent =1 s )
Classes : loaded =7449 total loaded =7450 unloaded 1
INFO [ org . netbeans . core . ui . warmup . DiagnosticTask ]: Total memory
    34 ,124 ,857 ,344
WARNING [ org . netbeans . TopSecurityManager ]: use of system property
    netbeans . user has been obsoleted in favor of InstalledFileLocator /
    Places at org . netbeans . modules . cnd . toolchain . compilers . PersistentList .
    getRoot ( PersistentList . java :74)
WARNING [ org . netbeans . TopSecurityManager ]: use of system property
    netbeans . user has been obsoleted in favor of InstalledFileLocator /
    Places at org . netbeans . modules . nativeexecution . support . hostinfo . impl .
    HostInfoFactory . getNBKey ( HostInfoFactory . java :401)
WARNING [ org . openide . awt . Toolbar ]: Too long AWTTask : 3 ,232 ms for org .
    openide . awt . MenuBar $LazyMenu $MenuFolder@71521e ( FolderList {
    MultiFileObject@1786786 [ Menu / BuildProject ]})
INFO [ org . netbeans . modules . cnd . api . project . NativeProjectRegistry ]: Open
    native project Worksheet_7 / aber / clg11 / NetBeansProjects / Worksheet_7
INFO [ org . netbeans . modules . cnd . api . project . NativeProjectRegistry ]: Open
    native project test / aber / clg11 / NetBeansProjects / test
INFO [ org . netbeans . modules . cnd . api . project . NativeProjectRegistry ]: Open
```

```
        native project Worksheet_5 /aber/clg11/NetBeansProjects/Worksheet_5
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project Worksheet_4(1) /aber/clg11/NetBeansProjects/Worksheet_4
    (1)
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project cs124_extended /aber/clg11/NetBeansProjects/
    cs124_extended
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project cs237_extended /aber/clg11/NetBeansProjects/
    cs237_extended
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project test2 /aber/clg11/NetBeansProjects/test2
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project cs237_main /aber/clg11/NetBeansProjects/cs237_main
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project test1 /aber/clg11/NetBeansProjects/test1
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 2,827 ms for org.
    openide.awt.MenuBar$LazyMenu$MenuFolder@15261c4(FolderList{
    MultiFileObject@b1350[Menu/RunProject]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 1,057 ms for org.
    openide.awt.MenuBar$MenuBarFolder@1fcf967(FolderList{
    MultiFileObject@5e2b6e[Menu]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 1,271 ms for org.
    openide.awt.MenuBar$LazyMenu$MenuFolder@1d020e0(FolderList{
    MultiFileObject@1e5a36c[Menu/RunProject/Stack]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 2,694 ms for org.
    openide.awt.MenuBar$LazyMenu$MenuFolder@1d002f7(FolderList{
    MultiFileObject@1363aa7[Menu/Tools/PaletteManager]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 573 ms for org.openide.
    awt.MenuBar$LazyMenu$MenuFolder@111834e(FolderList{
    MultiFileObject@db4683[Menu/Window/Output]})
INFO [org.openide.awt.Toolbar]: Too long AWTTask: 959 ms for org.openide.
    awt.MenuBar$LazyMenu$MenuFolder@1a1a64c(FolderList{
    MultiFileObject@12047ff[Menu/Window/Debug]})
WARNING [org.netbeans.TopSecurityManager]: use of system property
    netbeans.user has been obsoleted in favor of InstalledFileLocator/
    Places at org.netbeans.modules.versioning.core.VersioningManager.
    getLocalHistory(VersioningManager.java:483)
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project CS237_MAIN /aber/clg11/NetBeansProjects/CS237_MAIN
INFO [org.netbeans.modules.cnd.api.project.NativeProjectRegistry]: Open
    native project CS237_EXTENDED /aber/clg11/NetBeansProjects/
    CS237_EXTENDED
WARNING [org.netbeans.TopSecurityManager]: use of system property
    netbeans.user has been obsoleted in favor of InstalledFileLocator/
    Places at org.netbeans.modules.spellchecker.ComponentPeer.
```

```
    getUsersLocalDictionary ( ComponentPeer . java :437)
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Resolving dependencies took: 20 ms
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Complete indexing of 0 binary roots took: 8 ms
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Complete indexing of 0 source roots took: 0 ms (New or modified files:
     0, Deleted files: 0) [Adding listeners took: 0 ms]
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Resolving dependencies took: 34 ms
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Complete indexing of 0 binary roots took: 0 ms
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Indexing of: /opt/netbeans -7.2/ide/jsstubs/allstubs.zip took: 1,794 ms
     (New or modified files: 0, Deleted files: 0) [Adding listeners took:
    0 ms]
INFO [org.netbeans.modules.parsing.impl.indexing.RepositoryUpdater]:
    Complete indexing of 1 source roots took: 1,794 ms (New or modified
    files: 0, Deleted files: 0) [Adding listeners took: 0 ms]
INFO [org.netbeans.api.extexecution.ExecutionService]: Awaiting
    processing finish
```