


EN 60947-5-1


















310.840.001.0914






WERMA Signaltechnik GmbH + Co. KG D-78604 Rietheim-Weilheim Telefon +49 (0)7424 / 9557-0 Telefax +49 (0)7424 / 9557-44 info@werma.com www.werma.com



- D Anschluss ausschließlich durch ausgebildete Elektro-Fachkräfte.
- B Electrical connection is to be made by trained electrical specialists only.
- F) Le branchement doit **uniquement** être effectué par des professionnels.
- Il collegamento deve essere eseguito solo da elettricisti specializzati.
- E La conexión **sólo** debe ser realizada por electricistas debidamente formados.
- A ligação deve ser feita exclusivamente por profissional elétrico especializado.
- De aansluiting mag **enkel** gebeuren door erkende vakmensen.
- Připojení smí provádět pouze kvalifikovaný personál.
- Podłączenie **wyłącznie** przez specjalistów-elektryków.
- Fi Liittäminen kuuluu ainoastaan koulutettujen sähköalan ammattilaisten tehtäviin.
- ® Подключение проводится только специалистом-электриком.
- ® Bağlantı **sadece** eğitimli elektrik teknisyenleri tarafından yapılmalıdır.
- ©N 布线需由专业电工执行





840 x00 00	12 – 240 V≂
842 x00 54	12 V=, 195 mA
842 x00 55	24 V=, 125 mA
842 x00 67	115 V~, 22 mA
842 x00 68	230 V~, 15 mA
842 x10 55	24 V=, < 125 mA
843 x20 55	24 V≂, < 30 mA (RD, YE)
843 x20 55	24 V≂, < 25 mA (GN, BU, CL)

843 x00 55	24 V≂, < 30 mA (RD, YE)
843 x00 55	24 V≂, < 25 mA (GN, BU, CL)
843 x00 67	115 V~, < 20 mA
843 x00 68	230 V~, < 20 mA
843 x10 55	24 V≂, < 30 mA (RD, YE)
843 x10 55	24 V≂, < 25 mA (GN, BU, CL)
843 x10 67	115 V~, < 25 mA
843 x10 68	230 V~, < 25 mA
843 x30 55	24 V=, < 40 mA
843 x40 55	24 V=, 350 mA (RD, YE)
843 x40 55	24 V=, 250 mA (GN, BU, CL)
843 x80 55	24 V=, < 190 mA (RD, YE)
843 450 55	24 V=, < 120 mA
844 118 55	85 dB, 24 V=, 25 mA
844 118 67	85 dB, 115 V~, 25 mA
844 118 68	85 dB, 230 V~, 25 mA
844 123 55	105 dB, 24 V=, 150 mA, (IP40)
844 126 55	100 dB, 24 V=, 80 mA
844 126 67	100 dB, 115 V~, 40 mA
844 126 68	100 dB, 230 V~, 40 mA
844 126 95	100 dB, 24 V=, 80 mA
844 840 55	88 dB, 24 V=, I ₀ 400 mA
844 860 55	102 dB, 24 V=, I ₀ < 400 mA
844 810 55	24 V=, < 150 mA, I ₀ < 500 mA
	BA 15 d
956 x00 75	24 V≂, 45 mA
956 x00 67	115 V~, 15 mA
956 x00 68	230 V~, 15 mA
6 : \ \ -\	BA 15 d, < 42 mm
955 840 34	12 V, 5 W
955 840 35	24 V, 5 W
955 840 38	230 V, 5 W
955 840 57	115 V, 5 W



843 x40 55

- D Bei Epilepsie ungeeignet!
- (B) Unsuitable for epilepsy sufferers.
- F Ne convient pas aux personnes souffrant d'épilepsie.
- Inadatto per epilettici.
- E Inadecuado para epilépticos.
- PT Năo aconselhavel a pessoas que sofram de Epilepsia.
- ND Niet geschikt voor epileptici.
- © Nevhodné pro epileptiky.
- PD Nie stosować przy zchorzeniu padaczki.
- Fi) Ei sovellu epileptikoille.
- Не подходит для страдающих эпилепсией.
- R Epilepsi hastaliği olanların kullanmaması önerilir.
- ©N 不适用于癫痫病患者

