Young Female Adult Deaths by Symptom Sierra Leone 2019–2022 (n = 1362)				
	Malaria (648, 19%)	Infections (1272, 38%)	Non-infections (1444, 43%)	
fever (771, 23%)	232 (30%)	324 (42%)	215 (28%)	
weightLoss (426, 13%)	87 (20%)	194 (46%)	145 (34%)	
abdominalProblem (379, 11%)	38 (10%)	112 (30%)	229 (60%)	
vomit (277, 8%)	79 (29%)	107 (39%)	91 (33%)	
cough (257, 8%)	45 (18%)	152 (59%)	60 (23%)	
breathingProblem (235, 7%)	46 (20%)	92 (39%)	97 (41%)	
pregnant (216, 6%)	14 (6%)	23 (11%)	179 (83%)	
chestPain (166, 5%)	26 (16%)	73 (44%)	67 (40%)	
unconscious (151, 4%)	27 (18%)	35 (23%)	89 (59%)	Number of deaths 300
injury (112, 3%)	3 (3%)	7 (6%)	102 (91%)	100
looseStools (91, 3%)	14 (15%)	57 (63%)	20 (22%)	
skinProblems (77, 2%)	8 (10%)	43 (56%)	26 (34%)	
oedema (53, 2%)	3 (6%)	16 (30%)	34 (64%)	
urinaryProblem (45, 1%)	5 (11%)	8 (18%)	32 (71%)	
convulsions (34, 1%)	10 (29%)	7 (21%)	17 (50%)	
paralysis (31, 1%)	4 (13%)	9 (29%)	18 (58%)	
yellowEyes (22, 1%)	6 (27%)	6 (27%)	10 (45%)	
lumps (21, 1%)	1 (5%)	7 (33%)	13 (62%)	