Male Child (1m–11y) Deaths by Symptom Sierra Leone 2019–2022 (n = 2085)				
	Malaria (n=2633)	Infections (n=2629)	Non-infections (n=612)	
fever	815	833	80	
(1728, 29%)	(31%)	(32%)	(13%)	
vomit	285	244	35	
(564, 10%)	(11%)	(9%)	(6%)	
headache	232	202	25	
(459, 8%)	(9%)	(8%)	(4%)	
difficultyBreathing	189	217	48	
(454, 8%)	(7%)	(8%)	(8%)	
weightLoss	168	203	47	
(418, 7%)	(6%)	(8%)	(8%)	
cough	195	185	12	
(392, 7%)	(7%)	(7%)	(2%)	
yellowEyes	206	122	37	
(365, 6%)	(8%)	(5%)	(6%)	
convulsion	199	101	29	
(329, 6%)	(8%)	(4%)	(5%)	
looseStools	74	165	4	
(243, 4%)	(3%)	(6%)	(1%)	
unconscious	83	61	27	
(171, 3%)	(3%)	(2%)	(4%)	
abdominalProblem	38	64	69	Number of deaths 800 600
(171, 3%)	(1%)	(2%)	(11%)	
neckStiffness (116, 2%)	49 (2%)	61 (2%)	6 (1%)	- 400 - 200 0
injury	0	5	93	
(98, 2%)	(<1%)	(<1%)	(15%)	
oedema	31	26	28	
(85, 1%)	(1%)	(1%)	(5%)	
skinRash	9	43	11	
(63, 1%)	(<1%)	(2%)	(2%)	
ulcers	8	34	17	
(59, 1%)	(<1%)	(1%)	(3%)	
urinaryProblem	12	21	9	
(42, 1%)	(<1%)	(1%)	(1%)	
chestPain	17	17	8	
(42, 1%)	(1%)	(1%)	(1%)	
difficultySwallowing	16	9	13	
(38, 1%)	(1%)	(<1%)	(2%)	
bleeding	4	4	7	
(15, <1%)	(<1%)	(<1%)	(1%)	
paralysis	2	9	2	
(13, <1%)	(<1%)	(<1%)	(<1%)	
lumps	1	3	5	
(9, <1%)	(<1%)	(<1%)	(1%)	