		Number of deaths 400 800 12001600																
	abdominalProbl	em (1594, 9%)	em (1517,9%) chestPain (937	convulsions (1:	cough (1442, 9°	(3820, 23°)	injury (832, 50/0)	NooseStools (42)	Inube (83, 00/0)	oedema (341, 2°)	, 20/0) Paralysis (482, 3	2,3%) Pregnant (251,1°	(%) skinProblems ((320, 2°/0) unconscious (8	urinary Probler	n (357, 29%) Nomit (1227, 7	weightLoss (2	2055, 12%) yellowEyes (176, 19
Malaria (2693, 16%)-	141 (5%)	198 (7%)	110 (4%)	26 (1%)	225 (8%)	988 (37%)	18 (1%)	50 (2%)	5 (0%)	11 (0%)	33 (1%)	18 (1%)	29 (1%)	126 (5%)	38 (1%)	284 (11%)	350 (13%)	43 (2%)
Infections (6176, 37%)-	433 (7%)	530 (9%)	360 (6%)	25 (0%)	800 (13%)	1713 (28%)	44 (1%)	278 (5%)	26 (0%)	99 (2%)	55 (1%)	26 (0%)	164 (3%)	183 (3%)	71 (1%)	451 (7%)	873 (14%)	45 (1%)
Non-infections (7933, 47%)-	1020 (13%)	789 (10%)	467 (6%)	79 (1%)	417 (5%)	1119 (14%)	770 (10%)	94 (1%)	52 (1%)	231 (3%)	394 (5%)	207 (3%)	127 (2%)	507 (6%)	248 (3%)	492 (6%)	832 (10%)	88 (1%)