


Q1:



Q2

```

CREATE TABLE InsuranceCo (
    phone INTEGER,
    name VARCHAR(35) PRIMARY KEY);
    
```

```

CREATE TABLE Insures (
    iname VARCHAR(35) REFERENCES InsuranceCo,
    licensePlate INTEGER REFERENCES Vehicle,
    maxLossDamages INTEGER,
    maxLiability INTEGER);
    
```

```

CREATE TABLE Vehicle (
    licensePlate INTEGER PRIMARY KEY,
    year INTEGER);
    
```

```
CREATE TABLE C.Vehicle (  
    licensePlate INTEGER REFERENCES  
        Vehicle,  
    make VARCHAR(30));
```

```
CREATE TABLE T.Vehicle (  
    licensePlate INTEGER REFERENCES  
        Vehicle,  
    capacity INTEGER);
```

```
CREATE TABLE Owns (  
    licensePlate INTEGER REFERENCES  
        Vehicle,  
    SSN INTEGER REFERENCES Person);
```

```
CREATE TABLE Person (  
    SSN INTEGER PRIMARY KEY,  
    name VARCHAR(40));
```

```
CREATE TABLE Driver (  
    SSN INTEGER PRIMARY REFERENCES  
        Person,  
    licenseNo INTEGER PRIMARY KEY);
```

```
CREATE TABLE Pro.Driver (  
    licensePlate INTEGER REFERENCES  
        Vehicle,  
    licenseNo INTEGER REFERENCES  
        DRIVER,  
    medicalHistory VARCHAR(35));
```

```
CREATE TABLE Drives (  
  SSN INTEGER REFERENCES Person  
  licensePlate INTEGER REFERENCES  
    Vehicle);
```

```
CREATE TABLE Operates (  
  licensePlate INTEGER REFERENCES  
    Vehicle,  
  SSN INTEGER REFERENCES Person);
```