title Sequence Diagram - New note

Browser->Server: HTTP POST https://studies.cs.helsinki.fi/exampleapp/new_note

note right of Server: The server asks the browser to do a new HTTP GET request to reload the page

Server-->Browser: URL redirect (HTTP status code 302)

note left of Browser: The browser reloads the Notes page

Browser->Server: HTTP GET https://studies.cs.helsinki.fi/exampleapp/notes

Server-->Browser: HTML-code

note left of Browser: The reload engenders three more HTTP requests

Browser->Server: HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.css

Server-->Browser: main.css

Browser->Server: HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.js

Server-->Browser: main.js

Browser->Server: HTTP GET https://studies.cs.helsinki.fi/exampleapp/data.json

Server-->Browser: [{content:"hola",date:"2021-01-24T20:15:02.784Z"}, ...]

The reload engenders three more HTTP requests HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.cs main.css HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.js main.css HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.js main.css HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.js main.css HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.js main.js HTTP GET https://studies.cs.helsinki.fi/exampleapp/main.js Server

www.websequencediagrams.com