Name: \_\_\_\_ Caleb McWhorter — Solutions

MATH 101 Summer 2022 HW 6: Due 06/02

"The fact that we live at the bottom of a deep gravity well, on the surface of a gas covered planet going around a nuclear fireball 90 million miles away and think this to be normal is obviously some indication of how skewed our perspective tends to be."

-Douglas Adams

**Problem 1.** (10pt) Determine whether the following lines are parallel, perpendicular, or neither. Be sure to justify your answer.

$$\ell_1 \colon y = \frac{2}{3} \, x + 5$$

$$\ell_2 \colon 3x - 2y = 8$$

**Solution.** Putting each line in the form y = mx + b, we have...

$$y = \frac{2}{3}x + 5$$

$$3x - 2y = 8$$

$$-2y = -3x + 8$$

$$y = \frac{3}{2}x - 4$$

The slope of the first line is  $m_1=\frac{2}{3}$  and the slope of the second line is  $m_2=\frac{3}{2}$ . Because  $m_1\neq m_2$ , the lines are not parallel. Therefore, the lines intersect. Because the negative reciprocal of  $m_1$  is  $-\frac{3}{2}\neq m_2$ , the lines are not perpendicular. Therefore, the lines are neither parallel nor perpendicular.

**Problem 2.** (10pt) Determine whether the following lines are parallel, perpendicular, or neither. Be sure to justify your answer.

$$\ell_1$$
:  $-5x + 6y = 6$ 

$$\ell_2 \colon 5x + 6y = -12$$

**Solution.** Putting each line in the form y = mx + b, we have...

$$-5x + 6y = 6$$
  $5x + 6y = -12$   $6y = 5x + 6$   $6y = -5x - 12$   $y = \frac{5}{6}x + 1$   $y = -\frac{5}{6}x - 2$ 

The slope of the first line is  $m_1=\frac{5}{6}$  and the slope of the second line is  $m_2=-\frac{5}{6}$ . Because  $m_1\neq m_2$ , the lines are not parallel. Therefore, the lines intersect. Because the negative reciprocal of  $m_1$  is  $-\frac{6}{5}\neq m_2$ , the lines are not perpendicular. Therefore, the lines are neither parallel nor perpendicular.

**Problem 3.** (10pt) Find the equation of the line with x-intercept (6,0) and passing through the point (-1,10).

**Solution.** Because the desired line is not vertical, we know that it has the form y = mx + b. Because the line passes through the points (6,0) and (-1,10), we have...

$$m = \frac{0 - 10}{6 - (-1)} = \frac{-10}{7} = -\frac{10}{7}$$

We know that  $y = -\frac{10}{7} x + b$ . But the line contains the point (6,0) so that...

$$y = -\frac{10}{7}x + b$$
$$0 = -\frac{10}{7} \cdot 6 + b$$
$$0 = -\frac{60}{7} + b$$
$$b = \frac{60}{7}$$

Therefore, the line is  $y = -\frac{10}{7} x + \frac{60}{7} = \frac{60 - 10x}{7}$ .

**Problem 4.** (10pt) Find the equation of the line perpendicular to the line 2x - 3y = 5 that passes through the origin.

**Solution.** Because the desired line is not vertical, we know that it has the form y = mx + b. Because the line is perpendicular to the line 2x - 3y = 5, its slope is the negative reciprocal of the slope of the line 2x - 3y = 5. We know...

$$2x - 3y = 5$$
$$-3y = -2x + 5$$
$$y = \frac{2}{3}x - \frac{5}{3}$$

so that the line has slope  $\frac{2}{3}$ . Therefore, the slope of the desired line is  $m=-\frac{3}{2}$ . We then know that  $y=-\frac{3}{2}x+b$ . Because the line contains the origin, i.e. the point (0,0), we have...

$$y = -\frac{3}{2}x + b$$
$$0 = -\frac{3}{2} \cdot 0 + b$$
$$b = 0$$

Therefore, the line is  $y = -\frac{3}{2}x$ .

**Problem 5.** (10pt) Find the equation of the line that contains (1, -1) and is parallel to the line 3x + y = 11.

**Solution.** Because the desired line is not vertical, we know that the line has the form y = mx + b. The desired line is parallel to the line 3x + y = 11, implying that they have the same slope. We know...

$$3x + y = 11$$

$$y = -3x + 11$$

so that the line has slope -3. Therefore, the slope of the desired line is m=-3. We then have y=-3x+b. The line contains the point (1,-1) so that when x=1, we know that y=-1. But then...

$$y = -3x + b$$

$$-1 = -3(1) + b$$

$$-1 = -3 + b$$

$$b=2$$

Therefore, y = -3x + 2.

**Problem 6.** (10pt) Showing all your work, solve the following equation and verify that your solution is correct:

$$5x - 7 = 7 - 2x$$

**Solution.** We have...

$$5x - 7 = 7 - 2x$$

$$7x - 7 = 7$$

$$7x = 14$$

$$x = 2$$

We verify the solution:

$$5x - 7 = 7 - 2x$$

$$5(2) - 7 \stackrel{?}{=} 7 - 2(2)$$

$$10 - 7 \stackrel{?}{=} 7 - 4$$

$$3 = 3$$



**Problem 7.** (10pt) Showing all your work, solve the following equation and verify that your solution is correct:

$$2(1-x) = 6x + 11$$

**Solution.** We have...

$$2(1-x) = 6x + 11$$
$$2 - 2x = 6x + 11$$
$$2 = 8x + 11$$
$$-9 = 8x$$
$$x = -\frac{9}{8}$$

We verify the solution:

$$2(1-x) = 6x + 11$$

$$2\left(1 - \frac{-9}{8}\right) \stackrel{?}{=} 6 \cdot -\frac{9}{8} + 11$$

$$2\left(\frac{8}{8} - \frac{-9}{8}\right) \stackrel{?}{=} 3 \cdot -\frac{9}{4} + 11$$

$$2 \cdot \frac{17}{8} \stackrel{?}{=} -\frac{27}{4} + 11$$

$$\frac{17}{4} \stackrel{?}{=} -\frac{27}{4} + \frac{44}{4}$$

$$\frac{17}{4} = \frac{17}{4}$$

**Problem 8.** (10pt) Showing all your work, solve the following equation and verify that your solution is correct:

$$\frac{x-1}{x+3} = 5$$

**Solution.** We have...

$$\frac{x-1}{x+3} = 5$$

$$x-1 = 5(x+3)$$

$$x-1 = 5x+15$$

$$-1 = 4x+15$$

$$-16 = 4x$$

$$x = -4$$

We verify the solution:

$$\frac{x-1}{x+3} = 5$$

$$\frac{-4-1}{-4+3} \stackrel{?}{=} 5$$

$$\frac{-5}{-1} \stackrel{?}{=} 5$$

$$5 = 5$$

**Problem 9.** (10pt) Suppose you sell automobiles. You earn a weekly baseline salary of \$820 per week and make 3% commission on your sales. Let I(s) denote your weekly income if you make s dollars in sales.

- (a) Explain why I(s) is linear.
- (b) Find I(s).
- (c) Find an interpret the slope and y-intercept of I(s) in context, if possible.
- (d) How much in sales do you have to make in a given week to have made \$1,500?

## Solution.

- (a) The only money earned comes from the baseline salary and commission. Because you get paid a constant baseline salary and earn a constant commission rate, the total amount you make each week is constant. Therefore, the amount of money you earn each week after s dollars in sales, I(s), is linear.
- (b) Each week, you make \$820. If you sell s dollars, you earn 3% commission, i.e. 3% of the total sales value. This is  $0.03 \cdot s = 0.03s$ . Therefore, you make 0.03s + 820 each week, i.e. I(s) = 0.03s + 820.
- (c) Because I(s) = 0.03s + 820 is in the form y = mx + b, we have m = 0.03 and b = 820. The slope, m = 0.03, is the commission you make on s dollars in sales. The y-intercept, b = 820 or (0,820), represents the amount you are paid each week—regardless of the amount in sales you make.
- (d) If you sell s dollars in automobiles, you make I(s) total that week. But then we want I(s) = 1500. Then we have...

$$I(s) = 1500$$

$$0.03s + 820 = 1500$$

$$0.03s = 680$$

$$s = 22666.67$$

Therefore, to make \$1,500 in a week, you have to sell \$22,666.67 in automobiles.

**Problem 10.** (10pt) The amount of people, on average, that have entered a store t hours after it has opened, P(t), can be modeled by P(t) = 30.5t - 4.

- (a) What does P(t) being linear imply about the rate that people enter the store?
- (b) Find an interpret the slope and y-intercept of I(s) in context, if possible.
- (c) Find P(2) and interpret the value.
- (d) How long after opening until 400 people have entered the store?

## Solution.

- (a) Because the amount of people having entered the store t hours after opening, P(t), on average is linear, we know that the rate of people entering the store is constant, on average. Because P(t) = 30.5t 4 has the form y = mx + b with m = 30.5 and b = -4, we know that, on average, 30.5 people enter the store every hour.
- (b) Because P(t) = 30.5t 4 has the form y = mx + b with m = 30.5 and b = -4, we know that the y-intercept is -4, i.e (0, -4). This would imply that when t = 0, zero hours from when the store opens, i.e. at opening, -4 people will enter the store, on average. As it is impossible for there to be -4 people entering the store on average (unless one wants this to mean, on average, 4 people leave the store at opening), there is no in-context interpretation for the y-intercept.
- (c) We have P(2) = 30.5(2) 4 = 61 4 = 57; that is, two hours after the store opens, 57 people have entered the store, on average.
- (d) If 400 people have entered the store, then P(t) = 400. But then we have...

$$P(t) = 400$$
$$30.5t - 4 = 400$$
$$30.5t = 404$$
$$t = 13.25$$

Therefore, on average, after 13.25 hours after opening, i.e. 13 hours and 15 minutes after opening, 400 people will have entered the store.