

Name: _____ Caleb McWhorter — Solutions

MATH 101


Spring 2024

HW 9: Due 02/28

“[Penny] God, you know, four years I lived with him. Four years—that’s like as long as high school. [Sheldon] It took you four years to get through high school?”

— Penny & Sheldon Cooper, Big Bang Theory

Problem 1. (10pts) Determine whether the relations F and G shown below are functions. Be sure to fully justify your answer.



x	G
1	1
2	1
3	1
4	1
5	1

Solution. The relation F is *not* a function because $F(1)$ has more than one possible output, i.e. $F(1)$ is not well defined. However, the relation G is a function because each input has only one possible output—even though all the outputs for G are the same.

Problem 2. (10pts) Determine whether the relations $f(x) = 16 - x^2$ and $g(x, y) = \frac{x + y}{x - y}$ are functions. Be sure to fully justify your answer. Also, find $f(5)$ and $g(4, 5)$.

Solution. The relation $f(x)$ is a function: for each input x , there is only one possible output—namely, the one found by evaluating f at x . The relation $g(x, y)$ is a function: for each input (x, y) , there is only one possible output—namely, the one found by evaluating g at the given x, y . We have. . .

$$f(5) = 16 - 5^2 = 16 - 25 = -9$$

$$g(4, 5) = \frac{4 + 5}{4 - 5} = \frac{9}{-1} = -9$$

Problem 3. (10pts) Suppose $f(x)$ and $g(x)$ are the functions given below.

$$f(x) = 1 - 4x$$

$$g(x) = x^2 + 1$$

Compute the following:

$$(a) \quad 6f(1) - g(2) = 6(1 - 4(1)) - (2^2 + 1) = 6(-3) - (4 + 1) = -18 - 5 = -23$$

$$(b) \quad (f + g)(1) = f(1) + g(1) = (1 - 4(1)) + (1^2 + 1) = -3 + 2 = -1$$

$$(c) \quad (f - g)(0) = f(0) - g(0) = (1 - 4(0)) - (0^2 + 1) = 1 - 1 = 0$$

$$(d) \quad (fg)(2) = f(2) \cdot g(2) = (1 - 4(2)) \cdot (2^2 + 1) = -7 \cdot 5 = -35$$

$$(e) \quad (f \circ g)(-1) = f(g(-1)) = f((-1)^2 + 1) = f(1 + 1) = f(2) = 1 - 4(2) = 1 - 8 = -7$$

$$(f) \quad (g \circ f)(-1) = g(f(-1)) = g(1 - 4(-1)) = g(1 + 4) = g(5) = 5^2 + 1 = 25 + 1 = 26$$