

F N P C T

v0.2 2012/05/25

footnote kerning

Clemens NIEDERBERGER

<https://bitbucket.org/cgnieder/fnpct/>
contact@mychemistry.eu

English documentation

The `F N P C T` package basically does two things to footnotes: if footnote marks are followed by a punctuation mark the order of footnote and punctuation mark is reversed and the kerning gets adjusted. As a side effect a new method of creating multiple footnotes and some other features are provided.

Contents

1	License and Requirements	2	7.2	endnotes	15
2	What's it all about?	2	7.3	fixfoot	16
2.1	Basics	2	7.4	footmisc	17
2.2	Temporarily disable switching	3	7.5	footnote	18
3	Options	4	7.6	manyfoot	18
4	Multiple footnotes	6	7.7	pagenote	18
4.1	Basics	6	7.8	parnotes	18
4.2	The delimiter and separator .	8	7.9	sepfootnotes	19
4.3	Automagic	9	7.10	sidenotes	20
5	Nested Footnotes	10	7.11	tablefootnote	20
6	Normal notes	12	7.12	yafoot	20
7	Other packages	13	8	Adapting note commands	20
7.1	bigfoot	14	8.1	tufte-latex's side notes	21
			8.2	Adapting <code>\footcite</code> and sibilings	22
				References	23
				Index	24

1 License and Requirements

`FNPCT` is placed under the terms of the LaTeX Project Public License, version 1.3 or later (<http://www.latex-project.org/lppl.txt>). It has the status “maintained”.

`FNPCT` depends on the `l3kernel`, `xparse`, `l3keys2e` and `scrfile`.

2 What’s it all about?

2.1 Basics

The `FNPCT` package basically does two things to footnotes: if footnote marks are followed by a comma or a full stop¹ the order of footnote and punctuation mark is reversed and the kerning gets adjusted. As a side effect a new method of creating multiple footnotes^{2,3} is provided, see section 4 for details.

In what way is the kerning adjusted? After being placed behind the punctuation mark the footnote mark is moved a little bit back, namely by the amount specified with the option `after-punct-space` (see section 3). If the footnote mark follows a word *without* being followed by a punctuation,⁴ there (obviously) is no order switching and a little space is inserted before the footnote mark, namely the amount specified by the option `before-footnote-space` (see section 3).

All examples in this documentation use

```
\renewcommand\thempfootnote{\arabic{mpfootnote}}.
```

Now, let’s see some action:

```
1 \begin{minipage}{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\footnote{not to be confused with hay},
4 sticks\footnote{or lumber according to some sources}
5 and bricks\footnote{probably fired clay bricks}.
6 \end{minipage}
```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.³

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

To ensure that the kerning is set the right way the footnote *must* be placed *before* the dot or the comma. *The command can look ahead but not look back*. This means if you place the `\footnote` command after a full stop or a comma it is treated as if following a word, i.e. a thin space is inserted: effectively the opposite of the desired behaviour.

The order-switching can be prevented using a package option since not all countries and languages have the same typographic conventions.

¹ More punctuation marks can be added through a package option. ² like ³ this ⁴ Well, it does not necessarily have to follow a *word*. The important point is *not being followed* by a punctuation mark.

- `punct-after` = `true/false` → when true the punctuation sign will be placed *after* the footnote.

Like all options it can also be set using the setup command.

- `\setfnpct{<options>}` → set up options. Can be used anywhere in the document. Some options can only be set in the preamble, though.

```

1 \setfnpct{punct-after}
2 \begin{minipage}{.4\linewidth}
3 \noindent The three little pigs built their houses
4 out of straw\footnote{not to be confused with hay},
5 sticks\footnote{or lumber according to some sources}
6 and bricks\footnote{probably fired clay bricks}.
7 \end{minipage}

```

The three little pigs built their houses
out of straw¹, sticks² and bricks³.

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

2.2 Temporarily disable switching

One maybe want to put some footnote marks *before* the punctuation and some after, for example because the first one describes a single word but the second one a whole sentence. For this purpose `FNPCT` adds a `*` argument to `\footnote` and `\footnotemark`:

- `\footnote*{<num>}{<footnote text>}` → new `*` argument added.
- `\footnotemark*{<num>}` → new `*` argument added.

This argument temporarily turns off the punctuation/footnote switching.

```

1 \begin{minipage}{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\footnote*{not to be confused with hay},
4 sticks\footnote{or lumber according to some sources}
5 and bricks\footnote{probably fired clay bricks}.
6 \end{minipage}

```

The three little pigs built their houses
out of straw¹, sticks² and bricks³.

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

3 Options

Most package options are listed below. They all can be set as a package option or with the `\setfnpct` command. Most of them are for adjusting the kerning.

- ▶ `add-punct-marks` = `<mark>[<space after>][<space before>]` → add another punctuation mark for the position switching and specify kerning if necessary. An existing entry will be overwritten. This option accepts list of marks.
- ▶ `remove-punct-marks` = `<mark>` → remove punctuation mark from the kerning/position switching behaviour. This command accepts a list of marks.
- ▶ `after-dot-space` = `<dim>` → space to be inserted after a dot and before the footnote mark. Default = `-.06em`
- ▶ `after-comma-space` = `<dim>` → space to be inserted after a comma and before the footnote mark. Default = `-.06em`
- ▶ `after-punct-space` = `<dim>` → set *all* spaces.
- ▶ `punct-after` = `true/false` → when `true` the punctuation sign will be placed *after* the footnote.
- ▶ `before-dot-space` = `<dim>` → space to be inserted before a dot and after the footnote mark, i.e. with `punct-after` = `true`. Default = `-.15em`
- ▶ `before-comma-space` = `<dim>` → space to be inserted before a comma and after the footnote mark, i.e. with `punct-after` = `true`. Default = `-.15em`
- ▶ `before-punct-space` = `<dim>` → set *all* spaces.
- ▶ `before-footnote-space` = `<dim>` → space to be inserted between a word and the following footnote mark. Default = `.06em`
- ▶ `dont-mess-around` → sets all mentioned lengths to 0 and `punct-after` = `true`. Basically this is as if you hadn't loaded `FNPCT` except the multiple footnote command is still available, see section 4.
- ▶ `multiple` = `true/false` → lets `\footnote` be equal to `\multfootnote`
- ▶ `mult-fn-delim` = `<delimiter>` → sets the delimiter for the `\multfootnote` command.
- ▶ `mult-fn-sep` = `<separator>` → sets the separator between multiple footnote marks.
- ▶ `normal-marks` = `true/false` → sets the footnote marks in the foot not as superscripts but as normal font. If you're not using a KOMA-Script⁵ class this option will load the package `scrextend`. See section 6 for more information. *This option can only be set in the preamble.* Default = `false`

⁵ CTAN: [KOMA-Script](#)

So if you want to extend the punctuation switching and kerning to other punctuation marks you can do something like this:

```
1 \setfnpct{add-punct-marks=!?}
2 \begin{minipage}{.4\linewidth}
3 \noindent The three little pigs built their houses
4 out of straw\footnote{not to be confused with hay}?
5 Sticks\footnote{or lumber according to some sources}
6 and bricks\footnote{probably fired clay bricks}!
7 \end{minipage}
```

The three little pigs built their houses
out of straw?¹ Sticks² and bricks!³

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

Or with some additional spacing:

```
1 \setfnpct{add-punct-marks=! [.03em]? [.03em]}
2 \begin{minipage}{.4\linewidth}
3 \noindent The three little pigs built their houses
4 out of straw\footnote{not to be confused with hay}?
5 Sticks\footnote{or lumber according to some sources}
6 and bricks\footnote{probably fired clay bricks}!
7 \end{minipage}
```

The three little pigs built their houses
out of straw?¹ Sticks² and bricks!³

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

Let's take a look at an example with some ridiculous settings:

```
1 % some ridiculous settings:
2 \setfnpct{after-punct-space=2pt,before-footnote-space=2pt}
3 \begin{minipage}{.4\linewidth}
4 \noindent The three little pigs built their houses
5 out of straw\footnote{not to be confused with hay},
6 sticks\footnote{or lumber according to some sources}
7 and bricks\footnote{probably fired clay bricks}.
8 \end{minipage}
```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.³

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

And now the same with switched order:

```
1 % some ridiculous settings:
2 \setfnpct{punct-after,before-punct-space=2pt,before-footnote-space=2
   pt}
3 \begin{minipage}{.4\linewidth}
4 \noindent The three little pigs built their houses
5 out of straw\footnote{not to be confused with hay},
6 sticks\footnote{or lumber according to some sources}
7 and bricks\footnote{probably fired clay bricks}.
8 \end{minipage}
```

The three little pigs built their houses
out of straw¹, sticks² and bricks³.

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

In case the automatic kerning doesn't work for whatever reason the spaces are available as user commands as well:

- `\kfp` → insert the `after-dot-space` or (if `punct-after = true`) the `before-dot-space`.
- `\kfc` → insert the `after-comma-space` or (if `punct-after = true`) the `before-comma-space`.

Some of the options are explained in a bit more detail in the next sections.

4 Multiple footnotes

4.1 Basics

Since multiple footnotes have to be treated differently,^{6,7} `FNPCT` provides an extra command for that:

- `\multfootnote*{<list>;<of>;<footnotes>}` → different footnotes are separated with a semicolon. The `*` turns the footnote/punctuation switching temporarily off.

⁶ see these footnotes ⁷ for an example

```

1 \begin{minipage}{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\footnote{not to be confused with hay},
4 sticks\footnote{or lumber according to some sources}
5 and bricks\multfootnote{probably fired clay bricks;or
6 something else}.
7 \end{minipage}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.^{3,4}

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

⁴ or something else

Every of the items of the list has an optional argument equivalent to the optional argument of `\footnote`:

```

1 \begin{minipage}{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\footnote{not to be confused with hay},
4 sticks\footnote{or lumber according to some sources}
5 and bricks\multfootnote{probably fired clay bricks;[5]or
6 something else}.
7 \end{minipage}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.^{3,5}

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

⁵ or something else

Additionally every item has an optional `*` which only invokes `\footnotetext`. This enables for example to set nested footnotes without disrupting the multiple setting. The following example is shown in figure 1:

```

1 \documentclass{article}
2 \usepackage[
3   paperwidth=.5\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
6   bottom=1.5cm]{geometry}
7
8 \usepackage[multiple]{fnpct}
9
10 \begin{document}

```

```

11 \noindent The three little pigs built their houses
12 out of straw\footnote{not to be confused with hay},
13 sticks\footnote{or lumber according to some sources}
14 and bricks\multfootnote{probably fired clay bricks%
15 \footnotemark;*or something else;what do I know}.
16 \end{document}

```




Figure 1: nested footnotes

4.2 The delimiter and separator

Since the semicolon might be part of the footnote text you might have some trouble. But there are ways around. Maybe try enclosing it with braces:

```

1 \begin{minipage}{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\footnote{not to be confused with hay},
4 sticks\footnote{or lumber according to some sources}
5 and bricks\multfootnote{probably fired clay bricks{;}
6 or something else;what do I know}.
7 \end{minipage}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.^{3,4}

-
- ¹ not to be confused with hay
² or lumber according to some sources
³ probably fired clay bricks; or something
else
⁴ what do I know

There are options which lets you choose the (input) delimiter and the (output) separator:

► `mult-fn-delim` = <delimiter> → choose delimiter for the `\multfootnote`. Default = ;

- `mult-fn-sep` = <separator> → choose the separator that is put between footnote marks.
Default = ,

<pre> 1 \setfnpct{mult-fn-delim=//,mult-fn-sep=;} 2 \begin{minipage}[t]{.4\linewidth} 3 \noindent The three little pigs built their houses 4 out of straw\footnote{not to be confused with hay}, 5 sticks\footnote{or lumber according to some sources} 6 and bricks\multfootnote{probably fired clay bricks; 7 or something else//what do I know}. 8 \end{minipage}\hfil 9 \setfnpct{mult-fn-delim=;,mult-fn-sep=} 10 \renewcommand*\thempfootnote{\fnsymbol{mpfootnote}} 11 \begin{minipage}[t]{.4\linewidth} 12 \noindent The three little pigs built their houses 13 out of straw\footnote{not to be confused with hay}, 14 sticks\footnote{or lumber according to some sources} 15 and bricks\multfootnote{probably fired clay bricks; 16 or something else}. 17 \end{minipage}</pre>	
<p>The three little pigs built their houses out of straw,¹ sticks² and bricks.^{3;4}</p> <hr/> <p>¹ not to be confused with hay ² or lumber according to some sources ³ probably fired clay bricks; or something else ⁴ what do I know</p>	<p>The three little pigs built their houses out of straw,[*] sticks[†] and bricks.^{‡§}</p> <hr/> <p>[*] not to be confused with hay [†] or lumber according to some sources [‡] probably fired clay bricks [§] or something else</p>

4.3 Automagic

If you want you can turn all footnotes into `\multfootnotes`.

- `multiple` = `true/false` → let `\footnote` behave like `\multfootnote`. *This option can only be set in the preamble.* Default = false

<pre> 1 % in preamble: \setfnpct{multiple} 2 % or \usepackage[multiple]{fnpct} 3 \begin{minipage}{.4\linewidth} 4 \noindent The three little pigs built their houses 5 out of straw\footnote{not to be confused with hay}, 6 sticks\footnote{or lumber according to some sources} 7 and bricks\footnote{probably fired clay bricks;or 8 something else}. 9 \end{minipage}</pre>	
---	--

The three little pigs built their houses
out of straw,¹ sticks² and bricks.^{3,4}

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

⁴ or something else

5 Nested Footnotes

`FN PCT` provides some support for nested footnotes. There are some restrictions, though. The command below can be used inside `\footnote` and `\multifootnote`, but not inside another `\innernote`:

- `\innernote* [<mark>] {<text>}` → a nested footnote.

The inner node uses a `\footnotemark` internally and the mark will be set with the definition it has at begin document.

The output of the following code can be seen in figure 2.

```
1 \documentclass{article}
2 \usepackage[
3   paperwidth=.5\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
6   bottom=1.5cm]{geometry}
7
8 \usepackage{fnpct}
9
10 \begin{document}
11   \noindent The three little pigs built their houses
12   out of straw\footnote{not to be confused with hay},
13   sticks\footnote{or lumber according to some sources}
14   and bricks\footnote{probably fired clay bricks%
15     \innernote{or not}}.
16 \end{document}
```

This is especially useful if you have more than one additional footnote inside a footnote, a case that can't be solved in a satisfying (i.e. automatic) way with the method mentioned in section 4. See figure 3 for the output of this code:

```
1 \documentclass{article}
2 \usepackage[
3   paperwidth=.5\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
```




Figure 2: `\innernote` example (a)

```

6   bottom=1.5cm]{geometry}
7
8   \usepackage{fnpct}
9
10  \begin{document}
11    \noindent The three little pigs built their houses
12    out of straw\footnote{not to be confused with hay},
13    sticks\footnote{or lumber according to some sources}
14    and bricks\footnote{probably\innernote{just guessing}
15    fired clay bricks\innernote{or not}}.
16  \end{document}

```




Figure 3: `\innernote` example (b)

`\innernote` can also be used to escape minipages. In this case use `\innernote` as a replacement for `\footnote` and call this command later:

- `\writeinnernotes` → writes all `\footnotetexts` to the inner footnotes when invoked

See figure 4 for the output of the following code:

```

1 \documentclass{article}
2 \usepackage[
3   paperwidth=.5\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
6   bottom=1.5cm]{geometry}
7
8 \usepackage{fnpct}
9
10 \begin{document}
11 \noindent\fbbox{%
12 \begin{minipage}{.9\linewidth}
13   The three little pigs built their houses
14   out of straw\innernote{not to be confused with hay},
15   sticks\innernote{or lumber according to some sources}
16   and bricks\innernote{probably}.
17 \end{minipage}}\writeinnernotes
18
19 \end{document}

```




Figure 4: `\innernote` example (c)

6 Normal notes

The package option `normal-marks` (see p. 4) changes the layout of the footnote marks in the foot by using KOMA-Script's

```
\deffootnote[<mark indent>]{<indent>}{<par indent>}{<format code>}.
```

The following code is shown in figure 5.

```

1 \documentclass{article}
2 \usepackage[
3   paperwidth=.5\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
6   bottom=1.5cm]{geometry}
7
8 \usepackage[normal-marks]{fnpct}
9
10 \begin{document}
11
12 \noindent The three little pigs built their houses
13 out of straw\footnote{not to be confused with hay},
14 sticks\footnote{or lumber according to some sources}
15 and bricks\footnote{probably fired clay bricks}.
16
17 \end{document}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.³

-
1. not to be confused with hay
 2. or lumber according to some sources
 3. probably fired clay bricks

Figure 5: Demonstration of the `normal-marks` option.

The three indent values used by `FNpCT` can be changed with the following options:

- `normal-mark-width` = <dim> → The width of the box within which the marks are set. Default = 1em
- `normal-indent` = <dim> → The indent of each footnote line *except* the first. Default = 1.5em
- `normal-par-indent` = <dim> → Additional indent of a new paragraph inside the footnote text. Default = 1em

7 Other packages

`FNpCT` tries its best to support other footnote and related packages.⁸ Each of the following

⁸ If you find some package missing please let me know.

subsections is dedicated to one of these packages and if and how they work together with `FNPCT`. Fortunately most of them do quite well.

7.1 bigfoot

The `bigfoot`⁹ [Kas] package extends the possibilities of the `manyfoot`¹⁰ package [Roz], see section 7.4. The main feature is to use different classes of footnotes which are typeset in different apparatus on the bottom of the page.

`FNPCT` is compatible with `bigfoot`. You need to be a bit cautious, though. You need to declare footnotes with `\DeclareNewFootnote` after loading `FNPCT` but in the document preamble.

Also verbatim material won't work inside footnotes anymore. Since `FNPCT` does not redefine any `\footnotetext` like command it will still work inside one of them.

For every footnote class defined with `\DeclareNewFootnote` the commands `\footnote<class>` and `\footnotemark<class>` are redefined with the starred variant and a `\multfootnote<class>` is defined. The `multiple` option will turn all `\footnote<class>` commands into the corresponding `\multfootnote<class>`.

`FNPCT` has an additional package option which *cannot* be set with `\setfnpct` and only has any effects if `bigfoot` has been loaded:

- `bigfoot-default-top = true/false` → sets the default footnote class as top layer. Default = false

Since this document cannot easily combine *every* footnote package at the same time for demonstration purposes the following code is shown in figure 6:

```
1 \documentclass{article}
2 \usepackage[
3   paperwidth=.5\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
6   bottom=1.5cm]{geometry}
7
8 \usepackage{bigfoot}
9 \usepackage[bigfoot-default-top]{fnpct}
10 \setfnpct{multiple}
11 \DeclareNewFootnote[para]{B}{alph}
12
13 \begin{document}
14
15 \noindent The three little pigs built their houses
16 out of straw\footnote*{not to be confused with hay%
17 \footnoteB{let alone grass}}, sticks\footnote{or
18 lumber according to some sources} and bricks%
19 \footnote{probably fired clay bricks;or something}.
20
21 \end{document}
```

⁹ CTAN: [bigfoot](#) ¹⁰ CTAN: [manyfoot](#)

The three little pigs built their houses
out of straw¹, sticks² and bricks.^{3,4}

¹not to be confused with hay^a

²or lumber according to some sources

³probably fired clay bricks

⁴or something

^alet alone grass

1

Figure 6: bigfoot example

7.2 endnotes

The endnotes¹¹ [Faia] package provides the commands `\endnote` and `\endnotemark` which can be used to output all notes at the end of a chapter, say.

If the package is loaded both commands are adapted:

```
1 % 'fnpct' does this for you:
2 \AdaptNote\endnote\multendnote
3 \AdaptNoteMark\endnotemark
```

Everything else stays the same:

¹¹ CTAN: [endnotes](#)

```

1 \begin{minipage}[t]{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\endnote{not to be confused with hay},
4 sticks\endnote{or lumber according to some sources}
5 and bricks\endnote{probably fired clay bricks}.
6
7 \theendnotes
8 \end{minipage}\hfil
9 \begin{minipage}[t]{.4\linewidth}
10 \noindent The three little pigs built their houses
11 out of straw\endnote*{not to be confused with hay},
12 sticks\endnote{or lumber according to some sources}
13 and bricks\multendnote{probably fired clay bricks;or
14 something else}.
15
16 \theendnotes
17 \end{minipage}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.³

Notes

- ¹not to be confused with hay
- ²or lumber according to some sources
- ³probably fired clay bricks

The three little pigs built their houses
out of straw⁴, sticks⁵ and bricks.^{6,7}

Notes

- ⁴not to be confused with hay
- ⁵or lumber according to some sources
- ⁶probably fired clay bricks
- ⁷or something else

7.3 fixfoot

The fixfoot¹² [Faib] package provides a possibility to create repeating footnotes. `FN PCT` supports this package provided you take care of the following:

`\DeclareFixedFootnote` only in the preamble but *after* loading `FN PCT`.

`\DeclareFixedFootnote{\cs}{<footnote text>}` is used to store the `{<footnote text>}` in `\cs` and create a footnote mark for it but don't repeat the footnote text on the same page in the bottom. The document needs several runs to get all the numbers and footnotes right.

¹² CTAN: [fixfoot](#)

Every fixed footnote declared with `\DeclareFixedFootnote` gets an optional `*` to prevent the punctuation switching. There is *no* mult-variant of the fixed notes!

Since this document cannot easily combine *every* footnote package at the same time for demonstration purposes the following code is shown in figure 7:

```
1 \documentclass{article}
2 \usepackage[
3   paperwidth=.55\textwidth,
4   paperheight=12\baselineskip,
5   margin=5pt,
6   bottom=1.5cm]{geometry}
7
8 \usepackage{fixfoot}
9 \usepackage{fnpct}
10
11 \DeclareFixedFootnote{\myfn}{I'm confused: what do I want to say?}
12
13 \begin{document}
14
15 \noindent The three little pigs\myfn\ built their houses
16 out of straw\myfn*, sticks\footnote{or lumber according
17 to some sources} and bricks\footnote{probably fired clay
18 bricks}.
19
20 \end{document}
```

The three little pigs¹ built their houses
out of straw¹, sticks² and bricks.³

¹I'm confused: what do I want to say?
²or lumber according to some sources
³probably fired clay bricks

Figure 7: fixfoot example

7.4 footmisc

The footmisc¹³ package [Faic] provides a range of options to customize footnotes, for example output them as margin notes or count footnotes per page.

¹³ CTAN: [footmisc](#)

Testing showed no incompatibilities with footmisc. The only thing is that you won't have to use its `multiple` option.

7.5 footnote

Unfortunately `FN PCT` is not compatible with the footnote¹⁴ package [Woo]. Or more precisely it is not compatible if the command pair `\savenotes/\spewnotes` is invoked. This disables footnote's environments as well as its environment escaping mechanism through `\makesavenoteenv`.

7.6 manyfoot

The manyfoot package [Roz] is not and will not directly be supported. It is loaded by bigfoot (see section 7.1), anyway. And since the latter states this in its documentation

Purpose of this package is to provide a one-stop solution to almost all problems related to footnotes. You can use it as a drop-in replacement of the 'manyfoot' package, but without many of its shortcomings, and quite a few features of its own.

David Kastrup [Kas]

you should probably prefer it anyway.

If it is *really* wanted by users I might change my opinion, though ...

7.7 pagenote

The package pagenote¹⁵ [Rob] is supported and its `\pagenote` command is treated the same way as all other note commands: it got an optional `*` argument and an additional `\multpagenote` is defined.

7.8 parnotes

The parnotes¹⁶ package [Hug] does something similar to the endnotes package. basically it allows to output the footnote text after a paragraph, either by using a special environment or by invoking `\parnotes`.

If parnotes is loaded `FN PCT` extends its functionality analogous to the one of endnotes.

Again the `multiple` option turns all `\parnotes` into `\multparnotes`.

¹⁴ CTAN: footnote ¹⁵ CTAN: pagenote ¹⁶ CTAN: parnotes

```

1 \begin{minipage}[t]{.4\linewidth}
2 \noindent The three little pigs built their houses
3 out of straw\parnote{not to be confused with hay},
4 sticks\parnote{or lumber according to some sources}
5 and bricks\parnote{probably fired clay bricks}.
6
7 \parnotes
8 \end{minipage}\hfil
9 \begin{minipage}[t]{.4\linewidth}
10 \noindent The three little pigs built their houses
11 out of straw\parnote*{not to be confused with hay},
12 sticks\parnote{or lumber according to some sources}
13 and bricks\multparnote{probably fired clay bricks;or
14 something else}.
15
16 \parnotes
17 \end{minipage}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.³

¹ not to be confused with hay ² or
lumber according to some sources
³ probably fired clay bricks

The three little pigs built their houses
out of straw⁴, sticks⁵ and bricks.^{6,7}

⁴ not to be confused with hay ⁵ or
lumber according to some sources
⁶ probably fired clay bricks ⁷ or some-
thing else

7.9 sepfootnotes

FNPCT supports the sepfootnotes¹⁷ package [Lim]. Each note type you have created with with one of the commands

```

\newfootnotes{<prefix>},
\newendnotes{<prefix>} or
\nnewsymbolfootnotes{<prefix>}

```

gets the additional optional `*` to prevent punctuation switching. Also the corresponding mult-variant `\<prefix>\multnote` is defined. The option `multiple` again turns all note commands into their mult-variant.

You have to use the `\newfootnotes` commands in the document preamble after loading **FNPCT**.

¹⁷ CTAN: [sepfootnotes](#)

```

1 % preamble \newfootnotes{a}
2 \anotecontent{first}{not to be confused with hay}
3 \anotecontent{second}{or lumber according to some sources}
4 \anotecontent{third}{probably fired clay bricks}
5 \begin{minipage}{.4\linewidth}
6   \noindent The three little pigs built their houses
7   out of straw\anote{first}, sticks\anote{second} and
8   bricks\anote{third}.
9 \end{minipage}

```

The three little pigs built their houses
out of straw,¹ sticks² and bricks.³

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

7.10 sidenotes

The package sidenotes¹⁸ [Tho] is supported and its commands `\sidenote`, `\sidenotemark` and `\sidecite` are treated the same way as footnotes: they got an optional `*` argument and the additional `\multsidenote` and `\multsidecite` are created. The option `multiple` turns all note commands into their mult-variant.

7.11 tablefootnote

The package tablefootnote¹⁹ [Mün] is supported and its `\tablefootnote` command is treated the same way as all other note commands: it got an optional `*` argument and an additional `\multtablefootnote` is defined. The option `multiple` turns all note commands into their mult-variant.

7.12 yafoot

Currently no issues are known when using `FNPCT` with one or all of the packages of the yafoot²⁰ [Nak] bundle. Just for reference: these packages are `pfnote`, `fnpos` and `dblfnote`.

8 Adapting note commands

If a package is not natively supported you can try and adapt commands yourself. You'll need to use one of the following commands. Please be aware that if the adapted command does not match the required syntax it will get the required syntax afterwards. This can result in dummy arguments or an overwritten `*` argument.

¹⁸ CTAN: [sidenotes](#) ¹⁹ CTAN: [tablefootnote](#) ²⁰ CTAN: [yafoot](#)

- ▶ `\AdaptNote{\cs}{\multcs}` → this lets `\cs` adapt to the kerning behaviour and adds an optional `*`. It also creates a corresponding mult-variant. The package option `multiple` will now turn `\cs` into its mult-variant. Required syntax: `\cs[<oarg>]{<marg>}`
- ▶ `\AdaptNoteNoMult{\cs}` → like `\AdaptNote` but doesn't create a mult-variant and thus there is no change in behaviour when the option `multiple` is used. Required syntax: `\cs[<oarg>]{<marg>}`
- ▶ `\AdaptNoteOpt{\cs}{\multcs}` → this lets `\cs` adapt to the kerning behaviour and adds an optional `*`. It also creates a corresponding mult-variant. The package option `multiple` will now turn `\cs` into its mult-variant. Required syntax: `\cs[<oarg>][<oarg>]{<marg>}`
- ▶ `\AdaptNoteOptNoMult{\cs}` → like `\AdaptNoteOpt` but doesn't create a mult-variant and thus there is no change in behaviour when the option `multiple` is used. Required syntax: `\cs[<oarg>][<oarg>]{<marg>}`
- ▶ `\AdaptNoteMark{\cs}` → this lets `\cs` adapt to the kerning behaviour and adds an optional `*`. Required syntax: `\cs[<oarg>]`
- ▶ `strict = true/false` → when true `\AdaptNote` (and the othe two) will issue errors if the note command in wuestion has already been adapted. Default = false

8.1 tufte-latex's side notes

For example using the `\sidenote` command from the `tufte-handout`²¹ class is easily possible, see also figure 8:

```

1 \documentclass{tufte-handout}
2 \usepackage[multiple]{fnpct}
3 \AdaptNote\sidenote\multsidenote
4 \begin{document}
5 Some text in the document body\sidenote{Some
6 text in a sidenote.;A second sidenote.}.
7 \end{document}

```



Figure 8: Adapt tufte-latex.

²¹ CTAN: [tufte-handout](#)

8.2 Adapting `\footcite` and siblings

If you're willing to sacrifice `\footcite`'s `*` argument which it has in some styles you can adapt the commands provided by biblatex²² as well:

```
1 % used in preamble: \AdaptNoteOpt\footcite\multfootcite
2 \begin{minipage}{.5\linewidth}
3   \noindent The three little pigs built their houses
4   out of straw\footnote{not to be confused with hay},
5   sticks\footnote{or lumber according to some sources}
6   and bricks\footnote{probably fired clay bricks}. The
7   companion has nothing on this topic\multfootcite{[see]
8   [but there's nothing there]companion;[or see][but there's
9   also nothing]knuth:ct:a}.
10  \end{minipage}
```

The three little pigs built their houses out of straw,¹ sticks² and bricks.³ The companion has nothing on this topic.^{4,5}

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

⁴ see GMS94, but there's nothing there.

⁵ or see Knu84, but there's also nothing.

The option `multiple` turns all `\footcites` into `\multfootcites` now. Remember that the optional arguments then are inside the braces!

```
1 % used in preamble: \AdaptNoteOpt\footcite\multfootcite
2 % with option 'multiple':
3 \begin{minipage}{.5\linewidth}
4   \noindent The three little pigs built their houses
5   out of straw\footnote{not to be confused with hay},
6   sticks\footnote{or lumber according to some sources}
7   and bricks\footnote{probably fired clay bricks}. The
8   companion has nothing on this topic\footcite{[see][but
9   there's nothing there]companion;[or see][but there's also
10  nothing]knuth:ct:a}.
11  \end{minipage}
```

The three little pigs built their houses out of straw,¹ sticks² and bricks.³ The companion has nothing on this topic.^{4,5}

¹ not to be confused with hay

² or lumber according to some sources

³ probably fired clay bricks

⁴ see GMS94, but there's nothing there.

⁵ or see Knu84, but there's also nothing.

²² CTAN: biblatex

References

- [Faia] Robin Fairbairns (current maintainer). *endnotes*. URL: <http://www.ctan.org/pkg/endnotes>.
- [Faib] Robin Fairbairns. *fixfoot*. Version 0.3a. URL: <http://www.ctan.org/pkg/fixfoot>.
- [Faic] Robin Fairbairns. *footmisc*. Version 5.5b. URL: <http://www.ctan.org/pkg/footmisc>.
- [GMS94] Michel Goossens, Frank Mittelbach, and Alexander Samarin. *The LaTeX Companion*. 1st ed. Reading, Mass.: Addison-Wesley, 1994. 528 pp.
- [Hug] Micheal Hughes. *parnotes*. Version 1. URL: <http://www.ctan.org/pkg/parnotes>.
- [Kas] David Kastrup. *bigfoot*. Version 1.25. URL: <http://www.ctan.org/pkg/bigfoot>.
- [Knu84] Donald E. Knuth. *Computers & Typesetting*. Vol. A: *The T_EXbook*. Reading, Mass.: Addison-Wesley, 1984.
- [Lim] Eduardo C. Lourenço de Lima. *sepfootnotes*. Version 0.1. URL: <http://www.ctan.org/pkg/sepfootnotes>.
- [Mün] H.-Martin Münch. *tablefootnote*. Version 1.0g. URL: <http://www.ctan.org/pkg/tablefootnote>.
- [Nak] Hiroshi Nakashima. *yafoot*. Version 1.0. URL: <http://www.ctan.org/pkg/yafoot>.
- [Rob] Will Robertson (current maintainer). *pagenote*. Version 1.1a. URL: <http://www.ctan.org/pkg/pagenote>.
- [Roz] Alexander I. Rozhenko. *manyfoot*. Version 1.10. URL: <http://www.ctan.org/pkg/manyfoot>.
- [Tho] Andy Thomas. *sidenotes*. Version 0.80. URL: <http://www.ctan.org/pkg/sidenotes>.
- [Woo] Mark Wooding. *footnote*. Version 1.13. URL: <http://www.ctan.org/pkg/footnote>.

Index

Section titles are indicated **bold**, packages sans serif, commands `\brown` and options `green`

Symbols

`\<prefix>multnote` 19

A

adapting notes 20–23

`biblatex` 22

`tuft-latex` 21

`\AdaptNote` 21

`\AdaptNoteMark` 21

`\AdaptNoteNoMult` 21

`\AdaptNoteOpt` 21

`\AdaptNoteOptNoMult` 21

`add-punct-mark` 4

`after-comma-space` 4, 6

`after-dot-space` 4, 6

`after-punct-space` 2, 4

`\arabic` 2

B

basics 2 f.

`before-comma-space` 4, 6

`before-dot-space` 4, 6

`before-footnote-space` 2, 4

`before-punct-space` 4

`biblatex` 22

`bigfoot` 14 f., 18

`bigfoot-default-top` 14

C

`\cs` 16, 21

D

`dblfnote` 20

`\DeclareFixedFootnote` 16

`\DeclareNewFootnote` 14

`\deffootnote` 13

disable switching 3 f.

`dont-mess-around` 4

E

`\endnote` 15

`\endnotemark` 15

`endnotes` 15, 18

F

`fixfoot` 16 f.

`fnpos` 20

`\footcite` 22

`footmisc` 17

`footnote` 18

`\footnote` 2 ff., 7, 9 ff.

`\footnote<class>` 14

`\footnote` 3

`\footnotemark` 3, 10

`\footnotemark<class>` 14

`\footnotemark` 3

`\footnotetext` 7, 11, 14

I

`\innernote` 10 ff.

K

`\kfc` 6

`\kfp` 6

`KOMA-Script` 5, 13

L

`l3kernel` 2

`l3packages` 2

M

`\makesavenoteenv` 18

`manyfoot` 14, 18

`mult-fn-delim` 4, 9

`mult-fn-sep` 5, 9

`\multcs` 21

`\multfootcite` 22

`\multfootnote` 4, 7, 9 f.

`\multfootnote<class>` 14

`multiple` 4, 9, 14, 18–22

multiple footnotes 7–10

automagic	9	punct-after	3 f., 6
basics	7	R	
delimiter	8	remove-punct-mark	4
nested footnotes	7	\renewcommand	2
separator	8	S	
\multpagenote	18	\savenotes	18
\multparnote	18	scrextend	5
\multsidecite	20	sepfootnotes	19
\multsidenote	20	\setfnpct	3 f., 14
\multtablefootnote	20	\sidecite	20
N		\sidenote	20 f.
nested footnotes	10 ff.	\sidenotemark	20
\newendnotes	19	sidenotes	20
\newfootnotes	19	\spewnotes	18
\newsymbolfootnotes	19	strict	21
normal-indent	13	T	
normal-mark-width	13	tablefootnote	20
normal-marks	5, 13	\tablefootnote	20
normal-par-indent	14	\thempfootnote	2
normal notes	13 f.	tufte-handout	21
O		W	
options	4 ff.	\writeinnernotes	11
other packages	14–20	X	
bigfoot	14	xparse	2
endnotes	15	Y	
fixfoot	16	yafoot	20
footmisc	17		
footnote	18		
manyfoot	18		
pagenote	18		
parnotes	18		
sepfootnotes	19		
sidenotes	20		
tablefootnote	20		
yafoot bundle	20		
P			
pagenote	18		
\pagenote	18		
\parnote	18		
parnotes	18		
\parnotes	18		
pfnote	20		