# W3C validation - Projet React JS - Portfolio

### index.html

Document checking completed. No errors or warnings to show <!DOCTYPE html>-<html lang="fr">->
<html lang="fr">->
<html lang="fr">->
<html lang="fr">->
<html lang="fr">->
<html lang="fr">->
<int charset="utf-8">->
</int charset="utf-8">->
</int charset="utf-8">->
</int charset="u 1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. meta+ name= 'itemport content= width-device-width, in
meta+ name="description"+
 content="Web site created using create-react-app">
 <title>Portfolio – John Doe</title>+ ,

<

Les composants suivant étant en JSX, j'ai filtré les erreurs propres à ce langage.

## Home.js

</html>

```
Document checking completed. No errors or warnings to show
Source
                                                                              import Hero from "../components/Hero" 
import About from "../components/About" 

□
                                                          const Home = () => {\psi \ return () = \frac{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}\sqrt{\sqrt{\sqrt{\sqrt{\sqrt{\sq}}}}}}\sqrt{\sqrt{\sq}\sign}\sqrt{\sqrt{\sqrt{\sqrt{\sq}\sqrt{\sq}\sqrt{\sq}\sqrt{\sqrt{\sq}\sq}\sq\sinti\signg{\sqrt{\sq}\sq}\sqrt{\sqrt{\sq}\sq}}}\sqrt
                                                                      export default Home
```

## Realisation. js

```
Document checking completed. No errors or warnings to show.
Source
     import Banner from "../components/Banner"
import PageTop from "../components/PageTop"
import Card from "../components/Card"
import { projects } from '../datas/projects'
     const Realisations = () ⇒> {↔
         const projet = projects.map(projet => {-
return <Card img={projet.img} title={projet.title} text={projet.text} detail={projet.tech} alt={projet.alt} btn={projet.btn} key={projet.id}
 10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
         export default Realisations
```

## Blog.js

```
Document checking completed. No errors or warnings to show.
```

```
Source
                                                         import Banner from "../components/Banner"
import PageTop from "../components/PageTop.js"
import Card from "../components/Card.js"
import { blogArticles } from '../datas/blogArticles.js'+
                                                         const Blog = () => {\psi \ const Blog = () => {\psi \ const BlogArticle = blogArticles.map(article => {\psi \ const BlogArticles.map(articles.map(article => {\psi \ const BlogArticles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.map(articles.ma
   8. return <arc
| article.id | />
| 9. | | | | |
| 10. return (+) |
| 12. | | | |
| 13. | | | |
| 14. | | |
| 15. | | |
| 16. | | |
| 17. | | | |
| 18. | | | |
| 19. | | | |
| 20. | | | |
| 21. | | | |
| 22. | | |
| 23. | | |
| 24. | |
| 25. | | |
| 26. | | | |
| 27. return (+) |
| 28. return (+) |
| 3. return (+) |
| 4. return (+) |
| 5. return (+) |
| 6. return (+) |
| 7. return (+) |
| 8. return (+) |
| 9. return (+) |
| 10. return (+) |
| 11. return (+) |
| 12. return (+) |
| 13. return (+) |
| 14. return (+) |
| 15. return (+) |
| 16. return (+) |
| 17. return (+) |
| 18. return (+) |
| 19. return (+) |
| 19. return (+) |
| 10. return (+) |
| 11. return (+) |
| 12. return (+) |
| 13. return (+) |
| 14. return (+) |
| 15. return (+) |
| 16. return (+) |
| 17. return (+) |
| 18. return (+) |
| 19. return (+) |
| 10. return (+) |
| 11. return (+) |
| 12. return (+) |
| 13. return (+) |
| 14. return (+) |
| 15. return (+) |
| 16. return (+) |
| 17. return (+) |
| 18. return (+) |
| 19. return (+) |
| 19. return (+) |
| 10. return (+) |
| 11. return (+) |
| 12. return (+) |
| 13. return (+) |
| 14. return (+) |
| 15. return (+) |
| 16. return (+) |
| 17. return (+) |
| 17. return (+) |
| 18. return (+) |
| 19. re
                                    ction>~

<Banner />⊷

<PaqeTop →

title="blog"→

subtitle="Retrouvez ici quelques articles sur le développement web."→

/>∞
```

## Services.js

Document checking completed. No errors or warnings to show.

#### Source

```
import Banner from "../components/Banner"
import PageTop from "../components/PageTop"
import ServiceCard from "../components/Service-card"
import ServiceCard from "../components/Service-card"
import ServiceS from '../datas/services'
const Services = () => {\varphi}
const service = services.map(service => {\varphi}
const service = services.map(service.title} text={service.text} icon={service.icon} key={service.id} />\varphi
return (\varphi
section>
const service = services.map(service.text} icon={service.icon} key={service.id} />\varphi
return (\varphi
section>
const service = services.map(service.text} icon={service.icon} key={service.id} />\varphi
return (\varphi
section>
const service => {\varphi}
return (\varphi
section>
const service.text} icon={service.text}
return (\varphi
section>
const service.text} icon={service.text}
return (\varphi
section)
r
```

## Contact. is

Document checking completed. No errors or warnings to show.

#### Source

## Legal.js

Document checking completed. No errors or warnings to show.

## Hero. js

Document checking completed. No errors or warnings to show.

#### Source

```
const Hero = () => {\phi return (\phi section className="hero">\phi section className="hero img">\phi section className="hero img">\phi section className="hero overlay"></div>\phi section className="hero overlay"></div>\phi className="hero ext">\phi section section className="hero ext">\phi section section className="hero ext">\phi section section section className="hero ext">\phi section section section className="hero ext">\phi section sect
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18.
                                                                                                                                                                                                                                                                                                                                                            className='text-center'>⊖
<https://docs.name='text-center'>⊖
<https://docs.name='text-center'>⊖
<https://docs.name="btn btn-primary m-4">En savoir plus</button>⊖
                                           }⊷
                                           export default Hero
```

## About. js

Document checking completed. No errors or warnings to show.

#### Source

```
import ProgressBar from 'react-bootstrap/ProgressBar';
 10.
11.
12.
13.
14.
15.
16.
17.
18.
19.
20.
21.
22.
23.
24.
25.
26.
27.
28.
29.
30.
31.
   ب (
 export default About
```

## Banner.js

Document checking completed. No errors or warnings to show.

### Source

```
1. import background from
2. e
3. const Banner = () => {
4. return (e)
5. <section>e
6. <img class
7. e
8. </section>e
9. )e
10. }e
11. e
12. export default Banner
                                          import background from '../images/background-2672565_1280.jpg'↔
                                            const Banner = () => {\phi \text{return (} \phi \text{ \centscotion} \rightarrow \text{ \centscotion} \rightarrow \text{ \centscotion} \rightarrow \text{ \centscotion} \rightarrow \text{ \centscotion} \text{ \centscotio
```

## PageTop.js

Document checking completed. No errors or warnings to show.

```
const PageTop = (props) => {↔
return (↔
<section>↔
                     <section>

<h2 className="text-uppercase text-center pt-5">
{props.title}</h2>
<h4 className="text-center pb-4">
{props.subtitle}</h4>

      }↔
9. Jo
10. ↔
11. export default PageTop
```

## Card.js

Document checking completed. No errors or warnings to show.

#### Source

```
const Card = (props) => {\(\nu\)}

return (\(\nu\)

<ii className="col-lg-4 col-md-6" key={props.id}>\(\nu\)

<ing src={props.img} className="card-img-top" alt="des sushi" />\(\nu\)

<ing src={props.img} className="card-ibdy">\(\nu\)

<ing src={props.img} className="card-ibdy">
1.
2.
3.
4.
5.
6.
7.
8.
9.
10.
11.
12.
13.
14.
15.
16.
17.
18.
19.
20.
21.
                                                                           export default Card
```

## ServiceCard.js

Document checking completed. No errors or warnings to show

#### Source

```
const ServiçeCard = (props) => {↩
1.
2.
3.
4.
5.
6.
7.
8.
9.
                                                                                                     it ServiceLaru = \pivps/ -- \pi
return (e)

<il className=" col-lg-4 col-md-4 text-center mb-3" >

<ito className="card service-card">
<ito className="card service-card">
<ito className="card-service-card">
<ito className="card-service-card-service-card">
<ito className="card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service-card-service

                                              ) + } export default ServiceCard
```

## Form. is

Document checking completed. No errors or warnings to show.

```
10.
11.
12.
13.
14.
15.
16.
17.
18.
19.
20.
21.
22.

<div className="text-center">
<button type="submit" className="btn btn-primary">
Envoyer</button>

                </br>
</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</div>e</di>
           ) ↔
      export default Form
```

## Legal.js

Document checking completed. No errors or warnings to show.

#### Source

```
import (accordion from 'react-'
import Accordion from 'react-bott'
in accordion from 'react-b
```

## Header. is

Document checking completed. No errors or warnings to show.

```
import { useState } from "react"
import { Link } from "react-router-dom"

    const Header = () => {↔
const [activeLink, setActiveLink] = useState('/')↔
        const handleLinkClick = (path) ⇒> {\varPhi setActiveLink(path); \varPhi }; \varPhi
8.
9.
10.
11.
12.
13.
14.
15.
16.
17.
         console.log(activeLink)↔
   return (↔
<section>
19
20
21
22
23
24
25
26
27
28
29
30

className={`nav-item ${activeLink === '/portfolio' ? 'active' : ''}`}>\(\rightarrow\) \text-white p-3 text-uppercase" to="/portfolio" onClick={() => handleLinkClick('/portfolio'))>Réalisations

    31.
32.
33.
37
38
39
40
41
42
43.
44.
45.
46.
47.
48.
                 </di>
</di>
</di>
</di>
</di>
</di>
             </section>↩
    export default Header
```

Document checking completed. No errors or warnings to show

```
import { useState, useEffect } from "react"

1 2 3 4 5 6 7 8 9 10 1 12 13 14 15 6 17 18 19 20 1 22 23 24 25 26 27 28
        const Footer = () => {₽
const [user, setUser] = useState([])₽
                  useEffect(() => {↔
getUser()↔
},[])↔
              text-dark"></i></a>↔
29.
         text-dark"></i></a>
className="d-flex">
<i className="fa_cold
                                                             <i className="fa-solid fa-chevron-right text-primary p-1"></i>→
<a className="nav-link" aria-current="page" href="/services">Services</a>→
                                                        /div>#

div className="d-flex">#

<i className="fa-solid fa-chevron-right text-primary p-1"></i>
<a className="nav-link" aria-current="page" href="/contact">Me contacter</a>#

/div>#
                                                     </div>

<div className="col-lg-3 col-md-6 p-4">
<div className="d-flex">
<div className="d-flex">
<div className="d-flex">
<i className="d-solid fa-chevron-right text-primary p-1"></i>
<a href="/portfolio" className="nav-link">
Fresh Food</a>
</di>
</di>
                                                     </div>
<div className="d-flex">+
<i className="fa-solid fa-chevron-right text-primary p-1"></i>
<i className="fa-solid fa-chevron-right text-primary p-1"></i>
<a href="/portfolio" className="nav-link">Restaurant Akira</a></a>
                                                     </div>
<div className="d-flex">
<div className="d-flex">
<i className="fa-solid fa-chevron-right text-primary p-1">
</i>
<a href="/portfolio" className="nav-link">
Espace bien-être</a>
</div>
                                            </div>
<div></div>
<div className="col-lg-3 col-md-6 p-4">
<div className="col-lg-3 col-md-6 p-4">
<div className="d-flex">
<div className="d-flex">
<i className="fa-solid fa-chevron-right text-primary p-1"></i>
<a href="blog" className="nav-link">
</div>
</div>
</div>
                                                     </div className="d-flex">
</div className="d-flex">
</div className="fa-solid fa-chevron-right text-primary p-1">
</div>
<a href="/blog" className="nav-link">
Se positionner sur Google</a>
</div>
</div>

                                             </div
                                   </div>-
</div>-
</div>-
</div>-
</div>-
</div>-
</div>-
</div>-
</div--
</tr>

                         </nav>↔
        }↔
        export default Footer
```

## App.css

Document checking completed. No errors or warnings to show.

```
--color5: #000000;

* {
box-sizing: border-box;
}
h1, \( \therefore \)
h2, \( \therefore \)
h3, \( \therefore \)
h1 {\( \therefore \)
font-size: 5rem; \( \therefore \)
h2 {\( \therefore \)
font-weight: bold; \( \therefore \)
h3 {\( \therefore \)
font-size: 2.5rem; \( \therefore \)
h3 {\( \therefore \)
font-size: 2.8rem; \( \therefore \)
h4 {\( \therefore \)
font-size: 1.8rem; \( \therefore \)
}
h5 {\( \therefore \)
font-size: 1.5rem; \( \therefore \)
font-size: 1.5rem; \( \therefore \)
font-size: 1.5rem; \( \therefore \)
```