


## **NOTES APP**

## Output:

This app will create and save notes. It can update and delete notes too.







#### Code:

# C.js

```
const addBox = document.guerySelector(".add-box"),
popupBox = document.querySelector(".popup-box"),
popupTitle = popupBox.querySelector("header p"),
closelcon = popupBox.querySelector("header i"),
titleTag = popupBox.guerySelector("input"),
descTag = popupBox.guerySelector("textarea"),
addBtn = popupBox.querySelector("button");
const months = ["January", "February", "March", "April", "May", "June", "July",
        "August", "September", "October", "November", "December"];
const notes = JSON.parse(localStorage.getItem("notes") || "[]");
let isUpdate = false, updateld;
addBox.addEventListener("click", () => {
  popupTitle.innerText = "Add a new Note";
  addBtn.innerText = "Add Note";
  popupBox.classList.add("show");
  document.guerySelector("body").style.overflow = "hidden";
  if(window.innerWidth > 660) titleTag.focus();
});
closelcon.addEventListener("click", () => {
  isUpdate = false;
  titleTag.value = descTag.value = "";
  popupBox.classList.remove("show");
  document.querySelector("body").style.overflow = "auto";
});
function showNotes() {
  if(!notes) return:
  document.guerySelectorAll(".note").forEach(li => li.remove());
  notes.forEach((note, id) => {
     let filterDesc = note.description.replaceAll("\n", '<br/>');
     let liTag = `
               <div class="details">
                 ${note.title}
                 <span>${filterDesc}</span>
               </div>
               <div class="bottom-content">
                 <span>${note.date}</span>
                 <div class="settings">
                    <i onclick="showMenu(this)" class="uil uil-ellipsis-h"></i>
```

```
ul class="menu">
                     <i</pre>
class="uil uil-pen"></i>Edit
                     <i class="uil</pre>
uil-trash"></i>Delete
                  </div>
              </div>
           `;
    addBox.insertAdjacentHTML("afterend", liTag);
  });
}
showNotes();
function showMenu(elem) {
  elem.parentElement.classList.add("show");
  document.addEventListener("click", e => {
    if(e.target.tagName != "I" || e.target != elem) {
       elem.parentElement.classList.remove("show");
    }
  });
function deleteNote(noteId) {
  let confirmDel = confirm("Are you sure you want to delete this note?");
  if(!confirmDel) return;
  notes.splice(noteld, 1);
  localStorage.setItem("notes", JSON.stringify(notes));
  showNotes();
function updateNote(noteId, title, filterDesc) {
  let description = filterDesc.replaceAll('<br/>', '\r\n');
  updateId = noteId;
  isUpdate = true;
  addBox.click();
  titleTag.value = title;
  descTag.value = description;
  popupTitle.innerText = "Update a Note";
  addBtn.innerText = "Update Note";
addBtn.addEventListener("click", e => {
  e.preventDefault();
```

```
let title = titleTag.value.trim(),
  description = descTag.value.trim();
  if(title | description) {
     let currentDate = new Date(),
     month = months[currentDate.getMonth()],
     day = currentDate.getDate(),
     year = currentDate.getFullYear();
     let noteInfo = {title, description, date: `${month} ${day}, ${year}`}
     if(!isUpdate) {
       notes.push(noteInfo);
     } else {
       isUpdate = false;
       notes[updateId] = noteInfo;
     }
     localStorage.setItem("notes", JSON.stringify(notes));
     showNotes();
     closelcon.click();
  }
});
```

### A.html

```
<!DOCTYPE html>
<html lang="en" dir="ltr">
 <head>
  <meta charset="utf-8">
  <title>Notes App </title>
  <link rel="stylesheet" href="b.css">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <!-- Iconscout Link For Icons -->
  k rel="stylesheet"
href="https://unicons.iconscout.com/release/v4.0.0/css/line.css">
 </head>
 <body>
  <div class="popup-box">
   <div class="popup">
    <div class="content">
      <header>
       <i class="uil uil-times"></i>
      </header>
```

```
<form action="#">
                             <div class="row title">
                                  <label>Title</label>
                                  <input type="text" spellcheck="false">
                             </div>
                             <div class="row description">
                                  <a href="mailto:label"><a href="mailto:label">label<a href="mailto:label"><a href="mailto:label"><a href="mailto:label"><a href="mailto:label">label<a 
                                  <textarea spellcheck="false"></textarea>
                             </div>
                             <button></button>
                        </form>
                   </div>
               </div>
          </div>
          <div class="wrapper">
               <div class="icon"><i class="uil uil-plus"></i></div>
                   Add new note
               </div>
          <script src="c.js"></script>
     </body>
</html>
B.css
/* Import Google Font - Poppins */
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@400;500;600;700&display
=swap');
*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
    font-family: 'Poppins', sans-serif;
}
body{
    background: #88ABFF;
::selection{
```

```
color: #fff;
 background: #618cf8;
}
.wrapper{
 margin: 50px;
 display: grid;
 gap: 25px;
 grid-template-columns: repeat(auto-fill, 265px);
.wrapper li{
 height: 250px;
 list-style: none;
 border-radius: 5px;
 padding: 15px 20px 20px;
 background: #fff;
 box-shadow: 0 4px 8px rgba(0,0,0,0.05);
.add-box, .icon, .bottom-content,
.popup, header, .settings .menu li{
 display: flex;
 align-items: center;
 justify-content: space-between;
}
.add-box{
 cursor: pointer;
 flex-direction: column;
 justify-content: center;
}
.add-box .icon{
 height: 78px;
 width: 78px;
 color: #88ABFF;
 font-size: 40px;
 border-radius: 50%;
 justify-content: center;
 border: 2px dashed #88ABFF;
.add-box p{
 color: #88ABFF;
 font-weight: 500;
```

```
margin-top: 20px;
}
.note{
 display: flex;
 flex-direction: column;
 justify-content: space-between;
}
.note .details{
 max-height: 165px;
 overflow-y: auto;
}
.note .details::-webkit-scrollbar,
.popup textarea::-webkit-scrollbar{
 width: 0;
}
.note .details:hover::-webkit-scrollbar,
.popup textarea:hover::-webkit-scrollbar{
 width: 5px;
}
.note .details:hover::-webkit-scrollbar-track,
.popup textarea:hover::-webkit-scrollbar-track{
 background: #f1f1f1;
 border-radius: 25px;
}
.note .details:hover::-webkit-scrollbar-thumb,
.popup textarea:hover::-webkit-scrollbar-thumb{
 background: #e6e6e6;
 border-radius: 25px;
.note p{
 font-size: 22px;
 font-weight: 500;
.note span{
 display: block;
 color: #575757;
 font-size: 16px;
 margin-top: 5px;
.note .bottom-content{
```

```
padding-top: 10px;
 border-top: 1px solid #ccc;
.bottom-content span{
 color: #6D6D6D;
 font-size: 14px;
.bottom-content .settings{
 position: relative;
.bottom-content .settings i{
 color: #6D6D6D;
 cursor: pointer;
 font-size: 15px;
}
.settings .menu{
 z-index: 1;
 bottom: 0;
 right: -5px;
 padding: 5px 0;
 background: #fff;
 position: absolute;
 border-radius: 4px;
 transform: scale(0);
 transform-origin: bottom right;
 box-shadow: 0 0 6px rgba(0,0,0,0.15);
 transition: transform 0.2s ease;
}
.settings.show .menu{
 transform: scale(1);
}
.settings .menu li{
 height: 25px;
 font-size: 16px;
 margin-bottom: 2px;
 padding: 17px 15px;
 cursor: pointer;
 box-shadow: none;
 border-radius: 0;
 justify-content: flex-start;
```

```
}
.menu li:last-child{
 margin-bottom: 0;
}
.menu li:hover{
 background: #f5f5f5;
.menu li i{
 padding-right: 8px;
.popup-box{
 position: fixed;
 top: 0;
 left: 0;
 z-index: 2;
 height: 100%;
 width: 100%;
 background: rgba(0,0,0,0.4);
.popup-box .popup{
 position: absolute;
 top: 50%;
 left: 50%;
 z-index: 3;
 width: 100%;
 max-width: 400px;
 justify-content: center;
 transform: translate(-50%, -50%) scale(0.95);
.popup-box, .popup{
 opacity: 0;
 pointer-events: none;
 transition: all 0.25s ease;
.popup-box.show, .popup-box.show .popup{
 opacity: 1;
 pointer-events: auto;
.popup-box.show .popup{
 transform: translate(-50%, -50%) scale(1);
```

```
}
.popup .content{
 border-radius: 5px;
 background: #fff;
 width: calc(100% - 15px);
 box-shadow: 0 0 15px rgba(0,0,0,0.1);
.content header{
 padding: 15px 25px;
 border-bottom: 1px solid #ccc;
.content header p{
 font-size: 20px;
 font-weight: 500;
}
.content header i{
 color: #8b8989;
 cursor: pointer;
 font-size: 23px;
}
.content form{
 margin: 15px 25px 35px;
.content form .row{
 margin-bottom: 20px;
form .row label{
 font-size: 18px;
 display: block;
 margin-bottom: 6px;
form :where(input, textarea){
 height: 50px;
 width: 100%;
 outline: none;
 font-size: 17px;
 padding: 0 15px;
 border-radius: 4px;
 border: 1px solid #999;
```

```
form :where(input, textarea):focus{
 box-shadow: 0 2px 4px rgba(0,0,0,0.11);
form .row textarea{
 height: 150px;
 resize: none;
 padding: 8px 15px;
form button{
 width: 100%;
 height: 50px;
 color: #fff;
 outline: none;
 border: none;
 cursor: pointer;
 font-size: 17px;
 border-radius: 4px;
 background: #6A93F8;
@media (max-width: 660px){
 .wrapper{
  margin: 15px;
  gap: 15px;
  grid-template-columns: repeat(auto-fill, 100%);
 .popup-box .popup{
  max-width: calc(100% - 15px);
 .bottom-content .settings i{
  font-size: 17px;
 }
```