

Practical : 2

Aim: Implement HTML Tags (img tag, hyperlink tag, list tag)

Code:

```
<!DOCTYPE html>
<html>
<head>
<title>Assignment 2.1</title>
</head>
<body>
<h1>HTML Lists</h1>
<br>
<b> Browsers (Unordered List)</b>
  <ul>
    <li>Google Chrome</li>
    <li>Mozilla FireFox </li>
    <li>Microsoft Edge</li>
  </ul>
<b> Search Engines (Ordered List)</b>
  <ol>
    <li>Google</li>
    <li>Bing </li>
    <li> Yahoo</li>
  </ol>
<b>Internet Terms (Defination List)</b>
  <dl>
    <dd>E-zine-electronic magazine</dd>
    <dd>HTML-HyperText Markup Language</dd>
    <dd>URL-Uniform Resource Locator</dd>
  </dl>
</body>
</html>
```

SEIT1010 1
21SE02ML006

Output:

HTML Lists

Browsers (Unordered List)

- Google Chrome
- Mozilla FireFox
- Microsoft Edge

Search Engines (Ordered List)

1. Google
2. Bing
3. Yahoo

Internet Terms (Defination List)

E-zine-electronic magazine
HTML-HyperText Markup Language
URL-Uniform Resource Locator

Code:

```

<!DOCTYPE html>
<html>
<head>
<title>assignment 2.2</title>
</head>
<body style="background-color:silver">
<font face ="Comic Sans MS" >

The silver Background and Comic Sans MS font
</font>

<p style="color:red"> Here is an unordered list with several level of sub-lists</p>
<font face ="Comic Sans MS" >
<ul>
  <li>This is level one
  <li>This is also level one
    <ul>
      <li>This is level two
      <li> Again in level two
        <ul>
          <li> This is level three
          <li> Again in level three
        </ul>
      <li> I am back to level two again
    </ul>
  </li>
  <li>I am now back to level one
  <li> This is last line of the nested unordered lists
</ul>
<br>
Here is a similar ordered list
<ol>
  <li>Level one
  <ol>
    <li>Level two
    <ol>
      <li>Level three
      <li> Level three again
    </ol>
    <li> Level two again
    <li> Level two once again
  </ol>
  <li> Level one again
  <li> Level one once more
</ol>
Back to regular text
</font>
</body>
</html>

```

Output:

The silver Background and Comic Sans MS font

Here is an unordered list with several level of sub-lists

- This is level one
- This is also level one
 - This is level two
 - Again in level two
 - This is level three
 - Again in level three
 - I am back to level two again
- I am now back to level one
- This is last line of the nested unordered lists

Here is a similar ordered list

1. Level one
 1. Level two
 1. Level three
 2. Level three again
 2. Level two again
 3. Level two once again
2. Level one again
3. Level one once more

Back to regular text

Code:

```
<!DOCTYPE html>
<html>
<head><title>assignment 2.3</title></head>
<body>img tag : image tag
<br>

</body>
</html>|
```

Output:

img tag : image tag



Code:

```

1  <!DOCTYPE html>
2  <html>
3  <head>
4      <title>a2.3</title>
5  </head>
6  <body> hyperlink tag
7      <a href="https://www.ppsu.ac.in/"> click here </a>
8
9  </body>
10 </html>

```

Output:

hyperlink tag [click here](https://www.ppsu.ac.in/)

