Basic Design Elements
基本設計元素

B

B. Basic Design Elements 基本設計元素

Introduction 介紹

In the implementation of the CYP BIS, there are a number of different media through which visual communication activities are carried out. It is the core of the universal visual information which is defined as the basic design elements.

The basic design elements are visual elements that accurately reflect the corporate stance, philosophy, and corporate ideals of CYP. They constitute the information that is to be used consistently over a long period of time.

This section consists of a detailed explanation of the basic design elements and a statement of the basic principles behind them. The basic principles and contents compose the basis of the BIS development of CYP, which is extremely important for the understanding of the whole system.

Consequently, whichever type of design is being produced, it should be understood that deviation from the principles and guidelines in this section is not permitted. Furthermore, whatever basic design element is being used, be sure to use the digital data for reproduction.

西柏科技品牌識別系統的設計應用，將透過各種不同媒介執行視覺溝通活動。這些溝通活動所採用的核心通用視覺資訊，即定義為基本設計元素。

「基本設計元素」透過視覺要素準確地反映出西柏科技的品牌態度、哲理與品牌理想。其所構成的資訊將長期且一致性地使用。

此單元包含基本設計元素本身的細節說明及其所意涵的基本原則。此基本原則與內容構成基本西柏科技品牌識別系統的發展，是了解整個系統最重要的一環。

無論設計如何發展，都不允許和基本原則及規範不同。在任何時候應用基本設計元素，務必利用已設計規劃完成的「標準設計原稿檔案」中內容加以設計套用。

B. Basic Design Elements 基本設計元素

1. Logo 品牌標誌

With the shape of the product cube, it reflects the characteristics of its multi-faceted function, and combines the image of the growth ring to reflect the steady growth track of the enterprise.
以產品立方體的造型，體現其功能多面向的特色，並結合樹木年輪的意象，體現企業穩健茁壯的軌跡。

The symbol in the trademark is integrated into the CYP three letters, which makes the symbol more strongly linked to the corporate brand name.
商標中的象徵符號 (Symbol) 融入 CYP 三字母，令符號與企業品牌名更具強烈連結性。

B. Basic Design Elements 基本設計元素

2.1 Logo Construction 品牌標誌組成

The brand logo consists of symbol and English standard logotype. In order to express and strengthen a memorable and strong brand logo, the guideline must be correctly and strictly abided by. The elements and proportions of the brand logo cannot be changed.

品牌標誌是由圖標及英文標準字所構成。為了表現及加強一個記憶深刻且強烈的品牌標誌，其使用規範必須正確且嚴格遵守。品牌標誌的構成元素及其相對應的關係與尺寸不可更改。

Horizontal Logo 橫式品牌標誌



Minimum Size 最小尺寸

For the best identification of the logo,
its size must not be smaller than the minimum size.
為確保品牌標誌的辨識性，其尺寸不可小於最小尺寸。

B. Basic Design Elements 基本設計元素

2.2 Logo Construction 品牌標誌組成

The brand logo consists of symbol and English standard logotype. In order to express and strengthen a memorable and strong brand logo, the guideline must be correctly and strictly abided by. The elements and proportions of the brand logo cannot be changed.

品牌標誌是由圖標及英文標準字所構成。為了表現及加強一個記憶深刻且強烈的品牌標誌，其使用規範必須正確且嚴格遵守。品牌標誌的構成元素及其相對應的關係與尺寸不可更改。

Vertical Logo 直式品牌標誌

Minimum Size 最小尺寸

For the best identification of the logo,
its size must not be smaller than the minimum size.
為確保品牌標誌的辨識性，其尺寸不可小於最小尺寸。

B. Basic Design Elements 基本設計元素

2.3 Symbol Usage 象徵符號使用方法

When using a symbol to represent the brand (ex. Facebook profile photo/ WeChat profile photo), in order to express a bold and strong brand logo, it must be correct and strictly adhere to its usage specifications. The minimum size of the logo cannot be changed. The brand logo has two color palettes: full color and monochrome, and should mostly be used in full color to highlight the logo of the brand.

使用象徵符號代表品牌時（如臉書大頭貼、微信大頭貼），為了表現一個鮮明強烈的品牌標誌，必須正確且嚴格遵守其使用規範。標誌最小尺寸不可更改。品牌標誌分為全彩與單色，應儘量使用全彩方式表現，以凸顯品牌標誌的辨識度。

Symbol 象徵符號

Minimum Size 最小尺寸

5mm

For the best identification of the logo,
its size must not be smaller than the minimum size.
為確保品牌標誌的辨識性，其尺寸不可小於最小尺寸。

B. Basic Design Elements 基本設計元素

3. Logo Usage 品牌標誌縮放

When different logo size is required, use suitable logo and equal scaling and cannot be smaller than the minimum size.

此品牌標誌可依不同狀況選擇適合的尺寸使用，並依照等比例縮放並不可小於最小尺寸。

Horizontal Logo 橫式品牌標誌



When enlarging logo size, always ensure the proper scale.

當變更品牌標誌大小時，務必保持正確比例。

Vertical Logo 直式品牌標誌



Symbol 象徵符號



B. Basic Design Elements 基本設計元素

4.1 Logo Clear Space 品牌標誌安全範圍

The logo must always be surrounded by a clear space. To ensure the visibility and integrity of the logo, the clear space must be clear of other elements such as type, images, or other logos.

安全範圍的設定是為了確保品牌標誌的可視性與完整性，在任何運用品牌標誌的情況下都要確定安全範圍。

Horizontal Logo 橫式品牌標誌



Exception:

Depending on different production requirements that can't maintain the normal clear space, please use this minimize clear space to ensure the best identification of the logo.

因應不同製作上的使用需求，無法保持正常安全範圍時，請使用此最小安全範圍，以確保品牌標誌的辨識性。



B. Basic Design Elements 基本設計元素

4.2 Logo Clear Space 品牌標誌安全範圍

The logo must always be surrounded by a clear space. To ensure the visibility and integrity of the logo, the clear space must be clear of other elements such as type, images, or other logos.

安全範圍的設定是為了確保品牌標誌的可視性與完整性，在任何運用品牌標誌的情況下都要確定安全範圍。

Vertical Logo 直式品牌標誌

Exception:

Depending on different production requirements that can't maintain the normal clear space, please use this minimize clear space to ensure the best identification of the logo.

因應不同製作上的使用需求，無法保持正常安全範圍時，請使用此最小安全範圍，以確保品牌標誌的辨識性。

B. Basic Design Elements 基本設計元素

5.1 Brand Color 標準色

The brand color is a particular color that is selected specifically to communicate the company's aesthetics. This brand color is then used repeatedly in all types of visual media until it comes to play a very significant role in raising the brand awareness in the marketplace.

品牌標準色透過設計與定義，用以溝通品牌的美學。經由反複使用品牌標準色於各種視覺媒體，達到提升視覺效果，以及提高品牌知名度，因此品牌標準色有著重要的影響力。

Primary Brand Color 品牌標準色



CYP Blue Green

Pantone	3135C
CMYK	100/ 28/ 35/ 0
RGB	0/ 138/ 171
Websafe	#008AAB



CYP Black

Pantone	Black 6C
CMYK	0/ 0/ 0/ 100
RGB	0/ 0/ 0
Websafe	#000000



CYP Light Green

Pantone	382C
CMYK	34/ 0/ 90/ 0
RGB	184/ 211/ 48
Websafe	#B8D330

B. Basic Design Elements 基本設計元素

5.2 Brand Color 標準色

The brand color is a particular color that is selected specifically to communicate the company's aesthetics. This brand color is then used repeatedly in all types of visual media until it comes to play a very significant role in raising the brand awareness in the marketplace.

品牌標準色透過設計與定義，用以溝通品牌的美學。經由反複使用品牌標準色於各種視覺媒體，達到提升視覺效果，以及提高品牌知名度，因此品牌標準色有著重要的影響力。

Supporting Brand Color 品牌輔助色



CYP Yellow

Pantone	123C
CMYK	0/ 30/ 84/ 0
RGB	255/ 198/ 41
Websafe	#FFC629



CYP Orange

Pantone	171C
CMYK	0/ 77/ 74/ 0
RGB	255/ 92/ 53
Websafe	#FF5C35



CYP Red

Pantone	7425C
CMYK	35/ 97/ 55/ 0
RGB	185/ 36/ 84
Websafe	#B92454



CYP Blue

Pantone	2736C
CMYK	100/ 90/ 0/ 0
RGB	18/ 38/ 170
Websafe	#1226AA

B. Basic Design Elements 基本設計元素

6. English Font 英文標準字體

This section shows the designated font for English. This font has been specially selected to harmonize with the logo symbol and logotype. The designated English font is from the **"Hind"** family. Refer to the samples provided, and after careful consideration of the special features of the medium, select the appropriate font.

本單元為西柏科技之英文指定標準字體與品牌標誌相輔相成。請以**「Hind」**系列字體搭配並就使用情況及特性相互搭配使用。

Hind Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Hind SemiBold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Hind Medium

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Hind Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Hind Light

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

B. Basic Design Elements 基本設計元素

7. Chinese Font 中文標準字體

This section shows the designated font for traditional Chinese. This font has been specially selected to harmonize with the logo symbol and logotype. The designated English font is from the **"Noto Sans CJK TC"** family. Refer to the samples provided, and after careful consideration of the special features of the medium, select the appropriate font.

本單元為西柏科技之中文指定標準字體與品牌標誌相輔相成。請以**「思源黑體」**系列字體搭配並就使用情況及特性相互搭配使用。

Noto Sans CJK TC Black

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

Noto Sans CJK TC Bold

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

Noto Sans CJK TC Medium

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

Noto Sans CJK TC Regular

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

Noto Sans CJK TC DemiLight

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

Noto Sans CJK TC Light

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

B. Basic Design Elements 基本設計元素

8. Web Font 多媒體應用字體

This section shows the designated online font for English and Chinese. These fonts should be used for the application of online touchpoint of CYP (e.g.: email signature/ powerpoint). The designated English font is from the **"Arial"** family, and Chinese font is **" 微軟正黑體 "** .

本頁次為西柏科技之多媒體中英文指定標準字體與品牌標誌相輔相成。此字體可用於電子郵件簽名檔與簡報等西柏科技的線上接觸點。請以**「Arial」**系列字體搭配並應用於英文使用情況，**「微軟正黑體」**於中文使用。

Arial Bold

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Arial Regular

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Arial Bold Italic

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&*()

Arial Italic

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 ,./?!@#$%^&()*

微軟正黑體 Bold

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

微軟正黑體 Regular

我們創造每一個看見與被看見的機會，
無限延伸您的視野。

B. Basic Design Elements 基本設計元素

9. Supporting Graphic 輔助圖形

This section shows the supporting graphic of CYP. The graphic was designed specifically to give flexibility and breadth to the system of design applications, as well as providing greater impact and scope to the corporate symbol itself. Since the supporting graphic has a very significant visual impact as a design element, always consult with the brand manager when you feel it is necessary to use it.

本頁次為西柏科技之輔助圖形。此輔助圖形設計為整個應用系統帶來靈活的變化與強化整體形象感受，可運用於各種設計應用物。當需要使用此圖形時，需與品牌管理者討論其適切性。

Supporting Graphic 輔助圖形



The supporting graphic of hexagon is inspired by the logo symbol and has to be relevant to the logo as well as the brand identity system.
此六角形的輔助圖形，是受到品牌標誌象徵符號的啟發所設計，須與品牌標誌及品牌識別系統保持關聯性。

For application examples, please refer to p.52-56.
應用範例請見 pp.52-56。

Basic Design System
基本設計系統

C

C. Basic Design Systems 基本設計系統

Introduction 介紹

The brand identity system (abbreviated to BIS. as below) of CYP is a strategic plan that aims to build a strong and positive image for the business. The goal is to communicate CYP in a consistent and coherent manner by unifying all visual information. Achievement of this goal will result in improved communications with the brand and customers.

The BIS represents the brand's professional image. While applied to different design materials, it should all be consistent. The BIS guideline helps to create a unique image of the brand.

This section states in detail the regulations and standards governing practical design applications with particular emphasis on the logo symbol and logotype. This section contains extremely important information for understanding both the basics and the whole scope of the BIS. of the CYP. Please read it carefully and understand it thoroughly.

西柏科技之品牌識別系統整合品牌與客戶之間的互動，使整體的優秀品牌形象深植人心，讓整體品牌形象更具有正面意義。

整體品牌識別系統展現極高度的專業形象。若所有與品牌相關的設計製作物均以此標準，品牌形象將會協調一致，充分顯示出西柏科技的獨特性。

本節詳細說明了管理實際設計應用與品牌標誌之間的規則和標準。本節包含了解西柏科技品牌識別系統的基本知識和設計應用極其重要的資訊，請仔細閱讀並徹底理解。

C. Basic Design Systems 基本設計系統

1. Logo Color Applications 品牌標誌顏色運用

This section shows the color application standards for the brand logo.
The above rule does not apply when seeking to increase expressive impact through exploitation of the particular characteristics of a specific medium or material, or when due to limitations of printing the standard color is not possible. Examples are provided for reproduction directly onto materials (engraving / relief on stainless steel, brass.) in silver. Other examples are also provided for negative format (when the background color is dark).
When reproducing the logo, always use digital data for reproduction to ensure maximum precision and accuracy.

本單元為品牌標誌色彩運用方式之基本規範與原則內容。針對應用在媒體或必須用於特殊材質，無法以一般方式印刷時，則以例外處理，如：不銹鋼材質、壓磨字體、銅版腐蝕方式。原則只可使用銀色。除此之外、另有顏色反差表現時，與其背景色系之顏色相互對應的規範。在品牌標準色使用上，必須利用已設計規劃完成的「標準設計原稿檔案」內容加以設計套用。

Logo in Standard Color 品牌標誌標準顏色

Logo in Dark Background 深色底運用



Logo in Embossed Expression 浮雕標誌

Logo in Silver 銀色標誌

Logo in White 反白品牌標誌



Logo in Black 黑色品牌標誌

C. Basic Design Systems 基本設計系統

2. Logo in Black Background 品牌標誌於黑底應用準則

This section shows charts in which the logo has been placed in a black background. The strength of which has been intensified in increments of 10%. The purpose of the charts is to establish the parameters for the successful reproduction of the logo against a black background. Follow the charts in order to establish the appropriate relationship between the logo and the background color and chose the combination most suited to the instance.

本單元為品牌標誌之基本標準色與單色於不同漸層背景使用的對應關係。圖表以 10% 漸層的黑色背景濃度變化作為參考。請參照右列規範，品牌標誌之基本標準色與單色於不同底色的應用。



C. Basic Design Systems 基本設計系統

3. Logo in Brand Color Background 品牌標誌於品牌色底應用準則

This section shows charts in which the logo has been placed in a brand color background. The strength of which has been intensified in increments of 10%. The purpose of the charts is to establish the parameters for the successful reproduction of the logo against a brand color background. Follow the charts in order to establish the appropriate relationship between the logo and the background color and chose the combination most suited to the instance.

本單元為品牌標誌之基本標準色與單色於不同漸層背景使用的對應關係。圖表以 10% 漸層的標準色背景濃度變化作為參考。請參照右列規範，品牌標誌之基本標準色與單色於不同底色的應用。



C. Basic Design Systems 基本設計系統

4. Isolation & Inappropriate Treatments 配置與錯誤示範

Isolation means that a certain space around the logo is defined and maintained and that no other design element may ever be included within that space. For example, some kind of high impact visual element is placed next to the logo and this image, in which both the distinctiveness and functionality of the logo are eroded. Make sure you grasp the principle of isolation then deal appropriately with problems according to the needs of each case. On the bottom side of the page are some examples of incorrect treatments of the logo. Never use the logo incorrectly like this.

品牌標誌在正常情況下，為確保其正確比例尺寸，對於整體配置時，不可在其框邊任意添加圖形。例如：連接強烈的圖形，將使得原有品牌標誌的獨特性及機能性變弱，且影響其品牌形象之建立。以上對於基本品牌標誌整體配置上，請充分理解狀況及用途，並如圖所示，正確選擇適切的參考配置圖。除此之外，務必注意錯誤使用範例中之假設內容，以避免發生相同錯誤。

Isolation (Normal Clear Space) 配置 (正常留白尺寸)



proactivity and generosity. The logo shape is similar to heaven and earth. The ymbolize movbolize the sky and far-reaching. The logo foll and generosi- ty. The logois rit of proacti- vity and gen heaven and earth. The mi top part sym- bolizment. Th art symbolize the svity and generosity. The logo shape generosity. The logois The top part size tthe original spirit.

Logo in Pictures 照片背景的運用





Inappropriate Treatments of Background 錯誤背景放置



proactivity and generosity. The logo shape is similar to heaven and earth. The ymbolize movbolize the sky and far-reaching. The logo follows the original spirit of proactivity and generosi- ty. The logoisThe new logo follows the original spirit of proac- tivity and generosity. The logo shape is similar to heaven and earth. The middle ymbolize movbolize. The top part sym- bolize the sky and far-reaching. The new logo follows the origi- nal spirit of proactivity and generosity. The logo shape is similar to heaven and earty and far-reach.The logo shape is similar to heaven and earty and far-reach the sky and far-reaching far.

C. Basic Design Systems 基本設計系統

5. Inappropriate Treatments 錯誤使用示範

In this section, the misusage is shown as an example for the purpose of showing this misrepresentation of the copyrighted logo. Do not misuse this.

此為品牌標誌的顏色配置關係錯誤的使用範例。務必注意錯誤使用範例中之假設內容，以避免發生相同錯誤。

Distortion 請勿變形標誌

Distortion 請勿變形標誌

Distortion 請勿變形標誌

Change of the color density 請勿改變標誌濃淡

Change of the angle 請勿改變標誌角度

Re-allocation 請勿改變標誌位置

Change of the proportion 請勿改變標誌比例

Change of the color 請勿改變標誌色彩

Framed line 請勿以外框線條表現標誌

Additional shadow 請勿標誌外加上陰影

Framed logo 請勿標誌外加上外框

Additional glow 請勿標誌外加上光暈

C. Basic Design Systems 基本設計系統

6. Logo and Text Layout System 標誌與內容編排準則

The signature system is the guideline for the combination of the brand logo with specific elements such as the company name, address, contact information, etc. Since this signature system is used across various media (advertisements, stationery, etc.); the size balance of the elements and their position relative to one another is of absolute key importance. It is therefore essential to create a standardized and fixed system. Make sure you have grasped the principle of the signature system and apply it according to the needs of each case.

編排準則提供品牌象徵符號與其他特定要素（例如品牌標誌、公司地址等）的組合規範。此類組合應用於各式媒體（廣告、事務用品等）; 組合內的要素在各種不同尺寸比例與位置的配置對應方式具有相對的重要性。對於品牌標誌整體配置，請充分理解使用狀況及用途，正確選擇適切的參考配置圖。以下針對品牌標誌名稱與公司地址的組合，分別以各種不同之尺寸比例及位置對應方式。

CYP

西柏科技股份有限公司
CYPRESS TECHNOLOGY CO., LTD.
23585 新北市中和區建康路 130 號 6F 之 5
6F-5, No.130, Jiankang Rd., Zhonghe Dist.,
New Taipei City 23585, Taiwan (R.O.C.)
TEL +886-2-22269586
FAX +886-2-22259587

CYP

西柏科技股份有限公司
CYPRESS TECHNOLOGY CO., LTD.
23585 新北市中和區建康路 130 號 6F 之 5
6F-5, No.130, Jiankang Rd., Zhonghe Dist.,
New Taipei City 23585, Taiwan (R.O.C.)
TEL +886-2-22269586
FAX +886-2-22259587

CYP

西柏科技股份有限公司
CYPRESS TECHNOLOGY CO., LTD.
23585 新北市中和區建康路 130 號 6F 之 5
6F-5, No.130, Jiankang Rd., Zhonghe Dist.,
New Taipei City 23585, Taiwan (R.O.C.)
TEL +886-2-22269586
FAX +886-2-22259587

CYP

西柏科技股份有限公司
CYPRESS TECHNOLOGY CO., LTD.
23585 新北市中和區建康路 130 號 6F 之 5
6F-5, No.130, Jiankang Rd., Zhonghe Dist.,
New Taipei City 23585, Taiwan (R.O.C.)
TEL +886-2-22269586
FAX +886-2-22259587

C. Basic Design Systems 基本設計系統

7. Positioning Standards 版面位置

This section contains diagrams that explain the layout system of the inner page used with the elements of the company name. The diagrams in this section show possible layout systems. Make sure that you have grasped the principles of the layout systems and then deal appropriately with problems that arise according to the needs of each case.

本頁次為品牌標誌及公司資訊於版面上的位置對應關係加以設計規劃。在於比例和位置對應之基本配置上，提供 6 種運用方式。請務必充分理解狀況及用途，正確選擇適切的設計規劃參考類型。



C. Basic Design Systems 基本設計系統

8.1 Supporting Graphic System 輔助圖形應用系統

This section shows the supporting graphic system of CYP. The system was designed specifically to give flexibility and breadth to the system of design applications, as well as providing greater impact and scope to the corporate symbol itself. Since the supporting graphic system has a very significant visual impact as a design element, always consult with the brand manager when you feel it is necessary to use it.

本頁次為西柏科技之輔助圖形應用系統。此輔助圖形用系統可為品牌帶來靈活的變化與強化整體形象感受，並運用於各種設計應用物。當需要使用此應用系統時，需與品牌管理者討論其適切性。

Overlapped usage 交疊式應用

When the supporting graphics are overlapped, the tangent point must be the center point of the rounded corner.
將輔助圖形進行交疊時，需注意切點為圓角中心點。



No rounded corner is allowed at the border of the layout.
需注意不可在邊界留有圓角。

Sample:



The overlapped application must be limited to 2-3 supporting graphics.
需注意此交疊式應用應保持在 2-3 個輔助圖形。

C. Basic Design Systems 基本設計系統

8.2 Supporting Graphic System 輔助圖形應用系統

This section shows the supporting graphic system of CYP. The system was designed specifically to give flexibility and breadth to the system of design applications, as well as providing greater impact and scope to the corporate symbol itself. Since the supporting graphic system has a very significant visual impact as a design element, always consult with the brand manager when you feel it is necessary to use it.

本頁次為西柏科技之輔助圖形應用系統。此輔助圖形用系統可為品牌帶來靈活的變化與強化整體形象感受，並運用於各種設計應用物。當需要使用此應用系統時，需與品牌管理者討論其適切性。

Single usage I 單一色塊式應用一



When the supporting graphic is applied, the equal scaling of the rounded corners is required.
使用輔助圖形時，需注意圓角等比例放大縮小的狀態。

No rounded corner is allowed at the border of the layout.
需注意不可在邊界留有圓角。

C. Basic Design Systems 基本設計系統

8.3 Supporting Graphic System 輔助圖形應用系統

This section shows the supporting graphic system of CYP. The system was designed specifically to give flexibility and breadth to the system of design applications, as well as providing greater impact and scope to the corporate symbol itself. Since the supporting graphic system has a very significant visual impact as a design element, always consult with the brand manager when you feel it is necessary to use it.

本頁次為西柏科技之輔助圖形應用系統。此輔助圖形用系統可為品牌帶來靈活的變化與強化整體形象感受，並運用於各種設計應用物。當需要使用此應用系統時，需與品牌管理者討論其適切性。

Single usage II 單塊式應用二



No rounded corner is allowed at the border of the layout.
需注意不可在邊界留有圓角。

When the supporting graphic is applied, the equal scaling of the rounded corners is required.
使用輔助圖形時，需注意圓角等比例放大縮小的狀態。



No rounded corner is allowed at the border of the layout.
需注意不可在邊界留有圓角。

When the supporting graphic is applied, the equal scaling of the rounded corners is required.
使用輔助圖形時，需注意圓角等比例放大縮小的狀態。

C. Basic Design Systems 基本設計系統

8.4 Supporting Graphic System 輔助圖形應用系統

This section shows the supporting graphic system of CYP. The system was designed specifically to give flexibility and breadth to the system of design applications, as well as providing greater impact and scope to the corporate symbol itself. Since the supporting graphic system has a very significant visual impact as a design element, always consult with the brand manager when you feel it is necessary to use it.

本頁次為西柏科技之輔助圖形應用系統。此輔助圖形用系統可為品牌帶來靈活的變化與強化整體形象感受，並運用於各種設計應用物。當需要使用此應用系統時，需與品牌管理者討論其適切性。

Stacked usage 堆疊式應用



When the supporting graphics are applied, the equal scaling of the rounded corners is required.
使用輔助圖形時，需注意圓角等比例放大縮小的狀態。



C. Basic Design Systems 基本設計系統

8.5 Supporting Graphic System 輔助圖形應用系統

This section shows the supporting graphic system of CYP. The system was designed specifically to give flexibility and breadth to the system of design applications, as well as providing greater impact and scope to the corporate symbol itself. Since the supporting graphic system has a very significant visual impact as a design element, always consult with the brand manager when you feel it is necessary to use it.

本頁次為西柏科技之輔助圖形應用系統。此輔助圖形用系統可為品牌帶來靈活的變化與強化整體形象感受，並運用於各種設計應用物。當需要使用此應用系統時，需與品牌管理者討論其適切性。

Overlapped and masked usage 交疊暨遮色片應用



The supporting graphics can be adjusted to different positions depending on the size of the mask area (red frame), but the tangent angle of the supporting graphics must conform to the angle of the hexagon. (ex: 0°/ 30°/ 60°/ 90°)
輔助圖形可因應應用物遮色片（紅框面積）不同尺寸，進行上下左右位置的調整，惟畫面中的切線角度須符合六角形之角度。(ex: 0°/ 30°/ 60°/ 90°)

Sample:



CYP

Dear all,

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Integer quis sodales orci, id porttitor mi. Etiam ac efficitur nibh, non malesuada nisl. Duis gravida in ligula vel pellentesque. Curabitur imperdiet purus sollicitudin, ultrices dolor ac, rhoncus massa. Vestibulum eget sem sit amet turpis elementum aliquet. Nam non nibh nisi. Aenean tristique auctor ex, a vehicula quam dignissim varius. Vivamus in dui quis ligula sagittis imperdiet. Aenean ut tristique arcu, eget ultricies dui. Pellentesque porttitor sem consequat nisi tincidunt, eu sagittis neque sollicitudin. Sed sollicitudin at turpis at semper. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Phasellus lobortis condimentum elit ac sagittis. Suspendisse potenti. Suspendisse potenti.

In cursus odio tristique justo malesuada, eget vestibulum leo efficitur. Aenean ut euismod metus, eget ullamcorper nunc. Vivamus porttitor est id lectus dapibus pretium. Donec non lorem massa. Fusce eu nisi velit. Nunc lobortis sem ut dolor sodales tincidunt. Nullam feugiat nisi non hendrerit congue. Cras eget rutrum sapien. Maecenas at dolor quam. Donec tristique egestas velit et efficitur. Aenean ut dignissim eros, a tempor neque. Sed faucibus sagittis turpis, sit amet pellentesque enim malesuada vitae. Aenean sodales libero non lorem dignissim fermentum. Vestibulum nisi mi, sollicitudin vel lacus consectetur, feugiat porta dui. Aliquam mattis tortor vel dui varius, ac tristique ante pulvinar. Fusce egestas quis ligula non molestie vel lacus consectetur.

Vivamus varius tincidunt vestibulum. Pellentesque vel velit nec tortor dapibus consequat ut vel erat. Vestibulum lacinia, ipsum eget finibus dignissim, enim eros maximus massa, at tristique metus velit quis magna. Fusce dapibus at eros ut egestas. Maecenas bibendum feugiat erat quis euismod. Proin laoreet placerat ipsum, venenatis suscipit turpis cursus id. In convallis mauris mauris, id finibus dui viverra sed. Maecenas mauris nulla, facilisis at ullamcorper id, gravida cogravidangue ligula lam feugiat nisi non hendrer.

Best Regard,

CYPRESS TECHNOLOGY CO., LTD. TEL +886-2-22269586 FAX +886-2-22259587
6F-5, No.130, Jiankang Rd., Zhonghe Dist., New Taipei City 23585, Taiwan (R.O.C.) www.cypress.com.tw