20230815

TINYIOT

이번 주 진행 상황

- 1. cJSON으로 이전 성능평가
- 2. spec2md manual 변환
- 3. testRemote진행
- 4. discovery ops attribute 지원 추가
- 5. Group Resource macp attribute 추가

cJSON으로 전환

•기존버전에서 통과하는 84개의 Test진행. 각각 4회 씩 진행해서 평균을 산출

	[ACME] - TEST KESULTS												
Test Suite	Count	Skipped	Errors	Times Exec ¦ Sleep ¦ Proc		Exec Time per Test ¦ Request		Proc Time per Test Request		Requests			
testACP testAE testCIN testCNT testCNT_CIN testGRP	23 20 2 21 0 18	0 0 0 0	0 0 0 0 0	2.9688 2.8916 0.5735 2.7243 0.0000 3.6797	0.00 0.00 0.00 0.00 0.00	0.0466 0.0450 0.0086 0.0438 0.0000 0.0563	0.1291 0.1446 0.2867 0.1297 0.0000 0.2044	0.1024 0.1033 0.1147 0.1048 0.0000 0.1082	0.0020 0.0022 0.0043 0.0021 0.0000 0.0031	0.0016 0.0016 0.0017 0.0017 0.0000 0.0017	29 28 5 26 0 34		
Totals	84	0	0	12.8434	0.00	0.2058	0.1529	0.1053	0.0025	0.0017	122		

cJSON으로 전환

- •기존방식이 새 방식보다 5.2%가량 빠르게 측정됨.
- •검증이 소량 추가되었다는 것을 감안하면 속도저하 심각하지 않음.

newLogTotalAvg : 0.0006681268292682927

prevLogTotalAvg : 0.0006335691056910568

diff: 3.4557723577235944e-05

diff%: 94.82767012737952

Spec2md전환

새 버전에서 오히려 기존에 없던 버그가 생김.

- Table 내부
이 사라짐.


미비한점

- Bold나 Italic이 단어 단위로 적용되어 있음
 - Ex) Mapped Test Cases. -> **Mapped****Test****Cases**

변환

https://gitlab.com/L4MXkE/mdtest/-/blob/main/TS-0025-Product_profiles-V3_1_0/TS-0025-Product_profiles-V3_1_0.md

testRemote.py




testRemote.py

```
/Users/gimjuseong/Library/Python/3.9/lib/python/site-packages/urllib3/
2.8.3'. See: https://github.com/urllib3/urllib3/issues/3020
 warnings.warn(
test retrieveLocalCSR ( main .TestRemote)
Retrieve the local registree CSR ... ok
test retrieveRemoteCSR ( main .TestRemote)
Retrieve own remote CSE ... ok
test createCSRmissingCSI (__main__.TestRemote)
Create a local <CSR> with missing CSI ... ok
test createCSRmissingCB ( main .TestRemote)
Create a local <CSR> with missing cb ... ok
test createCSRwrongCSI ( main .TestRemote)
Create a local <CSR> with wrong CSI ... ok
test_createCSRnoCsi (__main .TestRemote)
Create a local <CSR> without csi, but allowed originator ... ok
test createCSRsameAsAE ( main .TestRemote)
Create a local <CSR> with the same originator as an <AE> -> Fail ... ok
Ran 7 tests in 1.324s
```

Ops attribute


해당 리소스에 Originator이 작업을 할 권한이 있는지 Filter하는 attribute


Ops attribute



```
"m2m:acp": {
   "rn": "acp_default",
         cr": [
               "acor": [
                   "COrigin"
               "acop": 63
               "acor": [
                   "all"
                          Delete권한
               "acop": 8
   },
```

Ops attribute






Macp attribute

Macp?

MembersAccessControlPolicyIDs

FanOutPoint 리소스에 대한 권한 설정을 위한 Attribute

TI /OHOIVIZIVI/OOL/OIVIO/OF D/OTO	ινο support plan	*	
TP/oneM2M/CSE/GMG/RET/001	To be tested	•	
TP/oneM2M/CSE/GMG/001_CRE	To be implemented	•	membersAccessControlPolicyIDs
TP/oneM2M/CSE/GMG/001_RET	To be implemented	•	
TP/oneM2M/CSE/GMG/001_UPD	To be implemented	-	
TP/oneM2M/CSE/GMG/001_DEL	To be implemented	•	
TP/oneM2M/CSE/GMG/002_CRE	To be implemented	•	membersAccessControlPolicyIDs
TP/oneM2M/CSE/GMG/002_RET	To be implemented	•	
TP/oneM2M/CSE/GMG/002_UPD	To be implemented	•	
TP/oneM2M/CSE/GMG/002_DEL	To be implemented	-	
TDIODOMOMICSEIGMGIONS CDE	To be tooked		



Macp attribute

```
▼ GET http://127.0.0.1:3000/TinyIoT/TestAE/cntGrp/fopt
▶ Network
▼ Request Headers
   Accept: "application/json"
   X-M2M-RI: "12345"
   X-M2M-Origin: "COrigin2"
   User-Agent: "PostmanRuntime/7.32.3"
   Postman-Token: "c93ef478-3c5a-44a3-8a79-5900806e17b2
   Host: "127.0.0.1:3000"
   Accept-Encoding: "gzip, deflate, br"
   Connection: "keep-alive"
► Response Headers
▼ Response Body ↗
    {"m2m:dbg": "originator has no privilege"}
```

```
▼ GET http://127.0.0.1:3000/TinyIoT/TestAE/cntGrp/fopt
 ▶ Network
▼ Request Headers
   Accept: "application/json"
   X-M2M-RI: "12345"
   X-M2M-Origin: "COrigin'
   User-Agent: "PostmanRuntime/7.32.3"
   Postman-Token: "d1f14318-8aaa-4cff-9314-d6b61025bedb"
   Host: "127.0.0.1:3000"
   Accept-Encoding: "gzip, deflate, br'
   Connection: "keep-alive"
► Response Headers
▼ Response Body ↗
     {"m2m:agr":{"m2m:rsp":[{"rsc":2000,"rqi":"12345","to":"Tiny
    0230811T123306000084\",\"acpi\":[\"TinyIoT/acp_default\"],
    0811T1233100007220002\",\"pi\":\"COrigin\",\"ct\":\"2023081
    o":"TinyIoT/TestAE/cnt3","fr":"COrigin","pc":"{\"m2m:cnt\"
    \"],\"ty\":3,\"mbs\":16384,\"st\":0,\"cni\":0,\"cbs\":0}}"}
```