# Managing Multiple GitHub Accounts with Separate SSH Keys on a

## Scenario

You are working with two private repositories from **two different GitHub accounts** (e.g., frontend and backend) and want to:

- Deploy both projects to the same VPS
- Use separate SSH keys to authenticate with each GitHub account
- ✓ Step-by-Step Guide
- 1. Generate a Second SSH Key

On your VPS:

```
ssh-keygen -t ed25519 -C "your-second@email.com"
```

### When prompted:

```
Enter file in which to save the key (/root/.ssh/id_ed25519):
/root/.ssh/id_ed25519_dev2
```

## 2. Add the New Public Key to GitHub (Second Account)

Display the public key:

```
cat ~/.ssh/id_ed25519_dev2.pub
```

Copy the full output.

Then go to **GitHub Account #2**:

```
Settings \rightarrow SSH and GPG keys \rightarrow New SSH key Paste the key and save.
```

# 3. S Configure the SSH Client

Edit (or create) the SSH config file:

```
nano ~/.ssh/config
```

## Add this configuration:

```
# GitHub for Account 1 (default)
Host github.com
   HostName github.com
   User git
   IdentityFile ~/.ssh/id_ed25519

# GitHub for Account 2 (frontend)
Host github-dev2
   HostName github.com
   User git
   IdentityFile ~/.ssh/id_ed25519_dev2
```

Save and exit (Ctrl + 0, Enter, Ctrl + X).

## 4. Clone Each Repo Using the Correct Host

Now you can clone each repo using the correct SSH host.

#### Clone Backend (Account 1):

```
git clone git@github.com:dev1-username/backend-repo.git
```

#### **Clone Frontend (Account 2):**

```
git clone git@github-dev2:dev2-username/frontend-repo.git
```

Note the use of github-dev2 as defined in your SSH config.

## 5. Fractions Test the SSH Connections

Verify both identities work:

```
ssh -T git@github.com  # For Account 1
ssh -T git@github-dev2  # For Account 2
```

## Expected output:

```
Hi dev1-username! You've successfully authenticated...
Hi dev2-username! You've successfully authenticated...
```

# **☑** Summary

- Each GitHub account has its own SSH key.
- ~/.ssh/config defines which key to use per host.
- You clone using the appropriate Host alias.
- This setup allows clean separation for deploying repos from multiple accounts on the same VPS.