

REGULATION (EU) 2024/2847 · ARTICLE 14 · IN FORCE FROM 11 SEPTEMBER 2026

Article 14 notice pack

The two notices Joral must write under a 24-hour clock once a unit is on the EU market, drafted now so that on the day only the facts are missing — and the checklist that says whether the customer notice has anywhere to go.

POSITION ON 28 AUGUST 2026

No unit has been placed on the EU market, and no incident has occurred. The Article 14 duty attaches at first shipment, not on 11 September — and from 11 September it attaches with no run-up. Everything in this pack therefore has to exist **before unit one**.

BOUND BY

First shipment (law in force 11 Sep 2026)

STATUS

Drafts. Not published, not filed. No case open.

LEFT BLANK FOR COUNSEL

Coordinating CSIRT · EU authorised representative

ENGINEERING OWED

None — build-ID → SBOM lookup and signed update path are in place

Highlighted fields like this are filled on the day. Everything else is already decided. The working copies are the Markdown files named at the top of each section; this PDF is the reading copy.

Article 14 notices — ready to fill

Regulation (EU) 2024/2847, Article 14. Duty begins **11 September 2026**.

This directory holds the two notices that Article 14 makes us write under a clock, drafted now so that on the day nobody is composing prose. It also holds the checklist that tells us whether we *can* send the second one — a customer notice is only as good as the list it goes to.

WHERE JORAL STANDS — 28 AUGUST 2026

No unit has been placed on the EU market, and no incident has occurred. That matters for how alarmed to be, and it changes nothing on this page:

- The Article 14 duty attaches to products *placed on the Union market*. With nothing shipped, the 24-hour clock has nothing to attach to on 11 September. It attaches **the moment the first unit ships** — and from that moment the law is already in force, with no run-up.
- So the binding date for this pack is **first shipment**, and 11 September is simply the day after which first shipment carries the duty with it. The mailbox, the duty officer, the platform login and the drill all have to exist *before unit one*, not before 11 September.
- The distribution list is empty today. That makes it trivially "confirmed" — and makes the shipping checklist the place where it stops being empty.
- No case has been opened. Case numbering starts at `JORAL-A14-2026-001`.

File	What it is	Who fills it	Clock
<code>early-warning.md</code>	The 24-hour early warning to ENISA + the coordinating CSIRT, with the 72-hour notification and final-report fields underneath so the same file grows into all three	Duty officer	24 h / 72 h / 14 d (1 month for an incident)
<code>customer-notice.md</code>	The Art. 14(8) notice to affected users	Duty officer, PM signs	"Timely" — target: with or before the 72-hour notification
<code>distribution-list.md</code>	What the customer list has to contain, where the data comes from, and what "confirmed" means	Product management	Before first shipment, then per shipment

HOW THE THREE FIT TOGETHER

somebody writes to security@joralllc.com (or: we see it ourselves)

▼ T0 = the moment we become AWARE – log it, do not wait to understand it

≤ 24 h	early-warning.md §A	→ single reporting platform
≤ 72 h	early-warning.md §B	→ same platform, same case
	customer-notice.md	→ distribution-list.md
≤ 14 d	early-warning.md §C	→ after the fix is available
	(1 month for a severe incident)	

Three things to hold onto on the day:

1. **T0 is awareness, not understanding.** A credible report that a fielded unit is being exploited starts the clock. Reproducing it, confirming it, or having a fix are all things we do *inside* the 24 hours, not before them.
2. **The early warning commits us to nothing.** It says "we are aware, we are looking, these are the member states we know units are in". It is deliberately thin. Sending a thin one on time beats a complete one late, and the regulation says so ("unless already provided" at each later stage).
3. **The duty officer files it without waiting for anyone.** That authority is decision 3 on Carl's list. If it has not been given, this directory does not help.

WHAT IS ENGINEERING'S, AND ALREADY IN PLACE

- **Which builds are affected** — every release ships with an SBOM keyed by build identifier and a CVE-gate report (`./build.sh cve` , `scripts/compliance/cve-check.py`). Given a component name or CVE, the affected build IDs are a lookup, not an investigation. The build ID is shown in the web-console header, by `<daemon> --version` , and in the startup log.
- **"A corrective measure is available"** — the signed A/B update path. The 14-day final-report window starts from that moment, and the path exists. It needs the key ceremony to have happened for the signature to mean anything (Carl's decision 4).

TWO THINGS COUNSEL DECIDES, AND THIS DIRECTORY LEAVES BLANK

- **Which CSIRT.** For a manufacturer with no main establishment in the Union the coordinator follows the authorised representative, and failing one, the importer / distributor chain. The template has a field; counsel fills it once and it stays filled.
- **How sensitive the report is.** Art. 14 lets us say. The default in the template is "*sensitive — do not disclose beyond the CSIRT network until the corrective measure is published*". Counsel may want different words.

BEFORE FIRST SHIPMENT (AND IN ANY CASE BEFORE 11 SEPTEMBER)

- ☐ Duty officer and deputy named, with authority to file §A unaided.

- ☐ CSIRT and authorised-representative fields filled by counsel.
- ☐ Platform account exists; someone has logged in and seen the form. **The platform's own form wins over this template's structure** — the value of the template is that every answer is already known.
- ☐ `distribution-list.md` checklist complete: a list exists, it has the fields, and a test mail reached every address on it.
- ☐ One drill: a fabricated report, T0 logged, SA filled and read aloud, affected builds looked up, `customer-notice.md` filled and sent to an internal address. Thirty minutes. Note what was slow.

Article 14 report — early warning, notification, final report

Fill §A within **24 hours** of T0. §B within **72 hours**. §C within **14 days** of a corrective or mitigating measure being available (**one month** after §B for a severe incident). File each through the EU single reporting platform to ENISA and the coordinating CSIRT. Keep this file as the case record.

Status 28 Aug 2026: no case open, no unit on the EU market. First case will be JORAL-A14-2026-001.

Everything in **double brackets** is filled on the day. Everything else is already decided. Delete a line only if it does not apply — leave nothing blank that you could answer with "not yet known".

CASE HEADER

Field	Entry
Case ID	JORAL-A14- YYYY - NNN
T0 — moment of awareness	YYYY-MM-DD HH:MM UTC — write this down first
How we became aware	report to security@joralllc.com / own monitoring / customer / CSIRT / public disclosure
Reporter (if any)	name, organisation, contact — internal only; not sent
Type	actively exploited vulnerability or severe incident
Duty officer filing	name (deputy: name)
§A due	T0 + 24 h =
§B due	T0 + 72 h =
§C due	fix-available date + 14 d (or §B + 1 month for an incident)

Which is it? *Actively exploited vulnerability*: there is evidence someone is using a weakness in our product against a real unit. *Severe incident*: something has happened that affects, or could affect, the product's ability to protect the availability, authenticity, integrity or confidentiality of sensitive data or functions — or that has led, or could lead, to malicious code running in the product or the systems it is connected to. If in doubt, file as whichever fits better and say it is provisional; correcting at §B is allowed.

§A — EARLY WARNING (≤ 24 H)

This is deliberately short. It commits Joral to no finding.

Manufacturer

Joral LLC, **registered address**, USA.

Authorised representative in the Union: **name / address — from counsel, or "none appointed"**.

Contact for this report: security@jorallc.com, [duty officer name, phone](#) .

Product(s) with digital elements concerned

[SATISense™ Industrial Edge Platform \(IE-460\)](#) | [10BASE-T1S Media Gateway](#) | [both](#)

Firmware builds believed affected: [build IDs, or "under assessment"](#) .

Nature

[one or two sentences: what we have been told or observed, at the level of "a report indicates a fielded unit's web console can be reached without credentials and is being used to alter configuration". No exploit detail.](#)

Member States on whose territory we are aware the product has been made available

[list – from distribution-list.md, column "Member State"](#) (Required by Art. 14(2)(a) / 14(4)(a). If the list is incomplete say "at least:" and name what we know.)

For a severe incident only — is it suspected to be caused by unlawful or malicious acts?

[yes / no / unknown at this time](#)

Status

Joral became aware at [T0](#) . Assessment is under way. A notification with further detail will follow within 72 hours of awareness.

Sensitivity

Joral considers this report sensitive. Please do not disseminate beyond the CSIRT network and ENISA until the corrective measure has been published. [counsel may adjust the wording](#)

§B — NOTIFICATION (≤ 72 H) — *UNLESS ALREADY PROVIDED IN §A*

Product concerned — general information

Product: — Model: [IE-460 / Media Gateway](#)

Affected firmware builds: [build IDs from the SBOM / CVE-gate lookup](#)

Unaffected builds: [build IDs](#)

Estimated units in the field on affected builds, by Member State: [from distribution-list.md](#)

General nature of the vulnerability / incident

[component, weakness class \(e.g. authentication bypass, memory corruption in <daemon>\), attack vector \(network / adjacent / local / physical\), whether authentication is needed, what an attacker gains. CVE ID if one exists.](#)

General nature of the exploit (vulnerability) / initial assessment (incident)

[what is being done with it in the field, as far as known; whether it is targeted or opportunistic; what we have seen ourselves](#)

Corrective or mitigating measures taken by Joral

[e.g. fix in development, target build ID; affected customers notified on <date>; reporter engaged; none yet](#)

Corrective or mitigating measures users can take

the same text that goes in customer-notice.md – keep them identical: e.g. restrict console access to the management VLAN; disable <feature>; apply build <id> when available; power the unit down if <condition>

Sensitivity

as SA, or updated

§C — FINAL REPORT (≤ 14 D AFTER FIX AVAILABLE; ≤ 1 MONTH AFTER §B FOR AN INCIDENT)

Vulnerability — Art. 14(2)(c):

- 1. Description of the vulnerability, severity and impact full description; CVSS vector and score; CVE ID; affected builds; what an attacker could and could not do
- 2. Information on any malicious actor that has exploited or is exploiting it, where available what we know, what the reporter or CSIRT told us, or "none available"
- 3. The security update or other corrective measures made available fixed build ID; date published; how it is distributed (signed A/B update via Joral support/integration contact); fix-note reference; any residual mitigation for units that cannot be updated

Severe incident — Art. 14(4)(c):

- 1. Detailed description of the incident, severity and impact
- 2. Type of threat or root cause likely to have triggered it
- 3. Applied and ongoing mitigation measures

FILING LOG

When (UTC)	What	By	Platform reference
	SA filed		
	Customer notice sent to N addresses		—
	SB filed		
	Corrective measure available (build)		—
	§C filed		

Security notice to affected users — Art. 14(8)

Send to every contact on `distribution-list.md` whose units are on an affected build — and, where the risk warrants it, to all users. Send it no later than the 72-hour notification; earlier if there is a mitigation they can apply now. If we do not inform users in a timely way, the coordinating CSIRT may do it for us, in its own words.

Plain email, from `security@joralllc.com`, signed by a named person. One notice per case; updates reuse the same subject with "UPDATE" prefixed. The mitigation text must be identical to what we filed in §B of the report.

Subject: `Security notice JORAL-A14-YYYY-NNN` — `product` — action `required / recommended / none yet`

Dear `customer / integration contact`,

Joral is writing to inform you of a security `vulnerability / incident` affecting the `SATISense™ Industrial Edge Platform (IE-460) / 10BASE-T1S Media Gateway`. Our records indicate that you have `N` unit(s) on an affected firmware build. We are required by EU law to tell you, and we would tell you anyway.

What is affected

Field	Entry
Product	<code></code>
Affected firmware builds	<code>build IDs</code>
Not affected	<code>build IDs, or "builds from <id> onwards"</code>
Your units, as far as we know	<code>serial numbers, if recorded</code>

To check a unit's build: it is shown in the web-console header as `fw <id>`, by `intelligence_edge_opcua / media-gateway --version`, and in the startup log.

What the issue is

`Two or three plain sentences. What an attacker with what access could do. No exploit detail. Say whether it is being actively exploited – the regulation applies because it is, and the customer deserves to know.`

What we ask you to do now

Numbered, concrete, in the order that reduces risk fastest. If there is nothing they can do yet, say exactly that: "There is no action you can take at this time; a corrective update is expected by `date`." Example:

1. Confirm the unit's management interface is reachable only from your engineering/management VLAN and not from the machine network or any routed segment.
2. Disable `feature` in Settings → `page` until the update is applied.
3. Check `log / audit log` for `indicator`; if present, contact us at the address below before doing anything else.

What Joral is doing

A corrective firmware update (build <id>) is <in development / available from <date>>. It is supplied free of charge through your Joral support or integration contact and is installed through the unit's signed update path. We will send an UPDATE to this notice when it is available.

Contact

security@joralllc.com — reference `case ID` in the subject. If you have observed anything on your units that you believe is related, please tell us; it helps us and it helps other users.

`Name`

`Title`, Joral LLC

`date`

OPTIONAL MACHINE-READABLE BLOCK

Art. 14(8) says "where appropriate in a structured, machine-readable format". For a customer with an asset-management system, append this. It is not a CSAF advisory — that comes when we issue the first real one — but every field in it is one we already hold.

```
{
  "notice_id": "JORAL-A14-YYYY-NNN",
  "issued": "YYYY-MM-DDTHH:MM:SSZ",
  "vendor": "Joral LLC",
  "product": "IE-460 | media-gateway",
  "affected_builds": ["build-id"],
  "fixed_builds": ["build-id"],
  "actively_exploited": true | false,
  "cve": ["CVE-YYYY-NNNNN"],
  "severity": "critical | high | medium | low",
  "action_required": true | false,
  "contact": "security@joralllc.com"
}
```

BEFORE SENDING — THE DUTY OFFICER CHECKS

- ☐ Mitigation text is word-for-word what §B of the report says.
- ☐ No exploit detail, no reporter's name, no internal case notes.
- ☐ Every recipient is on `distribution-list.md` with an affected build, or the notice is deliberately going to all users and PM has agreed.
- ☐ Sent from security@joralllc.com, not a personal address, so replies land where the deputy can see them.
- ☐ Time of sending entered in the filing log of `early-warning.md`.

Customer distribution list — does one exist?

The Art. 14(8) notice is only as good as the list it goes to. This page says what the list has to contain, where each column comes from, and what "confirmed" means. Owner: product management. Deadline: before the first unit ships, then maintained per shipment.

TODAY: THE LIST IS EMPTY, AND THAT IS THE CORRECT STATE

As of 28 August 2026 no unit has been placed on the EU market, so there is nobody to notify and the list has no rows. The checklist below is therefore complete by default. What is **not** done is the thing that keeps it true: the first row has to be written *before* the first unit leaves, which means the columns below go into the shipping checklist now, while there is nothing to ship. The test-mail step runs on the first real contact.

WHY IT IS MORE THAN AN ADDRESS BOOK

Two things in the Article 14 report itself come **off this list**, not from engineering:

- **Member States on whose territory the product has been made available** — a mandatory field in the 24-hour early warning. If we cannot answer it from a list, we answer it from memory, inside a 24-hour window.
- **Which customers are on an affected build** — the SBOM tells us which *builds* are affected; only this list tells us *who has them*.

A sales CRM with company names and a billing contact is not this list. It has to reach a person who can walk to the unit.

WHAT EACH ROW NEEDS

One row per unit, or per site if serials are not tracked. Minimum:

Column	Why	Source
Customer / integrator	who we are notifying	sales
Technical contact — name, email, phone	the person who can act on the unit, not the buyer	sales / support hand-over
Backup contact	the first contact is on holiday when it matters	same
Country of installation (EU Member State or other)	mandatory early-warning field	shipping address / integrator
Site / installation name	so the contact knows which unit we mean	integrator
Product & model	IE-460 / Media Gateway	order
Serial number	ties to a unit	production

Column	Why	Source
Firmware build ID at shipment	first cut of "is this unit affected"	production — the build ID printed on the unit and shown in the console
Firmware build ID now, if known	updated when support learns of an upgrade	support
Date placed on the market	first shipment starts the support period and the Art. 14 duty for that unit	shipping
Notification consent / channel	some customers require notices via a portal or a named CISO	contract

The bold columns are the ones the report cannot be filed without.

WHERE IT LIVES

One place, two people able to edit it, exportable to CSV in under a minute. A Workspace sheet shared with the security@ group is enough. It must not live in a single person's mailbox or a spreadsheet on a laptop, for the same reason the mailbox must not be one person's inbox.

WHAT "CONFIRMED" MEANS — THE CHECKLIST

- ☐ The list exists, at a known location, and the duty officer and deputy can both open it.
- ☐ Every unit shipped to date is on it. Cross-check: number of rows against units shipped per production records. If they differ, the list is not confirmed.
- ☐ Every row has the bold columns filled.
- ☐ **A test message has been sent to every technical-contact address and none bounced.** An address nobody has mailed is an address that may not exist. Do this from security@jorallc.com so replies prove the mailbox works in both directions at the same time.
- ☐ The Member-State column, deduplicated, has been copied into the early-warning template's "Member States" line as the standing answer.
- ☐ Someone owns keeping it current: a row is added **before** a unit ships, not after. Put it in the shipping checklist.