moai-terminal / moai-adk main • SPEC-AUTH-042 wt/refactor-core

M moai-terminal

WORKSPACE

- Terminal
- Files
- Code Viewer
- Agent Runs 3
- Kanban
- Browser
- Images

GIT WORKTREES

- main — SPEC-AUTH-042 • 2 files
- wt/refactor-core — builder-3 running • 12m
- wt/ci-fix — review pending

zsh — main

```
~/moai-adk  moai /plan SPEC-AUTH-042
 spec-builder analyzing EARS acceptance criteria ...
  ✓ Parsed 7 requirements from .moai/specs/SPEC-AUTH-042/spe
  ✓ Generated plan.md (5 tasks, 2 TRUST gates)
 builder-1 acquiring wt/refactor-core (portable-pty) ...
  @MX:ANCHOR auth_token_rotation complexity=3.2 fan_in=4
  @MX:WARN legacy_session_store will be removed
~/moai-adk
```

src/auth/token.rs @MX LSP ready

```rust
// @MX:ANCHOR auth_token_rotation
pub async fn rotate_token(
    session: &Session,
    store: Arc<dyn TokenStore>,
) -> Result<Token, AuthError> {
    // @MX:WARN legacy_session_store
    let prev = store.get(&session.id).await?;
    let new_token = Token::generate(Algo::Ed25519);
    // @MX:TODO emit audit log
    store.replace(&session.id, &new_token).await?;
    Ok(new_token)
}
```

Agent Runs

- **builder-1** • wt/refactor-core — 12m 04s
  PostToolUse · edit src/auth/token.rs (lines 38-62)
  8.2k $0.12 TRUST 4/5
- **evaluator-1** • main — done
  TaskCompleted · trust-gate PASS (5/5)
- **manager-plan** • wt/ci-fix — idle
  TeammateIdle · waiting for review approval (5m 12s)

main ↑2 ↓0 · rust-analyzer · moai-core v0.3.2 ⌘K to search

Kanban — moai-adk

14 cards · 3 in progress

All agents

+ New card

BACKLOG 5

SPEC-AUTH-043
Session fingerprinting
ears

SPEC-UI-007
Dark mode toggle

TO-DO 3

SPEC-AUTH-042
Rotate auth tokens Ed25519
~2h

SPEC-DB-019
Migrate session store to rusqlite WAL

DOING 3

SPEC-AUTH-042
Rotate auth tokens + audit log
wt/refactor-core · builder-1 · 12m
8.2k

SPEC-UI-006
Sidebar worktree tree
wt/ui-sidebar · builder-2

REVIEW 2

SPEC-CI-011
Fix flaky nextest job
TRUST 5/5 +142 / -38

DONE 34

SPEC-AUTH-041
PKCE OAuth flow

SPEC-UI-005
Tab group colors

BLOCKED 1

SPEC-INFRA-003
SSH reverse tunnel HMAC rotation
LSP gate failed

moai-adk

~/workspace/moai-adk • Go 1.26 + Rust + Swift

.moai/ detected

SPECS	ACTIVE AGENTS	TOKENS TODAY	LINES (7d)
42	3	184k	+12.4k
+5 this week	2 builder, 1 manager	$2.41 spent	−3.1k

TRUST 5 Gauges

Overall 92 / 100

Tested	96%
Readable	89%
Unified	93%
Secured	84%
Trackable	98%

@MX Tag Index

ANCHOR	18
WARN	7
NOTE	23
TODO	12

Avg complexity 2.4 · max fan_in 8

Recent task-metrics.jsonl

View all →

AGENT	EVENT	DURATION	TOKENS	TRUST
builder-1	PostToolUse	4.2s	8,240	4/5
evaluator-1	TaskCompleted	12.8s	3,120	5/5
manager-plan	TeammateIdle	–	–	–
builder-2	PreToolUse	0.8s	1,508	5/5

src/auth/token.rs · Rust · 128 lines

LSP gate PASS

Read-only

HEAD main

```rust
pub async fn rotate_token(
    session: &Session,
    store: Arc<dyn TokenStore>,
) -> Result<Token> {
    let new_token = Token::new(Algo::Hs256);
    store.set(&session.id, &new_token).await?;
    Ok(new_token)
}
```

WORKING TREE

```rust
pub async fn rotate_token(
    session: &Session,
    store: Arc<dyn TokenStore>,
) -> Result<Token, AuthError> {
+   let new_token = Token::generate(Algo::Ed25519);
    store.replace(&session.id, &new_token).await?;
    Ok(new_token)
}
```

AGENT PENDING · builder-1

```rust
// @MX:ANCHOR auth_token_rotation
pub async fn rotate_token(
    session: &Session,
    store: Arc<dyn TokenStore>,
) -> Result<Token, AuthError> {
+   // @MX:WARN legacy_session_store
+   let prev = store.get(&session.id).await?;
    let new_token = Token::generate(Algo::Ed25519);
+   audit::emit(&session, &new_token);
    store.replace(&session.id, &new_token).await?;
    Ok(new_token)
```

Time-travel · session 2026-04-11 14:32 → builder-1 step 4/7

builder-1

SPEC-AUTH-042 · wt/refactor-core · claude-sonnet-4-6

Running 12m 04s

HOOK EVENT TIMELINE

SessionStart 00:00
claude-code hooks.yaml v2.10.1 · worktree mounted

PreToolUse Read 00:12
src/auth/token.rs (128 lines) · allowed by ruleset:default

PostToolUse Edit 00:34
+4 lines · LSP diagnostics clean · @MX:ANCHOR emitted

UserPromptSubmit 03:48
"also emit audit log on rotate" · 84 tokens

PostToolUse Edit 08:21
+12 lines audit::emit() · @MX:TODO still open

PreToolUse Bash 12:04 NOW
cargo nextest run auth:: · awaiting TRUST gate

TOKENS
8,240
in 6,120 / out 2,120

COST
$0.124
under $2/day budget

Tokens over time last 12m



SELECTED EVENT

PostToolUse · Edit

file	src/auth/token.rs
lines	38-62 (+12)
trust	4/5 (secured pending)
@MX	ANCHOR auth_token_rotation

- .moai
  - specs
    - SPEC-AUTH-042
      - spec.md
      - plan.md
  - hooks
  - config
- src
- tests
- Cargo.toml

SPEC-AUTH-042

Auth token rotation with audit log

Rotate all user session tokens to Ed25519 and emit immutable audit events to the compliance pipeline.

REQ-01

Ubiquitous

The system shall rotate session tokens every 24h using Ed25519 signatures and replace the previous entry atomically in the token store.

REQ-02

Event-driven (when)

When a token is rotated, the system shall emit an audit::emit(session, new_token) event with HMAC-SHA256 signature within 50ms.

REQ-03

Conditional (if)

If the previous token is not found in the store, the system shall log a warn-level event and continue with rotation (non-fatal).

localhost:5173 /dashboard

port forwarded

Screenshot diff

Dashboard

Users
2,841

Revenue
$18.2k

Orders
198

Recent activity

- Alice signed up — 2m
- Bob upgraded to Pro — 8m

E2E Screenshot Diff

3 failed

dashboard-hero
1440×900 · ΔE 3.2% · 42 pixels
FAIL

login-form
1440×900 · ΔE 0.8% · 9 pixels

settings-panel
1440×900 · PASS

ACTIVE PORTS

- 5173 vite dev · main
- 8080 moai-core (Rust)

plan auth ⌘K

COMMANDS

/moai plan SPEC-AUTH-042
Generate EARS plan from spec & hand to builder ↵

/moai run SPEC-AUTH-042
Run builder in current worktree

/moai sync
Regenerate @MX index & TRUST gauges

/moai fix --loop
Auto-repair failing tests until LSP gate passes

SPECS

SPEC-AUTH-042 · Token rotation flow
.moai/specs/SPEC-AUTH-042/spec.md · REQ-03 ConditionaI
TRUST 92

SPEC-AUTH-038 · Refresh-token replay guard
.moai/specs/SPEC-AUTH-038/spec.md · REQ-02 Event-driven
TRUST 78

FILES

src/auth/token.rs
@MX:ANCHOR × 2 · @MX:WARN × 1 · 284 lines

↑↓ navigate ↵ select ⌘P files only 14 /moai commands loaded esc

NEW WORKSPACE

1. Project source
2. Base branch
3. Agent host
4. Hooks & review

Choose an agent host

How should moai-terminal attach a coding agent to this worktree? You can change this later in .moai/config/sections/workflow.yaml.

claude_code DEFAULT

Launch Claude Code CLI with the moai-adk skill pack, SessionStart → /plan prewarm, and Hook http-sink bridging to task-metrics.jsonl.

Supports: 27 hooks · TRUST gauges · @MX index

codex

Attach OpenAI Codex CLI. Compatible with PostToolUse hooks via a shim; some TRUST gates run in advisory mode only.

Supports: 12 hooks · advisory TRUST · no @MX

shell

Plain zsh/bash worktree with no agent. Use for manual hands-on work; moai-terminal will still track @MX tags and worktree state.

Supports: @MX watcher only

tmux_cg BETA

CG Mode: Claude as leader in left pane, parallel GLM workers in right tmux panes. Best for large refactors with spec fan-out.

Supports: leader/worker split · shared @MX · cost pooling

Worktree auto-created on finish

wt/refactor-token-rotation ← base: main

Path: ~/code/moai-adk/.worktrees/refactor-token-rotation

← Back

Step 3 of 4 Cancel **Next: Hooks & review →**

SETTINGS

- project.yaml
- quality.yaml
- workflow.yaml
- llm.yaml
- mx.yaml
- hooks.yaml

quality.yaml

TRUST 5 gates, coverage thresholds, and LSP-gate policy for .moai/config/sections/quality.yaml

TRUST 5 gate thresholds

Tested (min coverage %)	85
Readable (cyclomatic max)	10
Unified (lint errors allowed)	0

LSP gate policy

- Block merge on type errors [on]
- Block merge on failing tests [on]
- Auto /moai fix --loop on gate fail [off]

.moai/config/sections/quality.yaml saved

```yaml
trust:
  tested:    { min_coverage: 85 }
  readable:  { cyclomatic_max: 10 }
  unified:   { lint_errors: 0 }
  secured:   { deny_list: ['eval','os.system'] }
  trackable: { require_mx_anchor: true }

lsp_gate:
  block_on_type_errors: true
  block_on_failing_tests: true
  autofix_loop: false
```

moai-terminal

Ghostty meets moai-adk — a native coding shell for Claude Code agents

ENVIRONMENT DETECTED

- **Ghostty 1.1.3**
  ~/.config/ghostty/config found — split panes will use native host
- **moai-adk v0.9.2 · Claude Code CLI v2.4.1**
  Found in ~/.local/bin — skill pack and 27 hooks will be installed
- **Hook http-sink not yet installed**
  Required to stream SessionStart / PreToolUse / PostToolUse into moai-terminal

Install hook http-sink

moai-terminal will patch ~/.claude/hooks/ to POST 27 hook events (SessionStart, PreToolUse, PostToolUse, UserPromptSubmit, TaskCompleted, TeammateIdle, …) to http://localhost:4273. No code or prompts leave your machine.

```
$ moai-terminal install-hooks --sink http://localhost:4273
```

Skip for now

Read docs

Install & continue →

CG Mode · wt/refactor-token-rotation 1 leader + 3 workers pool: 14.2k tok/min $0.412 total

LEADER · Claude Sonnet 4.5 task: plan SPEC-AUTH-042

```
$ moai /plan SPEC-AUTH-042 --cg
 reading .moai/specs/SPEC-AUTH-042/spec.md
 EARS: REQ-01 Ubiquitous · REQ-02 Event-driven · REQ-03 Conditional
 fan-out plan:
   ├─ worker-1 (glm-4.6)  → refactor token.rs rotation
   ├─ worker-2 (glm-4.6)  → migrate tests in auth_tests.rs
   └─ worker-3 (glm-4.6)  → update docs/api/auth.md
 dispatch: tmux send-keys to .cg/w1 .cg/w2 .cg/w3
⏳ waiting for worker PostToolUse events…
 worker-1 PostToolUse Edit token.rs:L42-L118
 worker-2 PreToolUse Bash cargo test auth::
```

worker-1 · glm-4.6 token.rs edit done

```
$ cargo check
  Checking moai-adk v0.9.2
warning: unused variable `_legacy`
  ⟶ src/auth/token.rs:64:9
  Finished dev [unoptimized] in 4.82s
 writing diff back to leader…
```

worker-2 · glm-4.6 auth_tests.rs running

```
$ cargo test auth::
running 14 tests
test auth::token::rotate_on_expiry ... ok
test auth::token::rotate_with_replay ... ok
test auth::token::expire_on_rotate_bad ... FAILED
 escalating to leader (TeammateIdle)…
```

worker-3 · glm-4.6 docs/api/auth.md writing

```
$ moai /sync docs
 reading auth.md (1.2k lines)
 detected new REQ-03 Conditional in spec
 generating section: ## Token Rotation Flow
  + inserting mermaid sequence diagram
  + linking @MX:ANCHOR refactor/token#42
 127 lines added · awaiting leader review
```