



Aug 20, 2026

Testing Report

Key Insights From TestSprite's Autonomous AI Testing Agent

Report Contents

1	Executive Summary	03
2	Frontend UI Test Results	03

10

Test Runs

100.0%

Pass Rate

4

Issues

1h

Saved By TestSprite

Table of Contents

- 3 Executive Summary
 - 3 High-Level Overview
 - 3 Key Findings

- 3 Frontend UI Test Results
 - 3 Test Coverage Summary
 - 4 Test Execution Summary
 - 4 Test Execution Breakdown

Executive Summary

1 High-Level Overview

OVERVIEW	
Project Name	Mislabel Detect
Project Type	Frontend
Total Test Cases	10
Base URL	https://mislabel-detection.streamlit.app/
Pass / Fail / Blocked	Frontend: 6 Passed / 0 Failed / 4 Blocked

2 Key Findings

Test Summary

The frontend suite is mostly healthy on the executable subset: 4 tests passed and there were no direct frontend assertion failures. However, 4 tests were Blocked, so the score is computed only on the executable subset and does not reflect the full intended review flow. The blocking issue is severe: preprocessing removed all 500 rows with missing values, leaving "No valid data after removing missing values." As a result, the Mislabel Review step never rendered and the downstream review/decision flows could not be exercised. This indicates a reliability problem in the demo data or preprocessing pipeline that prevents the core feature from being reached.

What could be better

The main weakness is that the analysis pipeline is too aggressive for the provided dataset. The UI reports "Removed 500 rows with missing values in features (100.0%)" followed by "No valid data after removing missing values," which prevents any mislabel review from appearing. Diagnostics also show repeated warnings such as "Part type 'P001' has only 1 sample(s) - cannot detect anomalies" and "No part types found," suggesting the current heuristics or test data assumptions are incompatible with the demo set. Because the review screen never appears, the app cannot support the intended inspection and approval flow.

Recommendations

First, adjust preprocessing so the demo dataset always leaves enough valid rows for review, or provide fallback sample rows when all rows would otherwise be dropped. Then verify the anomaly/mislabel detection path with data containing sufficient samples per part type, so the Mislabel Review section renders and downstream decision controls become available. If the current demo data is intentionally sparse, relax the missing-value filter or separate required feature handling from review-stage data retention. Re-run the blocked review tests after each change, especially the titles around Mislabel Review and inspection support, to confirm the flow is reachable.

Frontend UI Test Results

1 Test Coverage Summary

This report summarizes the frontend UI testing results for the application. TestSprite's AI agent automatically generated and executed tests based on the UI structure, user interaction flows, and visual components. The tests aimed to validate core functionalities, visual correctness, and responsiveness across different states.

CATEGORY	TEST CASES	PASS/FAIL RATE
Mislabel Detection Setup	6	6 Pass / 0 Fail
Mislabel Detection Review	4	0 Pass / 0 Fail / 4 Blocked

Note

The test cases were generated using real-time analysis of the application's UI hierarchy and user flows. Some visual and functional validations were adapted dynamically based on runtime DOM changes.

2 Test Execution Summary

TEST CASE	TEST DESCRIPTION	IMPACT	STATUS
Mislabel Detection Setup			
Load demo manufacturing data	Verify the app loads the demo dataset and displays the column mapping setup screen.	High	PASSED
Open the app instructions panel	Verify the user can expand the app instructions to understand the setup flow before mapping columns.	Low	PASSED
Complete core column mapping setup	Verify the user can map the key manufacturing fields needed to prepare the dataset for mislabel analysis.	High	PASSED
Map the part identifier column	Verify the user can map the part ID field and continue preparing the dataset for analysis.	High	PASSED
Review column quality analysis before mapping	Verify the column quality analysis section is available to help users choose complete features before analysis.	Medium	PASSED
Switch to CSV upload workflow	Verify the user can switch from demo data to CSV upload and reach the upload setup flow.	Medium	PASSED
Mislabel Detection Review			
Reject detected mislabels after inspection	Validates that a user can inspect detected mislabels and reject the review outcome when the results are not accepted.	Medium	BLOCKED
Review detected mislabels and approve the findings	Validates that a user can open the mislabel review view, inspect flagged records, and approve the detected results.	High	BLOCKED
Move from review to the next analysis step after decision	Validates that a user can complete a mislabel review decision and continue to the next step in the workflow.	High	BLOCKED
Inspect supporting information before deciding on a mislabel review	Validates that a user can review the supporting analysis details associated with detected mislabels before making a decision.	Medium	BLOCKED

3 Test Execution Breakdown

Failed & Blocked Test Details

Reject detected mislabels after inspection

ATTRIBUTES	
Status	BLOCKED
Priority	Medium
Description	Validates that a user can inspect detected mislabels and reject the review outcome when the results are not accepted.
Preview Link	https://testsprite-videos.s3.us-east-1.amazonaws.com/20260820-133232-c677ab7d.webm

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42


43

44

45

46

47



Error

TEST BLOCKED The Mislabel Review could not be reached — the analysis removed all rows and produced no data to review. Observations: - The page displays: 'Removed 500 rows with missing values in features (100.0%)'. - The page displays: 'No valid data after removing missing values.' - The 'Mislabel Review' section or any detected-mislabels list was not found on the page after scrolling and searching.

Cause

The hosted app is likely loading or preprocessing the dataset incorrectly, causing every row to be treated as invalid or missing. This can happen if the deployed environment points to the wrong file, the feature names expected by the model do not match the incoming data, the parser reads the file with the wrong format/encoding, or the preprocessing logic is too strict and drops all rows with missing feature values. As a result, the app ends up with zero valid rows and cannot populate the Mislabel Review section.

Fix

Fix the hosted pipeline so it does not drop all rows before mislabel review. Check the feature-loading/preprocessing step on the server for schema mismatch, wrong column names, incorrect missing-value handling, or an empty/failed data source. Ensure the uploaded or default dataset is read with the expected delimiters/encodings, required feature columns are present, and missing data is imputed or only incomplete rows are filtered selectively rather than removing every row. Add validation and fallback messaging so the app can still render the Mislabel Review section when usable data exists.

Review detected mislabels and approve the findings

ATTRIBUTES	
Status	BLOCKED
Priority	High
Description	Validates that a user can open the mislabel review view, inspect flagged records, and approve the detected results.
Preview Link	https://testsprite-videos.s3.us-east-1.amazonaws.com/20260820-132957-bbca59e4.webm

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

Error

TEST BLOCKED The mislabel review feature could not be reached because the analysis removed all rows and no valid data remains to review. Observations: - The page shows 'Removed 500 rows with missing values in features (100.0%)'. - The page displays 'No valid data after removing missing values.' - The 'Mislabel review' section or heading is not present on the page, and a search for 'Mislabel review' returned no matches.

Cause

The hosted service is likely loading a dataset or feature set that does not match the expected schema, causing all 500 rows to be treated as having missing feature values and removed during preprocessing. As a result, the app reaches a state with zero valid rows, so the mislabel review section is never created. This is likely a deployment-side data/configuration issue rather than a UI problem.

Fix

Update the hosted app's preprocessing/analysis pipeline so it does not drop the entire dataset when feature columns contain missing values. Prefer imputing or selectively excluding only unusable rows, and ensure the review UI still renders when some rows remain. Also verify the deployed model/data artifact paths and feature schema match the production dataset, because a schema mismatch can cause every row to appear missing and trigger this failure.

Move from review to the next analysis step after decision

ATTRIBUTES	
Status	BLOCKED
Priority	High
Description	Validates that a user can complete a mislabel review decision and continue to the next step in the workflow.
Preview Link	https://testsprite-videos.s3.us-east-1.amazonaws.com/20260820-133459-fda2d3da.webm

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42


43

44

45

46

47



Error

TEST BLOCKED The mislabel review feature could not be reached because analysis produced no anomalies for this dataset. Observations: - The diagnostics show repeated warnings like: "Part type 'P001' has only 1 sample(s) - cannot detect anomalies" for many part types. - The contamination diagnostics display "No part types found" and the app shows running-anomaly messages but does not produce any anomalies to review. - The Step 3 mislabel review controls or a detected-mislabels list were not displayed and could not be revealed by scrolling or searching.

Cause

The most likely hosting-side cause is that the deployed app is using the wrong or incomplete dataset/environment config, resulting in most part types having only one sample. With such sparse groups the anomaly detector suppresses results, so the contamination stage reports no part types and the mislabel review UI never appears. A secondary cause could be a regression in the data-loading or filtering logic on the host that strips labels/groups before analysis.

Fix

The service is likely being tested with a dataset/configuration that leaves too few samples per part type, so the anomaly detector returns zero candidates and Step 3 never renders. Fix by validating the uploaded/default dataset before analysis, requiring a minimum sample count per part type, and if the sample count is insufficient either (a) merge/relax grouping logic, (b) switch to a fallback heuristic that still surfaces likely mislabels, or (c) display a clear empty-state with a retry/upload prompt instead of hiding the review controls. Also verify that the host is loading the intended demo dataset and not an empty or truncated file, and that any data filtering on the server isn't dropping all rows before the contamination/anomaly stage.

Inspect supporting information before deciding on a mislabel review

ATTRIBUTES	
Status	BLOCKED
Priority	Medium
Description	Validates that a user can review the supporting analysis details associated with detected mislabels before making a decision.
Preview Link	https://testsprite-videos.s3.us-east-1.amazonaws.com/20260820-133500-5d178744.webm

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42


43

44

45

46

47



Error

TEST BLOCKED The test could not be run — the UI did not present any mislabels or the associated review/supporting-analysis sections because the analysis removed all data during preprocessing. Observations: - The analysis output states: "Removed 500 rows with missing values (100.0%)" and "No valid data after removing missing values." - The diagnostic panels (' Diagnostic Info - Data Quality Check' and ' After Numeric Conversion') are present and expanded, but no mislabel review content appears. - No headings or sections named 'Mislabel Review' or 'Supporting Analysis' were found on the page after scrolling and searching.

Cause

The host-side preprocessing is likely over-aggressive or misconfigured, causing every row to be treated as invalid and removed. The logs indicate 100% of rows were dropped due to missing values, which suggests a schema mismatch, incorrect column parsing, or numeric conversion failure in the deployed build. As a result, the app never reaches the mislabel review stage and therefore does not render the required 'Mislabel Review' or 'Supporting Analysis' sections.

Fix

Adjust the hosted app's preprocessing pipeline so it does not drop the entire dataset before the mislabel workflow runs. Specifically, validate the uploaded file schema and normalize columns before any NaN filtering, only remove rows with missing values in required feature columns, and add a fallback path that surfaces an explicit empty-state message plus keeps the review sections visible when the cleaned dataset is empty. Also verify the deployment is pointing to the correct model/data-processing version and that file parsing (delimiter, header names, encoding, numeric conversion) matches the test input so rows are not mistakenly converted to all-missing values.