

LawTeX: Automated L^AT_EX Legal Citations

Christopher De Coro

October 7, 2014

Lawyers that value high-quality typography in their work have a significant problem when they try to use L^AT_EX: no support for legal citations. The LawTeX package remedies this. Define a source, `\citecase{Lochner v. New York, 198 U.S. 45 (1905)}`, and cite it using `\cite{Lochner}`, *Lochner v. New York*, 198 U.S. 45 (1905). Pincites are also supported, `\see \pincite{Lochner}{51}`, *see id.* at 51 (note that the second citation was converted automatically to *id.*).

Contents

1 Introduction

I come to the legal world after a long time in Computer Science academia. In Computer Science, L^AT_EX using BibTeX is the unchallenged standard for typesetting anything important. We would never dream of manually adding and changing reference numbers and citation formats. When you change a block of text, say, by moving one paragraph in front of the other, we expect that all numbered references will be automatically updated to match their new ordering. It seems *obvious* that this is a task for machines, and not people.

Yet once I made this career change, I was taken aback at the primitive state of automated citations in the legal field. Despite having a *drastically* more complicated citation system (and even the term “drastically,” used to describe the difference between the non-existent CS citation system and the Bluebook seems like an understatement) all changes were done manually. So after making any changes in your document, and before submitting, the legal practitioner must make a long pass through the entire document, asking, *inter alia*¹:

- Did I cite this already, such that I should use a “short cite” here instead of a “long cite”?
- This short cite is now a long cite; what was that starting page number again?
- In a law review article, was this source cited within the last 5 footnotes such that I need a full citation?
- Was the previous source immediately preceding this one, such that I should use *id.*?
- Was the previous citation not only to the same source but the same pincite, such that no additional pincite is needed?
- Did I remove a signal, such that this *id.* is now capitalized?

¹Actually, I don’t care for the use of Latin unless it is a term of art to describe something more succinctly; as in the way “*res ipsa loquitur*” is a more convenient expression than “we can infer negligence from the fact that the instrument of harm was in the exclusive control of the defendant and would not ordinarily cause harm in the absence of negligence.” But despite the fact that “among others” is nearly as short, lawyers seem to love “*inter alia*” all the same.

- I deleted the last cite on a page to a particular source, so my former *passim* now needs numbers again. What pages were there?
- And perhaps worst of all, is this cite on a different page than before, such that I need to update the Table of Authorities?

Some of these seem trivial, of course. We get quite good at scanning through and applying Bluebook rules after extended practice. But that fact that there is *any* work for us to do after a change means that we must re-read through it all to make sure that it is correct—we can’t trust the machine to do this automatically.

2 A Simple Example

All that’s really necessary to use L^AT_EX is the directive `\usepackage{bluebook}` in the document preamble. There are also a few convenient document classes that are provided that you can use; some modifications to the class files will likely be necessary to fit your jurisdiction (and they’re missing parameters to control some of the information). The classes are `lawbrief.cls` for standard briefs (with a table of authorities), and a simple `lawmemo.cls` for legal memos.

For now, consult the file `postal-tro-motion.tex` in the `samples/` folder for an example. This is the most thorough example, with `hosanna-tabor.tex` another good example. You can compile it with the following commands (the `makeindex` commands are not necessary if `\write18` is enabled, as this is done automatically by the package):

```
pdflatex postal-tro-motion
makeindex -s ../lawcitations.ist -r Case.idx
makeindex -s ../lawcitations.ist -r Statute.idx
pdflatex postal-tro-motion
```

There are additional files in the `samples/` directory. L^AT_EX has two modes: Normal Mode (that is, for court submissions and most other legal documents) and Law Review Mode. As it’s name would suggest, Normal Mode is the default; to select Law Review Mode, pass the `lawreview` option to the `bluebook.sty` or the class file. I have provided each of the sample files in both Normal Mode and Law Review Mode, in order to demonstrate the difference. Both are generated from the same file, and the only difference is the package option. However, note that I have had to use some conditional code to switch between both modes in a single file; these can be safely ignored in your own files, assuming that you do not need to switch back and forth.

3 Defining Sources

\citecase — Defines a new case citation, using standard citation form.

Usage:

```
\citecase[Short Name]{Standard Case Citation}
```

Example:

```
%\citecase{Lochner v. New York, 198 U.S. 45 (1905)}
%\citecase[Steel Seizure Case]
%{Youngstown Sheet & Tube Co. v. Sawyer, 343 U.S. 579 (1952)}
```

```

\cite[1]{Lochner}. \\\
\pincite{Lochner}{48}. \\\
\pincite{Steel Seizure Case}{602}. \\\
\pincite{Lochner}{52}. \\\
\See \pincite{Steel Seizure Case}{625}.

```

Results (Normal Mode):

Lochner v. New York, 198 U.S. 45 (1905).
Id. at 48.
Youngstown Sheet & Tube Co. v. Sawyer, 343 U.S. 579, 602 (1952).
Lochner, 198 U.S. at 52.
See Steel Seizure Case, 343 U.S. at 625.

Results (Law-Review Mode):

² *Lochner v. New York*, 198 U.S. 45 (1905).
³ *Id.* at 48.
⁴ *Steel Seizure Case*, 343 U.S. at 602.
⁵ *Lochner*, 198 U.S. at 52.
⁶ *See Steel Seizure Case*, 343 U.S. at 625.

In order to cite legal sources in the body of the text, first include a `\citecase` command with the case citation to define the case as a source. At the point in the text where the citation should appear, use `\cite` or `\pincite`, passing the short name as an argument. Spacing and commas are important (extra spaces will be preserved).

By default, the first party is used for the short name of the case, unless that party is “United States,” “State,” “Commonwealth,” or “People,” in which case the second party is used. To override the choice of short name, set the optional parameter.

With case citations that differ from the standard format, you may need to use the `\newcase` command. For example, in “*Marbury v. Madison*, 5 U.S. (1 Cranch), 137 (1803)”, the extra parentheses around the “(1 Cranch.)” will throw off the parser. See the way that this is cited below.

`\newcase` — Defines a new case citation.

Usage:

```
\newcase{Short Name}{Full Name}{Reporter}{Starting Page}{Parenthetical}
```

Example:

```

%\newcase{Marbury}{Marbury v. Madison}{5 U.S. (1 Cranch)}{137}{(1803)}
\pincite{Marbury}{140}.

```

Results (Normal Mode):

Marbury v. Madison, 5 U.S. (1 Cranch) 137, 140 (1803).

Results (Law-Review Mode):

⁷ *Marbury*, 5 U.S. (1 Cranch) at 140.

The `\newcase` command is equivalent to the `\citecase` command (which in fact calls `\newcase` internally). Generally, it is simpler to use the `\citecase` command, but `\newcase` is necessary for case citations that differ from the usual, such as *Marbury*, above, because of the parentheses around the “(1 Cranch)”.

\newbook — Define a new book citation.

Usage:

```
\newbook{Short Name}{Authors}{Title}{Parentetical}
```

Example:

```
\newbook{Prosser and Keaton}{William Lloyd Prosser & W. Page Keaton}{
  {The Law of Torts}{(2nd ed., 1953)}}
\newbook{Schelling}{Thomas Schelling}{
  {A Process of Residential Segregation: Neighborhood Tipping,
  {\upshape\it reprinted in} Economic Foundations of Property Law {\upshape 307,}}
  {(Bruce A. Ackerman ed., 1975)}}
\pincite{Schelling}{308} \\\
\pincite{Prosser and Keaton}{vol. 2, 15}. \\\
\pincite{Prosser and Keaton}{vol. 2, 345}. \\\
\pincite{Prosser and Keaton}{vol. 4, 876}. \\\
\pincite{Schelling}{310}.
```

Results (Normal Mode):

Thomas Schelling, *A Process of Residential Segregation: Neighborhood Tipping, reprinted in Economic Foundations of Property Law* 307, 308 (Bruce A. Ackerman ed., 1975)
2 William Lloyd Prosser & W. Page Keaton, *The Law of Torts* 15 (2nd ed., 1953).
Id. at 345.
4 *id.* at 876.
Schelling, supra, at 310.

Results (Law-Review Mode):

⁸ THOMAS SCHELLING, A PROCESS OF RESIDENTIAL SEGREGATION: NEIGHBORHOOD TIPPING, *reprinted in* ECONOMIC FOUNDATIONS OF PROPERTY LAW 307, 308 (Bruce A. Ackerman ed., 1975)
⁹ 2 WILLIAM LLOYD PROSSER & W. PAGE KEATON, THE LAW OF TORTS 15 (2nd ed., 1953).
¹⁰ *Id.* at 345.
¹¹ 4 *id.* at 876.
¹² SCHELLING, *supra* note 8, at 310.

This command introduces a new book citation. Such citations are first written with a long name that includes [volume] author, title, citation and parentetical. Subsequent invocations will use the short name given by the first argument, which is also used as the argument to `\cite`, followed by *supra*. In law-review mode, this is further followed by “note n,” the first footnote in which the article was cited. Note that any `\textit` or `\emph` and their braces are stripped out of the short name (see `\newarticle` for an example).

To cite a particular volume, use a `pincite` in the form `\pincite{Short Name}{vol. 1, 123}`. That is, it must start with “vol.” followed by exactly one space, then the number followed by a comma and another space.

This command is also used for a *reprinted in* citation. Note the use of `\upshape` and `\it` (or equivalent) that is necessary to ensure the correct formatting.

\newarticle — Define a new article citation.

Usage:

```
\newarticle{Short Name}{Authors}{Title}{Journal}{Start Page}{Parentetical}
```

Example:

```
\newarticle{Note, \textit{The Ministerial Exception}}
```

```

{Note}{The Ministerial Exception To Title VII}
{121 Harv. L. Rev.}{1776}{(2009)}
\newarticle{Ward}{Barbara Ward}{Progress for a Small Planet}
{Harv. Bus. Rev.}{Sept.--Oct. 1979, at 89}{}
\cite[l]{Note, The Ministerial Exception}. \
\pincite{Ward}{90}. \
\pincite{Note, The Ministerial Exception}{1800}.

```

Results (Normal Mode):

Note, *The Ministerial Exception To Title VII*, 121 Harv. L. Rev. 1776 (2009).
 Barbara Ward, *Progress for a Small Planet*, Harv. Bus. Rev. Sept.–Oct. 1979, at 89, 90.
 Note, *The Ministerial Exception*, *supra*, at 1800.

Results (Law-Review Mode):

¹³ Note, *The Ministerial Exception To Title VII*, 121 HARV. L. REV. 1776 (2009).
¹⁴ Barbara Ward, *Progress for a Small Planet*, HARV. BUS. REV. Sept.–Oct. 1979, at 89, 90.
¹⁵ Note, *The Ministerial Exception*, *supra* note 13, at 1800.

This command introduces a new law-review article-type citation. Such citations are first written with a long name that includes author, title, citation and parenthetical. Subsequent invocations will use the short name given by the first argument, which is also used as the argument to \cite, followed by *supra*. In law-review mode, this is further followed by “note n,” the first footnote in which the article was cited. Note that any \textit or \emph and their braces are stripped out of the short name.

Note that in law review mode, the journal name is by default set in SMALL CAPS, which is the Bluebook standard for consecutively-paginated journals. To produce standard type, use the form of {\upshape Harv. L. Rev.} when defining the citation.

\newincollection — Defines a new article/chapter-in-collection citation.

Usage:

```

\newincollection{Short Name}{Authors}{Article Title}{Collection Title}{Page}{Parenthetical}

```

Example:

```

\newincollection{Allen, \textit{Oration}}{John Allen}
{Oration Upon The Beauties Of Liberty}
{Political Sermons of the American Founding Era}{vol. 1, 58}
{(Ellis Sandoz ed., 1991)}
\newincollection{Mather}{Moses Mather}{America's Appeal To The Impartial World}
{Political Sermons of the American Founding Era}{vol. 1, 103}
{(Ellis Sandoz ed., 1991)}

\pincite{Allen, Oration}{62}. \
\pincite{Mather}{103}. \
\pincite{Allen, Oration}{78}. \
\pincite{Mather}{119}. \

```

Results (Normal Mode):

John Allen, *Oration Upon The Beauties Of Liberty*, in 1 *Political Sermons of the American Founding Era*, 58, 62 (Ellis Sandoz ed., 1991).
 Moses Mather, *America's Appeal To The Impartial World*, in 1 *Political Sermons of the American Founding Era*, *supra*, at 103, 103.
 Allen, *Oration*, *supra*, at 78.
 Mather, *supra*, at 119.

Results (Law-Review Mode):

¹⁶ John Allen, *Oration Upon The Beauties Of Liberty*, in 1 POLITICAL SERMONS OF THE AMERICAN FOUNDING ERA, 58, 62 (Ellis Sandoz ed., 1991).

¹⁷ Moses Mather, *America's Appeal To The Impartial World*, in 1 POLITICAL SERMONS OF THE AMERICAN FOUNDING ERA, *supra* note 16, at 103, 103.

¹⁸ Allen, *Oration*, *supra* note 16, at 78.

¹⁹ Mather, *supra* note 17, at 119.

Note that the parenthetical will be placed after the collection title, and therefore not printed if the collection itself is cited a second time. Note additionally that if the parenthetical changes across definitions for multiple documents in the collection, whichever source is actually cited first defines the parenthetical that is used.

\newinsingleauthorcollection — Defines a citation to a single-author collection.

Usage:

```
\newinsingleauthorcollection{Short Name}{Author}{Title}{Collection Title}{Page}{Parenthetical}
```

Example:

```
\newinsingleauthorcollection{Holmes}{Oliver Wendell Holmes}
{Law in Science and Science in Law}{Collected Legal Papers}
{210}{(1920)}
\pincite{Holmes}{vol. 1, 120}. \\
\pincite[s]{Holmes}{vol. 1, 133}.
```

Results (Normal Mode):

1 Oliver Wendell Holmes, *Law in Science and Science in Law*, in *Collected Legal Papers*, 210, 120 (1920).

1 *Holmes*, *supra*, at 133.

Results (Law-Review Mode):

²⁰ 1 OLIVER WENDELL HOLMES, *Law in Science and Science in Law*, in COLLECTED LEGAL PAPERS, 210, 120 (1920).

²¹ 1 HOLMES, *supra* note 20, at 133.

This command is similar to `\newincollection`, for collections whose documents are all from the same author. The Bluebook specifies that these should be cited like a book, and therefore with the volume number before the author, and the author's name in small caps.

\newstatute — Define a new statute citation.

Usage:

```
\newstatute{Short Name}{Parenthetical}
```

Example:

```
\newstatute{42 U.S.C.}{(2006)}
\newstatute{Administrative Procedure Act}{(2006)}
\pincite{Administrative Procedure Act}{\S 1, 5 U.S.C. \S 551}. \\
\pincite{Administrative Procedure Act}{\S 2}. \\
\pincite{42 U.S.C.}{\S 1983}.
```

Results (Normal Mode):

Administrative Procedure Act § 1, 5 U.S.C. § 551 (2006).
Id. § 2.
42 U.S.C. § 1983 (2006).

Results (Law-Review Mode):

²² Administrative Procedure Act § 1, 5 U.S.C. § 551 (2006).
²³ *Id.* § 2.
²⁴ 42 U.S.C. § 1983 (2006).

\newmisc — Define a general source by explicitly providing long and short citations.

Usage:

`\newmisc{Short Name}{Full Name}`

Example:

```
\newmisc{Bill of Rights 1689}{Act Declaring the Rights and Liberties of the  
Subject and Settling the Succession of the Crown (Bill of Rights),  
1 W. & M., sess. 2 c. 2\pin{, }{} (1689)}
```

```
\pincite{Bill of Rights 1689}{\S 2}. \\  
\pincite[s]{Bill of Rights 1689}{\S 3}.
```

Results (Normal Mode):

Act Declaring the Rights and Liberties of the Subject and Settling the Succession of the Crown (Bill of Rights), 1 W. & M., sess. 2 c. 2, § 2 (1689).
Bill of Rights 1689 § 3.

Results (Law-Review Mode):

²⁵ Act Declaring the Rights and Liberties of the Subject and Settling the Succession of the Crown (Bill of Rights), 1 W. & M., sess. 2 c. 2, § 2 (1689).
²⁶ Bill of Rights 1689 § 3.

The long cite may have the command `\Pin{Text Before}{Text After}`, which in the case of a `pincite`, will insert the cite at the given location, surrounded by the text as indicated.

4 Citing Sources

\[pin]cite — Cite a legal source using Bluebook style

Usage:

`\cite[Formatting]{Short Name}`
`\pincite[Formatting]{Short Name}{Pin Page}`

Example:

```
\cite[1]{Marbury}. \\  
\pincite[i]{Marbury}{117}. \\  
\pincite[s]{Marbury}{117}. \\  
\pincite{Steel Seizure Case}{602}. \\  
\pincite{Marbury}{122}. \\  
\See \pincite[n]{Steel Seizure Case}{625}. \\  
\Cf \pincite[s]{Steel Seizure Case}{625}.
```

Results (Normal Mode):

Marbury v. Madison, 5 U.S. (1 Cranch) 137 (1803).
id. at 117.
Marbury, 5 U.S. (1 Cranch) at 117.
Steel Seizure Case, 343 U.S. at 602.
Marbury, 5 U.S. (1 Cranch) at 122.
See 343 U.S. at 625
Cf. Steel Seizure Case, 343 U.S. at 625.

Results (Law-Review Mode):

²⁷ *Marbury v. Madison*, 5 U.S. (1 Cranch) 137 (1803).
²⁸ *id.* at 117.
²⁹ *Marbury*, 5 U.S. (1 Cranch) at 117.
³⁰ *Steel Seizure Case*, 343 U.S. at 602.
³¹ *Marbury*, 5 U.S. (1 Cranch) at 122.
³² *See* 343 U.S. at 625
³³ *Cf. Steel Seizure Case*, 343 U.S. at 625.

The optional first argument forces a particular citation form, which is useful where the correct form cannot be determined automatically (e.g., the rule that one may not use *Id.* in the next citation after a string cite), or that one does not capitalize *id.* when it appears in the middle of a sentence (although when using the signal macros `\See`, `\Seealso`, etc.) this will be handled automatically. These options consist of a single letter, from the list as follows:

- l - Force long form citation, regardless if the source has appeared before.
- s - Force short form citation, even if this is the first cite to this source.
- n - Force reporter and page number-only citation (for cases only).
- I - If and only if “*id.*” is used, force it to be capitalized.
- i - If and only if “*Id.*” is used, force it to be non-capitalized.
- ! - Record a cite at this location (and thus to the ToA / record Supra), but do not actually print anything.
- * - Print the citation here, but do not record it to the table of authorities.

`\Id`, `\id` — Cite the previous source

Usage:

`\Id`, `\id[Pin Page]`

Example:

```
\pincite{Marbury}{140}. \\
\See \id[140]. \\
\Id[141].
```

Results (Normal Mode):

Marbury, 5 U.S. (1 Cranch) at 140.
See id.
Id. at 141.

Results (Law-Review Mode):

³⁴ *Marbury*, 5 U.S. (1 Cranch) at 140.
³⁵ *See id.*
³⁶ *Id.* at 141.

The effect is to repeat the previous cite, including the previous pin page (unless the optional argument is used to cite a different page). `\Id` should generally be followed by a period or other punctuation, as the trailing period will not be added automatically.

\citetext — Automatically place law review citations in footnotes.

Usage:

```
\citetext{Arbitrary text}
```

The purpose of this command is primarily to work with automatic footnotes in law review mode. Whatever text is passed as its argument will automatically be put in a footnote, if it is not already in a footnote (in which case `\citetext` does nothing). If you are not using law review mode, this command is not necessary. You would ordinarily put a space between the closing punctuation and the `\citetext`, the macro will automatically remove that space, if appropriate.

\citeclause — Cite arbitrary text in an intra-sentence citation clause

Usage:

```
\citeclause{Arbitrary Text}
```

Example:

```
It is the role of the judicial department to say what the law is
\citeclause{\see \cite{Marbury}} and the present case is no exception.
```

Result (Normal Mode):

It is the role of the judicial department to say what the law is, *see Marbury*, 5 U.S. (1 Cranch) 137, and the present case is no exception.

Result (Law Review mode):

It is the role of the judicial department to say what the law is,³⁷ and the present case is no exception.

This function is probably not necessary for production use, but allows the samples to have one source code for both normal and lawreview mode. When using a citation clause in the middle of a sentence, use `\citeclause` at the location, WITHOUT any surrounding punctuation. In standard mode, `\citeclause` will add surrounding commas, unless the following character is a period, in which case it add a preceding comma and leaves the period to follow, as-is.

In lawreview mode, `\citeclause` will insert a preceding comma, and insert a footnote with the cited text immediately after the comma, with no punctuation following – UNLESS the following character is a period. In the latter case, `\citeclause` will add only a preceding period, with the footnote immediately following. Also, if the first token of the citation clause is one of converted to the uppercase equivalent.

Note that in either case, `\citeclause` is not able to properly handle a citation for a quote, in which case the punctuation should go inside the closing ”. In that case, you will either need to make the change manually when changing between normal and lawreview modes, or use the `\PeriodOrComma` macro. The latter is a Period in lawreview, and a Comma normally.

If you’re thinking this is more hassle than its worth, you’re right. Feel free to just write out the correct form manually.

\Reporter, \ShortName, \FullName, \StartPage, \Parenthetical, \Authors, \BookTitle, \SrcType, \SupraNote, \LastNote

³⁷See *Marbury*, 5 U.S. (1 Cranch) 137

Usage:

`\Reporter{Short Name}, \StartPage{Short Name}, etc.`

Example:

```
\FullName{Steel Seizure Case} \\
\Reporter{Marbury} \\
\StartPage{Marbury}
```

Results (Normal Mode):

Youngstown Sheet & Tube Co. v. Sawyer
5 U.S. (1 Cranch)
137

Results (Law-Review Mode):

Youngstown Sheet & Tube Co. v. Sawyer
5 U.S. (1 Cranch)
137

These functions are predominantly helper functions used elsewhere in the code; they print components of the source. If the field that you have selected is inapplicable to the source, latex will give an error. Most should be clear by their name; `\Prefix` is the leading number of a statute source, if applicable (such as the “42” in “42 U.S.C. § 1983”). `\SrcType` is one of “Case,” “Book,” “Statute,” or “Other.” `\SupraNote` is the first footnote in which a source appears. `\LastNote` is the most recent note in which a source appears.

`\SetIndexType` — Change a source’s destination index / table of authorities

Usage:

```
\SetIndexType{Short Name}{New Index Type}
```

This command set the destination index for the source provided as their argument. The default index files are “Case” “Statute” and “Other,” for cases, statutes, and everything else, respectively. `\SetIndexType` can be used to alter the index file. Note in particular that if `\SetIndexType` is set to an empty string, indexing will be disabled for the given source. The current index for a source can be queried with `\IndexType`.

`\SetIndexName` — Change the appearance of a source in the index / table of authorities

Usage:

```
\SetIndexName{Short Name}{Name To Appear In Index}
```

This can be used to provide additional detail in the Table of Authorities that would not be appropriate in the flow of the text. For example, consider the Federal Rules of Civil Procedure:

```
\newstatute{Fed. R. Civ. P.}{}
\SetIndexName{Fed. R. Civ. P.}{Federal Rules of Civil Procedure !Rule }
```

The second line ensures that “Federal Rules of Civil Procedure” will be written long form in the Table, and that each rule will be a subentry under this heading, to be preceded by “Rule.” Currently, this has effect only for statutes.

`\See`, `\Seealso`, `\Seeeg`, `\Seegenerally`, `\Cf`, `\Butsee`, `\Butseeeg`, `\Butcf`, `\Compare`, `\Contra`, `\Accord` — Introductory Signals

Example:

```
\See \pincite{Marbury}{117}. \\
\Seealso \pincite{Marbury}{120}. \\
\Cf \pincite{Lochner}{602}.
```

Results (Normal Mode):

See Marbury, 5 U.S. (1 Cranch) at 117.
See also id. at 120.
Cf. Lochner, 198 U.S. at 602.

Results (Law-Review Mode):

³⁸ *See Marbury*, 5 U.S. (1 Cranch) at 117.
³⁹ *See also id.* at 120.
⁴⁰ *Cf. Lochner*, 198 U.S. at 602.

These commands insert the italicized signal word in front of the citation, and cause the cite command to automatically handle correct capitalization of an “*id.*,” should one be used. Each command has both a capitalized (`\See`, `\Cf`, etc.) and a non-capitalized (`\see`, `\cf`, etc.) version. Also, in law review mode, they will correctly appear in the footnote with the citation, obviating the need to wrap every source in a `\footnote` command.

5 Miscellaneous

`\S`, `\P` — Section and Paragraph symbols “§, ¶,” preserving following space.
`\ldots`, `\ldotss` — Non-breaking 3-dot and 4-dot Ellipses “... , ...”
`\ellipsedotspacing` — Gap between dots in `\ldots` (default 2.5pt)
`\Ordinal`, `\ordinal` — Given an integer, convert into a textual ordinal number (through Tenth)
`\availableat{URL}` — Provides a web citation in the text, using the URL package
`\makeandletter` — Allows ampersands to appear in the text.
`\makeandtab` — Returns ampersands to their default definition.

6 Configuration Options

`\CF`, `\BTF`, `\ATF`, `\BAF` — Fonts to be used in citations

These define the fonts used for Cases, Book Titles, Article Titles, and Book Authors, respectively. In normal mode, the latter three are defined to `\em`, and `\BAF` is empty (roman). In lawreview mode, cases are in roman font, Article Titles `\em`, and Book Titles and Authors small-capped.

These can be redefined as needed. Note that, because `\em` is used, italics can be converted to underlines by including `\usepackage{ulem}` at the start of the file.

Package Option `lawreview` — Switch to Law Review-type formatting

By adding this option to the package declaration, citations will display case titles in roman font, while author and title are in small-caps. Citations will automatically be made into footnotes, by default 10pt. If the source is combined with an introductory signal (*See*, *Cf.*, *etc.*), the signal will also be placed in the footnote. However, if a citation has multiple source in a string cite or parentheticals, the entire footnote should be put into a LaTeX `\footnote` command, or `\citetext`.

`\indexglue`, `\indexpenalty` — Parameters for line-breaking Table of Authorities entries

In classes that create a table of authorities (such as `lawbrief.cls`), we encourage LaTeX to break long lines immediately after the Long Name, such that the citation is put on the next line (i.e. rather than putting a break in the middle of the citation). These two parameters control that, and generally will not need to be changed. The `\indexglue` defaults to `0in plus 1.fil`, and `\indexpenalty` defaults to `-999`.

`\maxsequentialids` — Maximum number of *Id.*'s in a row

After this number of sequential id's, we force a short cite for clarity. Set it very large to disable this functionality.

`\forcelongevery` — Force a long citation after a source has not appeared in this many footnotes

The Bluebook has a “5 Footnote Rule,” in which a source that has not appeared in the last five footnotes is required to be provided as a long citation. Therefore, this parameter is set to 5 by default. Disable it by setting it to a large value. Note that it has no effect unless in `lawreview` mode.

7 Law Brief Document Class

The file `lawbrief.cls` provides a flexible document class for appellate-style legal briefs, including cover page, table of contents, tables of authorities, etc.

7.1 Sectioning

We redefine formatting for section commands and the associated numbering. By default, the top-level `\section` (Question Presented, Statement of Facts, Argument, etc.) is unnumbered, bold and centered; `\subsection` is bold and left-aligned with a roman numeral; `\subsubsection` is bold, left-indented, and with a letter for ordering. (Note that the formatting in the table of contents differs somewhat, see below). By default, `\hyphenpenalty=10000` is set so as to disable any hyphenation of words in each heading.

7.2 Configuring the Index / Table of Authorities

`\indexindentsize` — Hanging indentation of toa from the left side (default: 18.0pt)

`\indexrightmargin` — Right margin for all-but-the-last lines of toa (default: 36.135pt plus 1.0fil) The current value will preserve .5 inch of space for non-final lines, and ragged margins. To change the spacing on the last line between the entry and the page numbers, you must edit the style file.

`\passimlimit` — Use “passim” above this many pages (default: 5). Can be changed with `\renewcommand{\passimlimit}{5}`, etc. Make sure to set this before the index is created (i.e. in the header).

`\idxpassim` — Used in an index command, forces `passim` to always be used for a particular cite

`\caseindextitle` — Set the title for the case section of the table of authorities (Default: Cases).

`\statutesindextitle` — Set the title for the statutes section of the table of authorities (Default: Constitutional Provisions, Statutes and Rules).

`\otherindextitle` — Set the title for the miscellaneous section of the table of authorities (Default: Other Authorities).

`\tableofauthorities` — Print the table of authorities.

7.3 Table-of-Contents commands

`\tableofcontents` — Print the table of contents.

`\@tocline` — Sets the leaders to print aligned dots. Redefine to change.

`\l@section` — Formats Top-level headings in the ToC flush left and small caps

`\l@subsection` — Formats Second-level headings indented from left with a hanging indent of `\@pnumwidth`

`\l@subsubsection` — Formats Third-level headings indented more from left with a hanging indent of `\@pnumwidth`

7.4 Page numbering commands

These commands are used by calling `\pagestyle{romanparen}`, `\thispagestyle{toa}`, etc.

`Pagestyle arabicparen` — arabic numerals inside parenthesis at bottom

`Pagestyle romanparen` — roman numerals inside parenthesis at bottom

`Pagestyle toa` — “inherits” from `romanparen`, but also puts the current mark at the top

`Pagestyle footertext` — Sets the argument to `\footertext` in the footer, flush left

7.5 Title Page commands

`\firstparty`, `\secondparty` — Sets the name of the first and second parties in the title page or caption.

`\firstpartytitle`, `\secondpartytitle` — Set the title (Plaintiff, Defendants, etc.) of the parties.

`\plaintiff`, `\defendant`, `\appellant`, `\appellee`, `\petitioner`, `\respondant` — Set both the name and title of each party. Note that each of these also has a plural version (e.g., `\plaintiffs`).

`\titlegraphic` — Set the stylized header for the title page.

`\maketitle`

This creates the title page, and generally would be called immediately after the `\begin{document}`. Alternatively, you may call `\makefrontmatter`, which will create the title, question presented (which per Supreme Court rules is on the page immediately after the title), table of contents, and table of authorities.

For additional changes, such as an overall formatting change, I suggest that it would be easiest for you to modify the macro `\maketitle` or `\makefrontmatter` in the class file directly.

`\makecaption` — Creates a trial-brief style caption, as opposed to a cover page.

`\makefrontmatter`

Creates all the boilerplate front matter, including the title page (by calling `\maketitle`), the question presented (taken from the argument of `\questionpresented`), the table of contents and the table of authorities (by calling `\tableofcontents` and `\tableofauthorities`, respectively).

`\rightbox` environment

The contents of this environment will themselves be left-aligned, but the entire box containing them will be as far to the right as possible. This is useful for signature-type boxes at the end of the brief.

8 Arbitration Brief Document Class

The file `arbitrationbrief.cls` provides a document class (derived from `memoir`) for arbitration-style briefs, such as is used in the annual Willem C. Vis International Arbitration Moot. It does not actually share much in the way of code with other LaTeX packages, but is included due to its related subject matter.

This class file was used for the Yale Law School respondent's submission to the 2012 Vis Moot. Much of the boilerplate text (title page, headers, etc.) do not have commands provided to adapt them to other uses, therefore you will need to edit these portions of the class file yourself.

`\newauthority` — Declare a new authority

Usage:

```
\newauthority{Type}{Short Name}{Full Name}
```

This is the `arbitrationbrief.cls` equivalent of the LaTeX `\newcase`, etc. New authorities are declared with this command, to which one must provide an Authority Type (Commentary, Statutes, Rules, or Cases), a short name to appear in the body of the text, and a long name to appear in the table of authorities.

`\cite` — Cite an authority in a citation block

Usage:

```
\cite{Short Name}
```

This adds a citation to the text, ensuring that it will be recorded in the table of authorities, and providing a hyperlink thereto. This command does not take a pin cite; that should be given explicitly in the flow of the text, if appropriate.

`\romancite` — Cite an authority in the body text.

Usage:

```
\romancite{Short Name}
```

This adds a citation to the text, in roman (not italic) font, ensuring that it will be recorded in the table of authorities, and providing a hyperlink thereto. This command does not take a pin cite; that should be given explicitly in the flow of the text, if appropriate.

9 Final Notes

LaTeX is distributed for free (under the terms of the GPL) in the hope that the widest range of people may find it useful. Therefore if you are one of said people, I would really appreciate hearing from you. Additionally, I appreciate any bug reports, or ideas as to how to make LaTeX more useful—even better if they come with proposed code! Finally, this software package was produced in an attempt at getting 99% of the way to automated Bluebook citations, and with full recognition of the fact that 100% is probably impossible. Therefore, there will always be some aspects of the Bluebook that this package will not cover. But I feel that the system I've put together is roughly at around that 99%, so I do not anticipate making major changes in the future.