

Loadscope

User Guide

A step-by-step walkthrough. Each page uses a screenshot from the app as your guide.

loadscope.app

support@loadscope.app

Loadscope finds your best load. And predicts your DOPE.

Drop or import your range-day CSVs. Loadscope scores every load you tested, picks the best charge and seating depth, and predicts your DOPE (dial table) — before you confirm it by live fire.

What you'll do

- 1 Create New Load — set up your rifle
- 2 Plan your ladder
- 3 Track rounds per barrel
- 4 Shoot, then drop your files — or a whole folder
- 5 View your best powder charge
- 6 See how the score is built
- 7 Read the flat-spot
- 8 View your best seating depth
- 9 Check the predicted dial (Range & DOPE)
- 10 Print the Pocket Card
- 11 Print your Load Card recipe
- 12 Build your Load Library over time

Analysis tool — not load data. Always cross-reference published load data.

See the in-app disclaimer.

ONCE PER RIFLE

Create New Load — set up your rifle

Click Create New Load in the left sidebar. Step 1 is your rifle and setup. Loadscope writes it into your workbook for you — no typing into spreadsheet cells.

Rifle & Setup
Loadscope writes this straight into your workbook.

LOAD NAME

Load name: 65 Creedmoor - 140gr

1 RIFLE & SHOOTER

Rifle: 6.5 Creedmoor
Shooter: Type the shooter's name
Cartridge: 6.5 Creedmoor
Barrel: Pick or type a barrel
Round count: 0
Optic: Pick or type an optic
Chrono: Pick or type yours
Scope click (turnet): 0.1 Mil

LOAD COMPONENTS

Bullet: Other (type it)
140gr ELD-M
Powder: H4350
Primer: CCI BR-2
Brass: Pick or type a brand
Distance (yd): 100
SD test charge (gr): SD-only test (no ladder)
Powder test CBTO (in): Powder-only test (no seating)

TEST SESSION

Date: 07/08/26
Temp (°F):

Next: Plan your ladder →

- 1 Load a saved setup — pick a previous setup from this dropdown to fill everything in, or start a new one by filling in the fields below. Loadscope saves what you enter, so it's in this dropdown next time.
- 2 Rifle & Shooter — rifle, optic, cartridge, scope-click. Set once; pick it from the dropdown next time.
- 3 Load Components — bullet, powder, primer, brass. The bullet picker also feeds the ballistic solver.
- 4 Click Next → to move on to planning your ladder.

PLAN YOUR LADDER

Plan your ladder

Enter your ladder one time and Loadscope lists every load to make.

Create New Load

STEP 2 OF 3 · PLAN YOUR LADDER

Loading for: 6.5 Creedmoor · H4350 · CCI BR-2

1 Test: **Powder ladder** Seating depth

2 Powder: H4350 Start charge (gr): 41.0 Step (gr): 0.2 Number of steps: 8

Shots per string: 5

Your loads:

P1 41.0 P2 41.2 P3 41.4 P4 41.6 P5 41.8 P6 42.0 P7 42.2 P8 42.4

8 loads · 41.0 to 42.4 gr

Phone Sync: Off Quick Guide

Back Next


Then shoot them in order — lowest charge to highest. Shooting in order is how Loadscope matches each string to the right charge. This is the key to the whole process.

- 1 **Powder ladder vs Seating depth — pick which test this is. A powder ladder steps the charge; a seating test steps the CBTO.**
 - 2 **Enter it once: your starting charge, the step between charges, and how many. Loadscope lists every load below so you know exactly what to load.**
- Reworking a load? Use Rework a Saved Load on the Home screen — it opens here with that load's rifle already filled in.

TRACK BARREL LIFE

Track rounds per barrel

Loadscope keeps a running round count for every barrel — set it once and it stays current on its own.



Load name: 1r Charge Test — Best Charge Finder

RIFLE & SHOOTER

Rifle: Tikka T3X CTR 6.5 CM

Shooter: Demo Shooter

Cartridge: 6.5 Creedmoor

Barrel: 24" 1:8 twist, threaded muzzle

Round count: 1240 + Add Total rounds through this barrel. Loadscope adds each imported session automatically; use + Add for rounds you didn't import.

Optic: Leupold Mark 5HD 5-25x56


Chrono: Garmin Xero C1 Pro

- Round count lives right on Rifle & Setup, tied to the barrel you entered.
- Set a starting number once — every CSV import adds that session's rounds automatically.
- Shot rounds you didn't import (practice, matches)? Click + Add and type how many.
- Switch barrels and the count follows — each barrel keeps its own total.

EVERY RANGE DAY

Shoot, then drop your files

Back from the range? Drop the files your chronograph and target app export onto the drop zone — or click Browse — then Run Import.




- 1 Drop zone — bring in your chronograph file (and a target app's export too, if you use one). The Chronograph and Target app chips show where each kind goes.
- 2 Click Run Import. Loadscope backs up your workbook first, matches everything to your ladder, and shows your results right inside the app.

FASTER IMPORTS

Import a whole folder

Point Loadscope at a whole range-day folder and it imports every CSV inside — no file-by-file dragging.




- Drag a whole range-day folder onto Loadscope, or click Browse folder.
- It pulls every chronograph CSV inside — and a target app's export too, if you use one — including subfolders, in one shot.
- Each file's format is auto-detected, so you never sort them by hand.
- Individual files still work the same way — point it at a folder when that's faster.

NO TARGET APP NEEDED

Measure your target groups from a photo

Don't run a target app? The Measure Target page measures your group right in Loadscope and scores it like any import.




- 1 Bring in your groups** — Import from phone pulls groups you measured on the Loadscope Ballistics app over Wi-Fi; Choose target photos lets you measure on the desktop.
- 2 Set the scale** — drag a line across a known length (a 1-inch grid square) and type the inches. That turns pixels into real inches, so every measurement is honest.
- 3 Set your aiming point** — click Move aim and drop the crosshair on your point of aim. Loadscope then measures how far the group sits off that aim — elevation and windage — not just its size.
- 4 Mark shots** — tap each bullet hole. Loadscope works out group size, mean radius and vertical, and scores it under its charge.
- 5 Powder / Seating toggle** — sets whether each bull is a powder charge or a seating depth. Measure a whole ladder on one sheet — a bull per charge, added with + Add group — in one pass.

THE ANSWER

Your best powder charge

The Results screen leads with your winner. The gold BEST LOAD bar at the top is the suggested charge — picked from the loads you tested. Three per-winner buttons sit right under the numbers.



- 1 BEST LOAD** — the winning charge weight, scored across velocity flat-spot, SD, mean radius and vertical SD. Need at least 3 charges (plan 5–8 in a ladder).
 - 2 Powder Charge Log** — your real worksheet, right in the app. Composite Score: lower is better.
 - 3 Winner column** — 1st / 2nd / 3rd ranking so you can see the runners-up.
- Three buttons under the numbers — Save this load to Library, Generate Load Card (printable recipe in your browser), and Save as PDF.

HOW THE SCORE IS BUILT

Scoring — scoring weights

The Scoring sub-tab shows the scoring math — exactly why a charge won, and lets you tune what matters to you.

SUGGESTED BEST LOAD — Velocity + SD + Group Cross-Check

SUGGESTED CHARGE:	42.4 gr	Composite: 0.001	SD: 2.5
		Group: 0.18	
		Avg Vel: 2780	Best in: All metrics ✓

[-- Save Suggested Load to Library --](#)

Method: each middle charge of a 3-load window is scored on velocity spread, SD, mean radius (in), and Vertical SD (in) — each normalized 0-1, 0=best. Combined using the weights below (sum must = 1.0). Lowest composite score wins. Vertical SD falls back to Height, then MR, if the BallisticX export is missing the statistic.

NOTE: Loadscope ranks the charges you entered by your weighted scoring criteria. It does not certify safe charges, recommend loads, or assess pressure. Always cross-reference every charge weight against current published load data from your powder, bullet, and cartridge manufacturers before shooting.

WEIGHTS — adjust the blue cells to tune what matters most to you (must sum to 1.0).

Velocity	0.30	SD	0.20	MR	0.20	Vertical SD	0.30	Sum:	1.0
----------	------	----	------	----	------	-------------	------	------	-----

[-- Reset weights to Loadscope defaults --](#)

Powder ladder


Charge	Avg Vel (fps)	SD (fps)	Mean Radius (in)	Vertical SD (in)	Norm Vel	Norm SD	Norm MR	Norm Vertical SD	Composite Score
41.5	2715	6.7	0.31	0.20	0.558	0.792	0.542	0.571	0.606
41.8	2737	7.8	0.42	0.26	1.000	1.000	1.000	1.000	1.000
42.1	2760	6.4	0.22	0.14	0.163	0.736	0.167	0.143	0.272
42.4	2780	2.5	0.18	0.12	0.001	0.001	0.001	0.001	0.001
42.7	2803	5.6	0.29	0.18	0.465	0.585	0.458	0.429	0.477
	#N/A	#N/A			#N/A	#N/A			
	#N/A	#N/A			#N/A	#N/A			
	#N/A	#N/A			#N/A	#N/A			

- Weights — Velocity 30%, Velocity SD 20%, Mean Radius 20%, Vertical SD 30%. These four numbers decide how every load is scored, and must sum to 100%.
- Tune what matters to you — change the weights to favor what you care about most. (For now, edit the four blue cells on the Charts tab via View worksheet in Excel.)
- Winner's scoring breakdown — exactly how your weights produced the winning load.

READ THE FLAT-SPOT

Charts with ± 1 SD error bars

The Scoring tab graphs every charge with ± 1 SD error bars so your velocity flat-spot is obvious at a glance.




- Every charge is plotted with ± 1 SD error bars on each point.
- A flat run of points with short whiskers is your velocity flat-spot — it pops right out.
- The winning charge is highlighted on the curve.
- Hit Save chart image for a clean PNG to keep or share.

THE SEATING ANSWER

Your best seating depth

The Seating Depth view — same logic, but the bar at the top picks the winning CBTO instead of the winning charge.



- BEST CBTO** — the winning seating depth in inches (base to bullet ogive), scored across the same four factors. Plan at least 3 CBTOs; 5–7 is plenty.
- CBTO (in)** — each row's tested CBTO. Loadscope fills these from your seating-depth strings, matched in order by your ladder plan (nothing to name).
- Winner column** — 1st / 2nd / 3rd by composite score. Save to Library to keep your confirmed load.

BEFORE YOU SHOOT

Range & DOPE

From your winning load and the measured muzzle velocity, Loadscope predicts your full DOPE table — 100 to 1000 yards.

Range Session & DOPE

Grey = predicted. Type what you dialed (in Mils) and the cell turns solid = confirmed. ← 1

Predicted from — BC Drag model:

Temp F Read from Press inHg DA

Predicted from BC 0.326 G7 (database (Hornady G7)).

Session date: 2

Range (yd)	Elev (Mils)	Wind/Temp (Mils)	Notes
100	-0.0	0.1	
200	0.5	0.3	
300	1.1	0.4	
400	1.9	0.6	
500	2.7	0.8	
600	3.6	0.9	
700	4.6	1.1	
800	5.7	1.4	
900	6.9	1.6	
1000	8.2	1.8	

G7/G1 BC solver — JBM-validated, good to ~1000 yd with solid inputs. Grey = predicted; always confirm at the range.

3

- 1 Predicted from your bullet's BC and drag model (G7/G1 solver, validated against JBM). Adjust BC / temp / pressure, hit Update to re-solve.
- 2 Grey, italic = predicted. Type what you actually dialed at the range and the cell turns solid = confirmed.
- 3 Click Save DOPE to write it back. Always confirm by live fire at known distance before you trust it.

TAKE IT WITH YOU

Pocket Card

A 4×6 range card you can print or save as PDF. Predicted to start; confirmed numbers replace them as you shoot.


Loadscope™
POCKET RANGE CARD

1
Tikka T3X CTR 6.5 CM • Hornady 140gr ELD-M • 42.4gr • 2780 fps

Scope: Leupold Mark 5HD 5-25x56
Click: 0.1 Mil
Zero: 100 yd
Sight Ht: 1.75 in
Twist: 1:8 RH

2

Range (yd)	Elevation (Mils)		Wind 10 mph (Mils)		Drop (in)	Vel (fps)	Energy (ft-lb)	TOF (s)
	Hold	Clicks	Hold	Clicks				
100	0	0	0	0	0	2640	2167	0.11
200	0.1	1	0.3	3	3	2503	1948	0.23
300	0.6	6	0.5	5	12	2370	1747	0.35
400	1.2	12	0.7	7	27	2242	1563	0.48
500	2	20	0.9	9	49	2118	1395	0.62
600	2.8	28	1.2	12	79	1998	1241	0.76
700	3.7	37	1.5	15	117	1881	1101	0.92
800	4.8	48	1.8	18	165	1768	972	1.08
900	6	60	2.1	21	225	1658	855	1.26
1000	7.3	73	2.4	24	297	1551	748	1.45

Generated May 25, 2026

- 1
Header — the load, scope, zero, sight height, twist. Everything you need on a card glanced at in the field.
- 2
Dial table — elevation in Mils + clicks, a fixed 10 mph wind reference, drop, velocity, energy, and time of flight per 100 yards. Print the 4×6 card or Save as PDF. Grey = predicted; confirmed values print solid.

KEEP THE RECIPE

Print your Load Card

The Load Card is the one-page printable recipe you produce with the buttons on Results (Generate Load Card and Save as PDF...). Bullet, powder, charge, CBTO, and primer are listed on the card. You can refer to it again next season, on a single sheet.

Print1

2

3

4

6.5 Creedmoor

LOADSCOPE LOAD CARD

SUGGESTED WINNING LOAD

POWDER CHARGE

42.4 gr

CBTO

2.205 in

POWDER TYPE

H4350

COMPONENTS

Bullet

Hornady 140gr ELD-M

Bullet weight

140 gr

Powder

H4350

Primer

CCI BR-2

Brass

Hornady

CBTO

2.224

RIFLE & SETUP

Rifle

Tikka T3X CTR 6.5 CM

Barrel

24" 1:8 twist, threaded muzzle

Cartridge

6.5 Creedmoor

Optic

Leupold Mark 5HD 5-25x56

Chrono

Garmin Xero C1 Pro

Distance tested

100 yd

PERFORMANCE AT SUGGESTED LOAD

Avg velocity

2780.6 fps

SD

0.8 fps

Group

0.320 in (0.31 MOA)

Mean radius

0.160 in (0.15 MOA)

Vertical SD

0.100 in (0.10 MOA)

Generated by Loadscope from Demo Workbook on May 25, 2026 at 09:31 AM · Always cross-check loads against published reloading manuals.

- 1 Print button — right on the page. One click sends the recipe to your printer for the binder on your bench.
- 2 Suggested winning load — the same charge, CBTO, and powder from your Results screen, restated for a printed header.
- 3 Components + Rifle setup — every part of the recipe and the rifle it ran on.
- 4 Performance at suggested load — the avg velocity, SD, group, and mean radius the winning load actually produced.

LOADS OVER TIME

Your Load Library

Every load you save with the Save this load to Library button ends up in your Load Library — across cartridges, rifles, and seasons. Right-click any row for the actions you'll use most.

1

2

Load Library — Confirmed Loads

CONFIRMED LOADS ONLY: After Load Log → Scoring Depth produce a winner and you've shot a 5-10 shot confirmation group, fill in one row here. Hover any header for what to enter.


IDENTIFICATION			RECIPE							PERFORMANCE				NOTES		
#	Date Added	Load Name	Rifle	Bullet	Bullet Wt (gr)	Powder	Charge (gr)	Primer	Brass	CRTO (in)	Jump (in)	Avg Vel (fps)	SD (fps)	Group (MOA)	MR (MOA)	Notes / Conditions
1	05/01/2026	6.5 CM 140 ELD-M / H4350 42.4 / 0.035 jump	Tikka T3X CTR 6.5 CM	Hornady ELD-M	140	Hodgdon H4350	42.4	CCI BR-2	Hornady	2.224	0.035	2780	3.3	0.38	0.34	Confirmed at 100 yd, 60°S, 1500 ft DA, 10-shot string.
2	11/10/2025	6.5 CM 140 Berger Hybrid / H4350 42.1 / 0.020 jump	Tikka T3X CTR 6.5 CM	Berger Hybrid Target	140	Hodgdon H4350	42.1	Fed 210M	Lapua	2.218	0.020	2745	5.1	0.52	0.24	Prior season — switched to ELD-M for lower SD.
3	03/18/2026	6 ARC 108 ELD-M / CTE 223 26.5 / 0.040 jump	Bergara B14 10MR 6 ARC	Hornady ELD-M	108	Hodgdon CFE 223	26.5	CCI 450	Hornady	1.910	0.040	2680	4.6	0.51	0.20	Truck gun build. Good cold-bore consistency.

- 1 Saved loads — one row per load you confirmed. Click any row, then right-click for the actions menu.**
 - 2 Right-click actions — Copy load summary (paste into a text or email), Print this load as a Load Card... (same recipe as Results, but for a saved load), Save this load as PDF... (same native save dialog as Results), Open in Excel at this row (jump straight to the workbook), Delete this load... (confirm before anything goes).**
- The Library lives inside the same workbook as your Results — your saved loads travel with the file, with no extra cloud account to manage.

IN-WORKBOOK HELP

The Help tab — column meanings & formulas

The Help tab lives at the right end of the bottom tab bar. It replaces the old cell hover-comments (which Excel-for-Mac was clipping). The full text is always visible.



- 1 **HELP MENU sidebar** — click any section name to jump straight to that tab's help. The menu stays visible while you scroll the body.
 - 2 **Section banner** — names which workbook tab the items below are about (Powder Charge Log, Charts, Seating Depth Log, and so on).
 - 3 **Each item: bold header (the concept), the cell reference (e.g. Cell G15), and a plain-language explanation of what it means or how it's calculated.**
- When a label or number isn't self-explanatory, this is the place to look — no scrolling through PDFs, no hover-popup guesswork. It's part of the workbook itself.

TO YOUR PHONE

Send a load to your phone

Loadscope syncs straight to the Loadscope Ballistics app on your iPhone or iPad over your local Wi-Fi — no cables, no cloud, no account. Your dial goes where you actually shoot.



- On the computer: turn on Phone Sync — the Phone Sync button at the bottom of the sidebar, or Support → Phone Sync. Your computer becomes discoverable on the Wi-Fi by name (it uses your Loadscope license, so only your own devices can connect).
- On the phone: open Loadscope Ballistics, tap Sync, pick your computer, and pull the load — the recipe and predicted DOPE land on your phone for the field. Keep both devices on the same Wi-Fi.
- On a guest or corporate network that hides devices? Tap Connect by address on the phone and type the address the computer shows.

Questions, bugs, or a new device?

Email support

support@loadscope.app — include your Loadscope version (Support → About Loadscope) and a screenshot if you can.

More help in the app

Support → How to Use Loadscope, and the welcome tour replays anytime.

If a file isn't recognized

Easiest fix: use Create New Load, which matches your files in order — no naming. (Importing ad-hoc without a ladder? The import log names the file and what to rename it to.)

A different chronograph or target app?

Send a sample CSV to support@loadscope.app — the parser system is built to grow.

Safety

Loadscope is a data-analysis tool, not load data. It does not recommend charges or assess pressure. Always cross-reference every charge against current published load data. Predicted ballistics are an estimate — confirm by live fire. Reloading is inherently dangerous; you assume all risk.