

## Edit Demand Monitoring Views

### Edit ATP Quota Columns

1. Open a browser
2. Navigate to WebStart DDQ
3. Log in using Nucor credentials  
Demand Manager Log In
4. Navigate to the Demand Monitoring screen  
Demand Monitoring
5. Click on the settings cog in the upper right-hand corner of the screen
6. Click on 'Edit view'  
Settings Cog
7. Click on the ellipses in the top right-hand corner of the 'Id: DEMAND\_MON\_GRID' grid
8. Click 'Edit'  
Demand Monitoring Grid Edit
9. Scroll down to the 'ATPQuota Columns' selector in the 'Edit Demand Monitoring Grid' screen
10. Click on the Edit icon  
Edit Demand Monitoring Grid
11. Select the desired column(s) from 'All Fields' and use the arrow to move them to the 'ATPQuota Columns' side
12. Once complete, click on the 'Apply' button at the bottom of the ATPQuota Columns screen  
ATP Quota Columns
13. Click 'Close' on the Edit Demand Monitoring Grid screen  
Edit Demand Monitoring Grid Close
14. Click on the 'Save view' button in the bottom right-hand corner of the screen  
Save View
15. Click on the 'X' to close the dialog box stating that the 'View saved'  
View Saved
16. Navigate back to the Demand Monitoring screen by clicking on the hamburger menu and then Demand Monitoring  
Return to Demand Monitoring
17. Verify that the fields are showing as expected  
Quota Fields

### Fields used for ATP Quota Sheet

Field	Example Data	PSI Field Name
Created At	05/06/2023	createdAt
Updated At	05/06/2023	updatedAt

Field	Example Data	PSI Field Name
Weight	1500.00 t	amount.valueKg

## Edit Forecast/Demand Columns

1. Open a browser
2. Navigate to WebStart DDQ
3. Log in using Nucor credentials  
Demand Manager Log In
4. Navigate to the Demand Monitoring screen  
Demand Monitoring
5. Click on the settings cog in the upper right-hand corner of the screen
6. Click on 'Edit view'  
Settings Cog
7. Click on the ellipses in the top right-hand corner of the 'Id: DEMAND\_MON\_GRID' grid
8. Click 'Edit'  
Demand Monitoring Grid Edit
9. Scroll down to the 'Forecast/Demand Columns' selector in the 'Edit Demand Monitoring Grid' screen
10. Click on the Edit icon  
Forecast/Demand Columns
11. Select the desired column(s) from 'All Fields' and use the arrow to move them to the 'ATPQuota Columns' side
12. Once complete, click on the 'Apply' button at the bottom of the ATPQuota Columns screen  
ATP Quota Columns
13. Click 'Close' on the Edit Demand Monitoring Grid screen  
Edit Demand Monitoring Grid Close
14. Click on the 'Save view' button in the bottom right-hand corner of the screen  
Save View
15. Click on the 'X' to close the dialog box stating that the 'View saved'  
View Saved
16. Navigate back to the Demand Monitoring screen by clicking on the hamburger menu and then Demand Monitoring  
Return to Demand Monitoring
17. Verify that the fields are showing as expected  
Sales Order Fields

## Fields Used for Forecast/Demands Columns

Field	Example Data	PSI Field Name
Created At	24/05/2023	createdAt
Updated At	24/05/2023	updatedAt
External Id	19000041/1/1	externalId
Requested Due Date	06/01/2023	requestedDueDate
Due Date	05/10/2023	dueDate
Requested Time Bucket	2023 W22 28.05	requestedTimeBucket.flattened
Output Thickness	0.13	outputGeom.thickness.target.valueMm
Output Weight	150.000 Ton US	outputGeom.weight.target.valueKg
Output Width	42	outputGeom.width.target.valueMm
Amount Unit	lb	orderingAmountSpec.uom
Grade	ASTM_A1011_HSLAS_Grade50	gradeSpec.grade
Internal Grade	1008V1	gradeSpec.internalGrade