


```
{{#round-trip model=promise as |_|}}  
  {{#if _.isSuccessful}}  
    {{user-list users=_.model}}  
  {{/if}}  
  
  {{#if _.isLoading}}  
    {{loading-spinner}}  
  {{/if}}  
  
  {{#if _.isFailure}}  
    {{error-panel error=_.error}}  
  {{/if}}  
{{/round-trip}}
```

{round-trip}

it's the model/hook you didn't know you needed

{{round-trip}}

slight syntax tweaks for loading and error, coming soon...

```
{{#round-trip
  model=promise
  loading=(component "generic-loading")
  error=(component "generic-error")
  as |resolved|
}}
  {{!-- used resolved promise --}}
{{/round-trip}}
```

*substates
in components*

focus on resolved result

{{round-trip}}

it's the model hook you didn't know you needed

```
{{#round-trip model=promise as |_|}}  
  {{#if _.isSuccessful}}  
    {{user-list users=_.model}}  
  {{/if}}  
  
  {{#if _.isLoading}}  
    {{loading-spinner}}  
  {{/if}}  
  
  {{#if _.isFailure}}  
    {{error-panel error=_.error}}  
  {{/if}}  
{{/round-trip}}
```

resolved result
hey, just like the model hook

loading substate

error substate