



```
{{#user-provider userType="admin" as |users|}}
  {{user-table users=users as |buildingBlocks formattedUsers|}}
    {{#buildingBlocks.table}}

      {{#each formattedUsers as |user|}}
        {{buildingBlocks.table-cell}}
        {{buildingBlocks.table-cell onClick=(action loadUserDetails)}}
        {{/buildingBlocks.table-cell}}
      {{/each}}

    {{/buildingBlocks.table}}
  {{/user-table}}
{{/user-provider}}
```

when in scope you avoid prop drilling

functional components



user-header.hbs (the functional component)

- Stateless
- Just Render™
using args

```
<img class="user-photo" src={{url}}/>  
<div class="user-name">  
  {{name}}  
</div>
```

- delete the *js*
after *ember g*

user-profile.hbs (using the functional component)

```
{{user-header url=user.url  
name=user.name}}
```

```
{{#user-provider userType="admin" as |users|}}
  {{user-table users=users as |buildingBlocks formattedUsers|}}
    {{#buildingBlocks.table}}

      {{#each formattedUsers as |user|}}
        {{buildingBlocks.table-cell}}
        {{buildingBlocks.table-cell onClick=(action loadUserDetails)}}
        {{/buildingBlocks.table-cell}}
      {{/each}}

    {{/buildingBlocks.table}}
  {{/user-table}}
{{/user-provider}}
```

when in scope you avoid prop drilling