

# APPLICATION LAYOUT

## Pre-defined layouts

- `vPreDefinedLayoutDefault` -> Vuetify default layout
- `vPreDefinedLayoutBaseline` -> Baseline Pre-defined layout
- `vPreDefinedLayoutBaselineFlipped` -> Baseline Flipped Pre-defined layout
- `vPreDefinedLayoutCentered` -> Centered Pre-defined layout
- `vPreDefinedLayoutComplex` -> Complex Pre-defined layout
- `vPreDefinedLayoutDark` -> Dark Pre-defined layout
- `vPreDefinedLayoutGoogleContacts` -> Google Contacts Pre-defined layout
- `vPreDefinedLayoutGoogleKeep` -> Google Keep Pre-defined layout
- `vPreDefinedLayoutGoogleYoutube` -> Google Youtube Pre-defined layout
- `vPreDefinedLayoutSandbox` -> Sandbox Pre-defined layout

## Pre-defined themes

- `vPreDefinedThemeParallax` -> Parallax Pre-defined themes
- `vPreDefinedThemeBlog` -> Blog Pre-defined themes

## Grid & Breakpoints

### Grid system

- `vContainer` -> v-container component
- `vContainerProps` -> v-container props list
- `vContainerWithProps` -> v-container with all props
- `vLayout` -> v-layout component
- `vLayoutProps` -> v-layout props list
- `vLayoutWithProps` -> v-layout with all props
- `vLayoutColumn` -> v-layout with column prop
- `vFlex` -> v-flex component
- `vFlexProps` -> v-flex props list
- `vFlexWithProps` -> v-flex with all props
- `vSpacer` -> v-spacer component
- `vGridBreakpointObject` -> Breakpoint object of Grid system

### Spacing

- `vSpacing` -> Spacing options

### Text alignment

- `vTextAlign` -> Text align helper classes

## **Display**

- vVisibility -> List for visibility options
- vDisplay -> Display property of elements

## **Elevation**

- vElevation -> Elevation for elements

# **STYLES & THEMES**

## **Colors**

- vColors -> All available colors
- vTextColors -> Text color

## **Typography**

- vTypography -> Typography helper classes

# **MOTION & TRANSITIONS**

## **Scrolling**

- vGoTo -> Scrolling in your application

## **Transitions**

- transition -> Transition provided by Vuetify

# **UI COMPONENTS**

## **ALERT**

- vAlert -> v-alert component
- vAlertProps -> v-alert props list
- vAlertWithProps -> v-alert with all props
- vAlertClosable -> v-alert closable without icon
- vAlertClosableIcon -> v-alert closable with icon
- vAlertIcon -> v-alert with icon
- vAlertNoIcon -> v-alert with no icon
- vAlertTransition -> v-alert with transition
- vAlertOutline -> v-alert outlined

## AVATAR

- vAvatar -> v-avatar component
- vAvatarProps -> v-avatar props list
- vAvatarWithProps -> v-avatar with all props
- vAvatarIcon -> v-avatar with an icon
- vAvatarText -> v-avatar with text
- vAvatarBadge -> v-avatar with a badge

## BADGE

- vBadge -> v-badge component
- vBadgeProps -> v-badge props list
- vBadgeWithProps -> v-badge with all props
- vBadgeOverlap -> v-badge with overlap prop
- vBadgeInline -> v-badge with inline text
- vBadgeVisibility -> v-badge visibility example

## BOTTOM NAVIGATION

- vBottomNav -> v-bottom-nav component
- vBottomNavProps -> v-bottom-nav props list
- vBottomNavWithProps -> v-bottom-nav with all props
- vBottomNavTemplate -> v-bottom-nav simple template

## BOTTOM SHEETS

- vBottomSheet -> v-bottom-sheet component
- vBottomSheetProps -> v-bottom-sheet props list
- vBottomSheetWithProps -> v-bottom-sheet with all props
- vBottomSheetTemplateInset -> v-bottom-sheet template with inset example

## BREADCRUMBS COMPONENT

- vBreadcrumbs -> v-breadcrumbs component
- vBreadcrumbsProps -> v-breadcrumbs props list
- vBreadcrumbsWithProps -> v-breadcrumbs with all props
- vBreadcrumbsTemplate -> v-breadcrumbs simple template
- vBreadcrumbsTemplateIconDivider -> v-breadcrumbs template with icon divider
- vBreadcrumbsItem -> v-breadcrumbs-item component
- vBreadcrumbsItemProps -> v-breadcrumbs-item props
- vBreadcrumbsItemWithProps -> v-breadcrumbs-item with all props

## BUTTON

- vBtn -> v-btn component

- vBtnProps -> v-btn props list
- vBtnWithProps -> v-btn with all props
- vBtnFlat -> v-btn with flat prop
- vBtnRaised -> v-btn with raised prop
- vBtnDepressed -> v-btn with depressed prop
- vBtnDropdown -> v-select as button with dropdown variant
- vBtnToggle -> v-btn-toggle as button
- vBtnToggleTemplate -> v-btn-toggle simple template
- vBtnToggleTemplateText -> v-btn-toggle template with text
- vBtnToggleTemplateTextIcon -> v-btn-toggle with text and icon
- vBtnIcon -> v-btn as icon
- vBtnFloating -> v-btn as floating
- vBtnLoader -> v-btn with a loader when clicked
- vBtnLoaderCustom -> v-btn with custom loader example
- vBtnOutline -> v-btn with outline prop
- vBtnRound -> v-btn with round prop
- vBtnBlock -> v-btn with block prop

## **BUTTONS: FLOATING ACTION BUTTONS**

- vSpeedDial -> v-speed-dial component
- vSpeedDialProps -> v-speed-dial props list
- vSpeedDialWithProps -> v-speed-dial with all props
- vSpeedDialTemplate -> v-speed-dial simple template
- vFab -> v-btn as floating action button
- vFabDisplayAnimation -> v-btn as fab with display animation

## **CARDS**

- vCard -> v-card component
- vCardProps -> v-card props list
- vCardWithProps -> v-card with all props
- vCardTemplate -> v-card simple template
- vCardTemplateMediaWithText -> v-card template media with text
- vCardTemplateHorizontal -> v-card horizontal template
- vCardTemplateCustomActions -> v-card custom actions template
- vCardMedia -> v-card-media component
- vCardMediaProps -> v-card-media props list
- vCardMediaWithProps -> v-card-media with all props
- vCardTitle -> v-card-title component
- vCardTitleProps -> v-card-title props list
- vCardActions -> v-card-actions component
- vCardText -> v-card-text component

## **CAROUSEL**

- vCarousel -> v-carousel component
- vCarouselProps -> v-carousel props list
- vCarouselWithProps -> v-carousel with all props
- vCarouselTemplate -> v-carousel simple template
- vCarouselItemProps -> v-carousel-item props list
- vCarouselItemWithProps -> v-carousel-item with all props

## **CHIP**

- vChip -> v-chip component
- vChipProps -> v-chip props list
- vChipWithProps -> v-chip with all props
- vChipAvatar -> v-chip with avatar
- vChipColored -> v-chip as colored example
- vChipIcon -> v-chip with icon
- vChipIconRight -> v-chip with icon to right side
- vChipOutline -> v-chip as outlined
- vChipLabel -> v-chip as label
- vChipClosable -> v-chip closable
- vChipTemplateInSelect -> v-chip used with in selects

## **DATA ITERA**

- vDataIterator -> v-data-iterator component
- vDataIteratorProps -> v-data-iterator props list
- vDataIteratorWithProps -> v-data-iterator with all props
- vDataIteratorTemplate -> v-data-iterator simple template

## **DATA TABLE**

- vDataTable -> v-data-table component
- vDataTableProps -> v-data-table props list
- vDataTableWithProps -> v-data-table with all props
- vEditDialog -> v-edit-dialog component
- vEditDialogProps -> v-edit-dialog props list
- vEditDialogWithProps -> v-edit-dialog with all props
- vDataTableSlotHeaders -> v-data-table headers slot
- vDataTableSlotItems -> v-data-table items slot
- vDataTableSlotNoData -> v-data-table no-data slot
- vDataTableSlotHeaderCell -> v-data-table header cell slot
- vDataTableSlotProgress -> v-data-table progress slot
- vDataTableSlotFooter -> v-data-table footer slot
- vDataTableSlotExpand -> v-data-table expand slot
- vDataTableSlotNoResult -> v-data-table no-results slot
- vDataTableSlotPageText -> v-data-table with page-text slot
- vDataTableTemplate -> v-data-table simple template

- `vDataTableTemplateNoData` -> v-data-table simple template with no data slot
- `vDataTableTemplateHeaderCell` -> v-data-table template with header cell slot
- `vDataTableTemplateProgress` -> v-data-table template with progress slot
- `vDataTableTemplateFooter` -> v-data-table template with footer slot
- `vDataTableTemplateExpand` -> v-data-table template with expand slot
- `vDataTableTemplatePageText` -> v-data-table template with page-text slot
- `vDataTableTemplateSelectableRows` -> v-data-table selectable rows template
- `vDataTableTemplateSearchNoResults` -> v-data-table template with search with custom no-results slot
- `vDataTableTemplateCustomIcons` -> v-data-table template with custom icons
- `vDataTableTemplateExternalPagination` -> v-data-table template with external pagination
- `vDataTableTemplateExternalSorting` -> v-data-table template with external sorting
- `vDataTableTemplateHeaderless` -> v-data-table template without headers
- `vDataTableTemplateInlineEditing` -> v-data-table template with inline editing example
- `vDataTableTemplatePaginateSortServerSide` -> v-data-table template with paginate and sort server-side
- `vDataTableTemplateCRUD` -> v-data-table template with CRUD actions

## DIALOG

- `vDialog` -> v-dialog component
- `vDialogProps` -> v-dialog props list
- `vDialogWithProps` -> v-dialog with all props
- `vDialogTemplateWithoutActivator` -> v-dialog template without activator
- `vDialogTemplateModal` -> v-dialog as modal template
- `vDialogTemplateFullscreen` -> v-dialog template fullscreen
- `vDialogTemplateForm` -> v-dialog template form
- `vDialogTemplateScrollable` -> v-dialog template scrollable
- `vDialogTemplateOverflowed` -> v-dialog template overflowed

## DIVIDER

- `vDivider` -> v-divider component
- `vDividerProps` -> v-divider props list
- `vDividerWithProps` -> v-divider with all props
- `vDividerInset` -> v-divider with inset prop

## EXPANSION PANELS

- `vExpansionPanel` -> v-expansion-panel component
- `vExpansionPanelProps` -> v-expansion-panel props list
- `vExpansionPanelWithProps` -> v-expansion-panel with all props
- `vExpansionPanelContent` -> v-expansion-panel-content component
- `vExpansionPanelContentProps` -> v-expansion-panel-content props list
- `vExpansionPanelContentWithProps` -> v-expansion-panel-content with all props
- `vExpansionPanelTemplateUsage` -> v-expansion-panel usage template

- vExpansionPanelTemplateExpand -> v-expansion-panel expand template
- vExpansionPanelTemplatePopout -> v-expansion-panel popout template
- vExpansionPanelTemplateInset -> v-expansion-panel inset template
- vExpansionPanelTemplateFocusable -> v-expansion-panel focusable template

## FOOTER

- vFooter -> v-footer component
- vFooterProps -> v-footer props list
- vFooterWithProps -> v-footer with all props
- vFooterTemplateCompany -> v-footer company template

## INPUTS & CONTROLS

### FORMS

- vForm -> v-form component
- vFormProps -> v-form props list
- vFormWithProps -> v-form with all props
- vFormTemplateVuelidate -> v-form template with Vuelidate
- vFormTemplateVeeValidate -> v-form template with Vee-validate
- vFormTemplateValidation -> v-form template for Validation with submit & clear

### SELECT

- vSelect -> v-select component
- vSelectProps -> v-select props list
- vSelectWithProps -> v-select with all props
- vSelectScopedSlotSelection -> v-select selection scoped slot
- vSelectScopedSlotItem -> v-select item scoped slot
- vSelectMultiplePersistentHint -> v-select with prop multiple with persistent hint
- vSelectMultiplePersistentHintChip -> v-select with prop multiple with persistent hint and chip
- vSelectAutocomplete -> v-select with prop autocomplete
- vSelectCustomFilterAutocomplete -> v-select custom filter on autocomplete
- vSelectFunctionCustomFilter -> v-select function custom filter
- vSelectAsynchronousItems -> v-select asynchronous items

### SELECTION CONTROLS

- vRadioGroup -> v-radio-group component
- vRadioGroupProps -> v-radio-group props list
- vRadioGroupWithProps -> v-radio-group with all props
- vRadio -> v-radio component
- vRadioProps -> v-radio props list
- vRadioWithProps -> v-radio with all props

- `vRadioDirection` -> `v-radio` direction
- `vCheckbox` -> `v-checkbox` component
- `vCheckboxProps` -> `v-checkbox` props list
- `vCheckboxWithProps` -> `v-checkbox` with all props
- `vCheckboxOn` -> `v-checkbox` with state on
- `vCheckboxOff` -> `v-checkbox` with state off
- `vCheckboxIndeterminate` -> `v-checkbox` with state indeterminate
- `vCheckboxDisabled` -> `v-checkbox` with state disabled
- `vCheckboxInlineTextfield` -> `v-checkbox` inline with a textfield
- `vSwitch` -> `v-switch` component
- `vSwitchProps` -> `v-switch` props list
- `vSwitchWithProps` -> `v-switch` with all props
- `vSwitchDisabledOn` -> `v-switch` disabled on
- `vSwitchDisabledOff` -> `v-switch` disabled off

## TEXT FIELD

- `vTextField` -> `v-text-field` component
- `vTextFieldProps` -> `v-text-field` props list
- `vTextFieldWithProps` -> `v-text-field` with all props
- `vTextFieldDisabled` -> `v-text-field` with disabled prop
- `vTextFieldNormalWithHintText` -> `v-text-field` normal with hint text
- `vTextFieldPress` -> `v-text-field` press
- `vTextFieldFocus` -> `v-text-field` focus
- `vTextFieldNormalWithInputText` -> `v-text-field` normal with input text
- `vTextFieldError` -> `v-text-field` error
- `vTextFieldWithIcon` -> `v-text-field` with an icon
- `vTextFieldMultiLine` -> `v-text-field` with multi-line
- `vTextFieldCharacteCount` -> `v-text-field` with character count
- `vTextFieldPassword` -> `v-text-field` password
- `vTextFieldEmail` -> `v-text-field` with email rule example
- `vTextFieldRequired` -> `v-text-field` with required prop
- `vTextFieldPrefix` -> `v-text-field` with prefix prop
- `vTextFieldSuffix` -> `v-text-field` with suffix prop
- `vTextFieldTextarea` -> `v-text-field` with textarea prop
- `vTextFieldBox` -> `v-text-field` with box prop
- `vTextFieldSolo` -> `v-text-field` with solo prop
- `vTextFieldSoloInverted` -> `v-text-field` with solo-inverted prop
- `vTextFieldMask` -> `v-text-field` with mask prop
- `vTextFieldCustomProgress` -> `v-text-field` custom progress example
- `vTextFieldFunctionEmailRule` -> `v-text-field` email rules example

## ICON

- `vIcon` -> `v-icon` component
- `vIconProps` -> `v-icon` props list



- `vIconWithProps` -> v-icon with all props
- `vIconColor` -> v-icon with color prop
- `vIconFontAwesome` -> v-icon with font awesome
- `vIconMaterialDesign` -> v-icon with material design icons

## LIST

- `vList` -> v-list component
- `vListProps` -> v-list props list
- `vListWithProps` -> v-list with all props
- `vListTwoLine` -> v-list with two-line prop
- `vListThreeLine` -> v-list with three-line prop
- `vListTemplate` -> v-list simple template
- `vListTemplateAvatarWithTitleAction` -> v-list avatar with title and action template
- `vListTemplateAvatarWith3Lines` -> v-list avatar with three lines template
- `vListGroup` -> v-list-group component
- `vListTile` -> v-list-tile component
- `vListTileProps` -> v-list-tile props list
- `vListTileWithProps` -> v-list-tile with all props
- `vListTileTitle` -> v-list-tile-title component
- `vListTileSubTitle` -> v-list-tile-sub-title component
- `vListTileAvatar` -> v-list-tile-avatar component
- `vListTileContent` -> v-list-tile-content component
- `vListTileAction` -> v-list-tile-action component

## JUMBOTRON

- `vJumbotron` -> v-jumbotron component
- `vJumbotronProps` -> v-jumbotron props list
- `vJumbotronWithProps` -> v-jumbotron with all props
- `vJumbotronTemplate` -> v-jumbotron simple template
- `vJumbotronTemplateCustomColor` -> v-jumbotron custom color template
- `vJumbotronTemplateGradient` -> v-jumbotron gradient template

## MENU

- `vMenu` -> v-menu component
- `vMenuProps` -> v-menu props list
- `vMenuWithProps` -> v-menu with all props
- `vMenuTemplateAbsolutePosition` -> v-menu template with absolute position
- `vMenuTemplateHover` -> v-menu template with hover prop

## NAVIGATION DRAWER

- `vNavigationDrawer` -> v-navigation-drawer component
- `vNavigationDrawerProps` -> v-navigation-drawer props list

- vNavigationDrawerWithProps -> v-navigation-drawer with all props
- vNavigationDrawerPermanent -> v-navigation-drawer component with permanent prop
- vNavigationDrawerTemporary -> v-navigation-drawer component with temporary prop
- vNavigationDrawerTemplate -> v-navigation-drawer simple template
- vNavigationDrawerTemplateColored -> v-navigation-drawer template with colored example
- vNavigationDrawerTemplatePermanentFloating -> v-navigation-drawer template example with permanent floating
- vNavigationDrawerTemplateAvatar -> v-navigation-drawer template with avatar
- vNavigationDrawerTemplateMini -> v-navigation-drawer template mini drawer
- vNavigationDrawerTemplateTemporary -> v-navigation-drawer template with temporary drawer

## **PAGINATION**

- vPagination -> v-pagination component
- vPaginationProps -> v-pagination props list
- vPaginationWithProps -> v-pagination with all props
- vPaginationLimit -> v-pagination with limit
- vPaginationRound -> v-pagination with round buttons
- vPaginationIcons -> v-pagination with custom icons
- vPaginationDisabled -> v-pagination with disabled prop

## **PARALLAX**

- vParallax -> v-parallax component
- vParallaxProps -> v-parallax props list
- vParallaxWithProps -> v-parallax with all props
- vParallaxHeight -> v-parallax with height prop
- vParallaxJumbotron -> v-parallax as standard jumbotron
- vParallaxTemplateContent -> v-parallax template with content

## **PICKERS**

### **DATE/MONTH PICKER**

- vDatePicker -> v-date-picker component
- vDatePickerProps -> v-date-picker props list
- vDatePickerWithProps -> v-date-picker with all props
- vDatePickerColor -> v-date-picker with color prop
- vDatePickerAllowedDates -> v-date-picker with allowed dates prop
- vDatePickerWidth -> v-date-picker with width prop
- vDatePickerFullWidth -> v-date-picker with full width prop
- vDatePickerBirthday -> v-date-picker as a birthday picker
- vDatePickerEvents -> v-date-picker with events props
- vDatePickerLocale -> v-date-picker with locale prop

- `vDatePickerIcons` -> `v-date-picker` with icons prop
- `vDatePickerReadOnly` -> `v-date-picker` with read only prop
- `vDatePickerCurentDate` -> `v-date-picker` showing current date
- `vDatePickerInMenu` -> `v-date-picker` in a menu example
- `vDatePickerInDialog` -> `v-date-picker` in a dialog example
- `vMonthPicker` -> Month picker component
- `vMonthPickerLocale` -> Month picker with locale prop
- `vMonthPickerColors` -> Month picker with custom colors
- `vMonthPickerInMenu` -> Month picker in menu
- `vMonthPickerInDialog` -> Month picker in dialog
- `vMonthPickerAllowedMonths` -> Month picker with allowed months prop
- `vMonthPickerIcons` -> Month picker with custom icons
- `vMonthPickerReadOnly` -> Month picker read only
- `vMonthPickerCurrentMonth` -> Month picker showing current month

## **TIME PICKER**

- `vTimePicker` -> `v-time-picker` component
- `vTimePickerProps` -> `v-time-picker` props list
- `vTimePickerWithProps` -> `v-time-picker` with all props
- `vTimePickerColors` -> `v-time-picker` with colors option
- `vTimePickerInMenu` -> `v-time-picker` in menu
- `vTimePickerInDialog` -> `v-time-picker` in dialog
- `vTimePicker24hFormat` -> `v-time-picker` in 24h format
- `vTimePickerAllowedTimes` -> `v-time-picker` with allowed times props
- `vTimePickerLandscape` -> `v-time-picker` in ladscape mode

## **PROGRESS**

### **CIRCULAR PROGRESS**

- `vProgressCircular` -> `v-progress-circular` component
- `vProgressCircularProps` -> `v-progress-circular` props list
- `vProgressCircularWithProps` -> `v-progress-circular` with all props
- `vProgressCircularColored` -> `v-progress-circular` with colored prop
- `vProgressCircularIndeterminate` -> `v-progress-circular` with indeterminate prop
- `vProgressCircularSizeWidth` -> `v-progress-circular` with size and width prop
- `vProgressCircularRotate` -> `v-progress-circular` with rotate prop

### **LINEAR PROGRESS**

- `vProgressLinear` -> `v-progress-linear` component
- `vProgressLinearProps` -> `v-progress-linear` props list
- `vProgressLinearWithProps` -> `v-progress-linear` with all props
- `vProgressLinearDeterminate` -> `v-progress-linear` with determinate example
- `vProgressLinearIndeterminate` -> `v-progress-linear` with indeterminate prop

- vProgressLinearBuffer -> v-progress-linear with buffer prop
- vProgressLinearQuery -> v-progress-linear with query prop
- vProgressLinearHeight -> v-progress-linear with custom height and contextual colors
- vProgressLinearColors -> v-progress-linear with custom colors

## **SLIDER**

- vSlider -> v-slider component
- vSliderProps -> v-slider props list
- vSliderWithProps -> v-slider with all props
- vSliderDisabled -> v-slider with disabled prop
- vSliderDiscrete -> v-slider discrete example
- vSliderIcons -> v-slider with icons
- vSliderColors -> v-slider with all color props
- vSliderTemplateEditableNumericValue -> v-slider template with editable numeric value

## **SNACKBAR**

- vSnackbar -> v-snackbar component
- vSnackbarProps -> v-snackbar props list
- vSnackbarWithProps -> v-snackbar with all props
- vSnackbarColor -> v-snackbar with color prop

## **STEPPER**

- vStepper -> v-stepper component
- vStepperProps -> v-stepper props list
- vStepperWithProps -> v-stepper with all props
- vStepperVertical -> v-stepper with vertical prop
- vStepperStep -> v-stepper-step component
- vStepperStepProps -> v-stepper-step props list
- vStepperStepWithProps -> v-stepper-step with all props
- vStepperEditable -> v-stepper-step with editable prop
- vStepperOptional -> v-stepper-step optional example
- vStepperContent -> v-stepper-content component
- vStepperContentProps -> v-stepper-content props list
- vStepperHeader -> v-stepper-header component
- vStepperItems -> v-stepper-items component
- vStepperTemplate -> v-stepper template
- vStepperTemplateOptional -> v-stepper

## **SUBHEADERS**

- vSubheader -> v-subheader component
- vSubheaderProps -> v-subheader props list
- vSubheaderWithProps -> v-subheader with all props

## TAB

- `vTabs` -> v-tabs component
- `vTabsProps` -> v-tabs props list
- `vTabsWithProps` -> v-tabs with all props
- `vTabsFixed` -> v-tabs with fixed prop
- `vTabsRightAligned` -> v-tabs with right aligned
- `vTabsIcons` -> v-tabs with custom icons
- `vTabsTemplate` -> v-tabs simple template
- `vTabsTemplateSearch` -> v-tabs template with search
- `vTab` -> v-tab component
- `vTabProps` -> v-tab props list
- `vTabWithProps` -> v-tab with all props
- `vTabsItems` -> v-tabs-items component
- `vTabsItemsProps` -> v-tabs-items props list
- `vTabsItemsWithProps` -> v-tabs-items with all props
- `vTabItem` -> v-tab-item component
- `vTabItemProps` -> v-tab-item props list
- `vTabItemWithProps` -> v-tab-item with all props
- `vTabsSlider` -> v-tabs-slider component

## TOOLBAR

- `vToolbar` -> v-toolbar component
- `vToolbarProps` -> v-toolbar props list
- `vToolbarWithProps` -> v-toolbar with all props
- `vToolbarExtended` -> v-toolbar with extended prop
- `vToolbarFloating` -> v-toolbar with floating prop
- `vToolbarWithItems` -> v-toolbar with items
- `vToolbarProminent` -> v-toolbar with prominent prop
- `vToolbarDense` -> v-toolbar with dense prop
- `vToolbarDenseProminent` -> v-toolbar with dense and prominent prop
- `vToolbarTemplateFloatingSearch` -> v-toolbar template with floating search
- `vToolbarTemplateScrollingTechnique` -> v-toolbar template with scrolling technique example
- `vToolbarItems` -> v-toolbar-items component
- `vSystemBar` -> v-system-bar component
- `vSystemBarLightStatusBar` -> v-system-bar with light status bar
- `vSystemBarLightsOut` -> v-system-bar with lights out bar
- `vSystemBarProps` -> v-system-bar props

## TOOLTIP

- `vTooltip` -> v-tooltip component
- `vTooltipProps` -> v-tooltip props list
- `vTooltipWithProps` -> v-tooltip with all props

# DIRECTIVES

## RESIZE

- vResize -> v-resize directive
- vResizeFunction -> v-resize directive function

## RIPPLE

- vRipple -> Ripple directive
- vRippleCenter -> Ripple directive center
- vRippleClass -> Ripple directive custom class
- vRippleDisabled -> Ripple directive disabled
- vRippleHTML -> Ripple directive for standard HTML element

## SCROLLING

- vScroll -> v-scroll directive
- vScrollFunction -> v-scroll directive function
- vScrollTarget -> v-scroll directive for target

## TOUCH SUPPORT

- vTouch -> v-touch directive
- vTouchAllDirections -> v-touch directive for all directions
- vTouchEvent -> v-touch directive with events

## KEYWORD (Often used in Vuetify)

### Aligment

- alignBaseline -> align-baseline
- alignCenter -> align-center
- alignContentCenter -> align-content-center
- alignContentEnd -> align-content-end
- alignContentSpaceAround -> align-content-space-around
- alignContentSpaceBetween -> align-content-space-between
- alignContentStart -> align-content-start
- alignEnd -> align-end
- alignStart -> align-start

### Display

- dFlex -> d-flex
- dInlineFlex -> d-inline-flex

- dInlineBlock -> d-inline-block
- dBlock -> d-block
- dInline -> d-inline

## **Grid**

- gridListXs -> grid-list-xs
- gridListSm -> grid-list-sm
- gridListMd -> grid-list-md
- gridListLg -> grid-list-lg
- gridListXl -> grid-list-xl

## **Grid system**

Vuetify has a 12 point grid system

- xs(1-12) -> xs screen size
- sm(1-12) -> sm screen size
- md(1-12) -> md screen size
- lg(1-12) -> lg screen size
- xl(1-12) -> xl screen size

## **Justify**

- justifyCenter -> justify-center
- justifyEnd -> justify-end
- justifySpaceAround -> justify-space-around
- justifySpaceBetween -> justify-space-between
- justifyStart -> justify-start

## **Visibility**

- hiddenXsOnly -> hidden xs only
- hiddenXsAndDown -> hidden xs and down
- hiddenXsAndUp -> hidden xs and up
- hiddenSmOnly -> hidden sm only
- hiddenSmAndDown -> hidden sm and down
- hiddenSmAndUp -> hidden sm and up
- hiddenMdOnly -> hidden md only
- hiddenMdAndDown -> hidden md and down
- hiddenMdAndUp -> hidden md and up
- hiddenLgOnly -> hidden lg only
- hiddenLgAndDown -> hidden lg and down
- hiddenLgAndUp -> hidden lg and up
- hiddenXlOnly -> hidden xl only
- hiddenXlAndDown -> hidden xl and down

- hiddenXlAndUp -> hidden xl and up

## Elevation

- elevation(1 to 24) -> elevation from 1 to 24

## Colors

- primary -> primary
- accent -> accent
- secondary -> secondary
- success -> success
- info -> info
- error -> error
- red -> red
- pink -> pink
- purple -> purple
- deepPurple -> deep-purple
- indigo -> indigo
- blue -> blue
- light-blue -> light-blue
- cyan -> cyan
- teal -> teal
- green -> green
- lightGreen -> light-green
- lime -> lime
- yellow -> yellow
- amber -> amber
- orange -> orange
- deepOrange -> deep-orange
- brown -> brown
- blue-grey -> blue-grey
- grey -> grey
- black -> black
- white -> white
- transparent -> transparent
- lighten1 -> lighten-1
- lighten2 -> lighten-2
- lighten3 -> lighten-3
- lighten4 -> lighten-4
- lighten5 -> lighten-5
- darken1 -> darken-1
- darken2 -> darken-2
- darken3 -> darken-3
- darken4 -> darken-4



## Typography

- display1 -> display-1
- display2 -> display-2
- display3 -> display-3
- display4 -> display-4
- headline -> headline
- title -> title
- subheading -> subheading
- body2 -> body-2
- body1 -> body-1
- caption -> caption

## Spacing (margin & padding)

Size from 1 to 5

- mt-(1-5) -> margin-top
- mb-(1-5) -> margin-bottom
- ml-(1-5) -> margin-left
- mr-(1-5) -> margin-right
- mx-(1-5) -> margin-left & margin-right
- my-(1-5) -> margin-top & margin-bottom
- ma-(1-5) -> margin in all directions
- pt-(1-5) -> padding-top
- pb-(1-5) -> padding-bottom
- pl-(1-5) -> padding-left
- pr-(1-5) -> padding-right
- px-(1-5) -> padding-left & padding-right
- py-(1-5) -> padding-top & padding-bottom
- pa-(1-5) -> padding in all directions

## Offset

- offset-xs-(1-12) -> offset for xs screen size
- offset-sm-(1-12) -> offset for sm screen size
- offset-md-(1-12) -> offset for md screen size
- offset-lg-(1-12) -> offset for lg screen size
- offset-xl-(1-12) -> offset for xl screen size
- offsetX -> offset-x
- offsetY -> offset-y

## Order

- order-xs-(1-12) -> order for xs screen size
- order-sm-(1-12) -> order for sm screen size

- order-md-(1-12) -> order for md screen size
- order-lg-(1-12) -> order for lg screen size
- order-xl-(1-12) -> order for xl screen size

## **Text alignment for screen sizes**

- textXsRight -> text align to right for xs screen size
- textXsLeft -> text align to left for xs screen size
- textXsCenter -> text align to center for xs screen size
- textSmRight -> text align to right for sm screen size
- textSmLeft -> text align to left for sm screen size
- textSmCenter -> text align to center for sm screen size
- textMdRight -> text align to right for md screen size
- textMdLeft -> text align to left for md screen size
- textMdCenter -> text align to center for md screen size
- textLgRight -> text align to right for lg screen size
- textLgLeft -> text align to left for lg screen size
- textLgCenter -> text align to center for lg screen size
- textXlRight -> text align to right for xl screen size
- textXlLeft -> text align to left for xl screen size
- textXlCenter -> text align to center for xl screen size

## **Transition**

- slideXTransition -> slide-x-transition
- reverse -> reverse
- reverseTransition -> reverse-transition
- tabTransition -> tab-transition
- slideXReverseTransition -> slide-x-reverse-transition
- slideYReverseTransition -> slide-y-reverse-transition
- tabReverseTransition -> tab-reverse-transition
- fadeTransition -> fade-transition
- slideYTransition -> slide-y-transition
- dialogTransition -> dialog-transition
- menuTransition -> menu-transition
- fabTransition -> fab-transition

## **Hide related props**

- hideOverlay -> hide-overlay
- hideControls -> hide-controls
- hideDelimiters -> hide-delimiters
- hideSelected -> hide-selected
- hideHeaders -> hide-headers
- hideActions -> hide-actions
- hideDetails -> hide-details

- hideSlider -> hide-slider

## **Line related props**

- multiLine -> multi-line
- singleLine -> single-line
- threeLine -> three-line
- twoLine -> two-line

## **Nudge related props**

- nudgeBottom -> nudge-bottom
- nudgeLeft -> nudge-left
- nudgeTop -> nudge-top
- nudgeWidth -> nudge-width
- nudgeRight -> nudge-right

## **Height related props**

- fillHeight -> fill-height
- rowHeight -> row-height
- autoHeight -> auto-height
- extensionHeight -> extension-height
- maxHeight -> max-height
- maxHeight -> max-height auto
- height -> height

## **Color related props**

- color -> color
- textColor -> text-color
- eventColor -> event-color
- backgroundColor -> background-color
- thumbColor -> thumb-color
- trackColor -> track-color
- sliderColor -> slider-color
- headerColor -> header-color

## **Event related props**

- custom-filter -> custom-filter
- custom-sort -> custom-sort
- input -> input
- change -> change
- pagination.sync -> pagination.sync
- append-icon-cb -> append-icon-cb

- activeSync -> active.sync
- updatePagination -> update:pagination
- updateSearchInput -> update:search-input
- updateMiniVariant -> update:mini-variant
- updateActive -> update:active
- next -> next
- updateError -> update:error
- locale -> locale
- openOnHover -> open-on-hover
- shift -> shift
- hover -> hover
- contain -> contain
- openOnClear -> open-on-clear
- counter -> counter
- blur -> blur
- validateOnBlur -> validate-on-blur

## **Icon related props**

- icon -> icon
- delimiterIcon -> delimiter-icon
- prependIcon -> prepend-icon
- yearIcon -> year-icon
- nextIcon -> next-icon
- prevIcon -> prev-icon
- completeIcon -> complete-icon
- editIcon -> edit-icon
- errorIcon -> error-icon
- appendIcon -> append-icon
- expandIcon -> expand-icon
- prependIconCb -> prepend-icon-cb
- iconsAndText -> icons-and-text

## **Time & Date related props**

- valueComparator -> value-comparator
- headerDateFormat -> header-date-format
- allowedDates -> allowed-dates
- dayFormat -> day-format
- monthFormat -> month-format
- titleDateFormat -> title-date-format
- yearFormat -> year-format
- allowedHours -> allowed-hours
- allowedMinutes -> allowed-minutes
- firstDayOfWeek -> first-day-of-week

## **Position related props**

- column -> column
- row -> row
- rows -> rows
- positionX -> position-x
- positionY -> position-y
- clippedRight -> clipped-right
- clippedLeft -> clipped-left
- bottom -> bottom
- top -> top
- left -> left
- overlap -> overlap
- absolute -> absolute
- fixed -> fixed
- direction -> direction

## **Overflow related props**

- offsetOverflow -> offset-overflow
- allowOverflow -> allow-overflow

## **Scroll related props**

- manualScroll -> manual-scroll
- invertedScroll -> inverted-scroll
- vScrollTarget -> v-scroll:#target
- vScroll -> v-scroll

## **Ripple related props**

- ripple -> ripple
- vRipple -> v-ripple
- vRippleCenter -> v-ripple from center
- vRippleClass -> v-ripple with custom my-class

## **Value related props**

- returnMaskedValue -> return-masked-value
- returnValue -> return-value
- itemValue -> item-value
- falseValue -> false-value
- trueValue -> true-value
- inputValue -> input-value
- bufferValue -> buffer-value
- value -> value

## **Class & Tag related props**

- activeClass -> active-class
- exactActiveClass -> exact-active-class
- contentClass -> content-class
- contentTag -> content-tag
- tag -> tag

## **Text related props**

- pageText -> page-text
- noDataText -> no-data-text
- noResultsText -> no-results-text
- rowsPerPageText -> rows-per-page-text
- cancelText -> cancel-text
- saveText -> save-text
- itemText -> item-text

## **Size & Look related props**

- small -> small
- medium -> medium
- large -> large
- xLarge -> x-large
- width -> width
- maxWidthAuto -> max-width set to auto
- landscape -> landscape
- gradient -> gradient
- rotate -> rotate
- extended -> extended
- dense -> dense
- block -> block
- depressed -> depressed
- flat -> flat
- raised -> raised
- loading -> loading
- round -> round
- dark -> dark
- light -> light
- editable -> editable
- multiple -> multiple
- disabled -> disabled
- fluid -> fluid
- wrap -> wrap
- lightsOut -> lights-out
- window -> window

- prominent -> prominent
- floating -> floating
- max -> max
- min -> min
- backgroundOpacity -> background-opacity
- outline -> outline
- tile -> tile
- badge -> badge
- fullWidth -> full-width
- fab -> fab
- solo -> solo
- soloInverted -> solo-inverted
- combobox -> combobox
- overflow -> overflow
- segmented -> segmented
- maxWidth -> max-width
- autoGrow -> auto-grow
- autofocus -> autofocus
- box -> box
- clearable -> clearable
- clipped -> clipped
- permanent -> permanent
- stateless -> stateless
- temporary -> temporary
- vertical -> vertical
- nonLinear -> non-linear
- centered -> centered
- circle -> circle
- size -> size
- button -> button
- active -> active
- query -> query
- ticks -> ticks
- minWidth -> min-width
- noResize -> no-resize
- disableResizeWatcher -> disable-resize-watcher

## **Function related props**

- scrollOffScreen -> scroll-off-screen
- status -> status
- extension -> extension
- fixedTabs -> fixed-tabs
- touchless -> touchless
- showArrows -> show-arrows
- inset -> inset

- lazy -> lazy
- lazyValidation -> lazy-validation
- persistent -> persistent
- persistentHint -> persistent-hint
- exact -> exact
- append -> append
- nuxt -> nuxt
- replace -> replace
- mustSort -> must-sort
- itemDisabled -> item-disabled
- fullscreen -> fullscreen
- scrollable -> scrollable
- focusable -> focusable
- attach -> attach
- popout -> popout
- filter -> filter
- actions -> actions
- expand -> expand
- readonly -> readonly
- required -> required
- disableInitialSort -> disable-initial-sort
- closeOnClick -> close-on-click
- closeOnClickContent -> close-on-content-click
- disableRouteWatcher -> disable-route-watcher
- openOnClick -> open-on-click
- timeout -> timeout
- pickerDate -> picker-date
- vResize -> v-resize
- vResizeQuiet -> v-resize.quiet
- transition -> transition
- format -> format
- :ripple -> :ripple
- zIndex -> z-index
- totalVisible -> total-visible
- events -> events
- openDelay -> open-delay
- debounce -> debounce
- closeDelay -> close-delay
- scrollThreshold -> scroll-threshold
- mobileBreakPoint -> mobile-break-point
- miniVariantWidth -> mini-variant-width
- showCurrent -> show-current
- reactive -> reactive

## **Data related props**



- app -> app
- id -> id
- noData -> no-data
- noResults -> no-results
- headers -> headers
- headerCell -> header-cell
- primaryTitle -> primary-title
- deletableChips -> deletable-chips
- dontFillMaskBlanks -> dont-fill-mask-blanks
- returnObject -> return-object
- selected -> selected
- footer -> footer
- items -> items
- cacheItems -> cache-items
- thumbLabel -> thumb-label
- mandatory -> mandatory
- activator -> activator
- cycle -> cycle
- progress -> progress
- selection -> selection
- autocomplete -> autocomplete
- chips -> chips
- textarea -> textarea
- subheader -> subheader
- inactive -> inactive
- auto -> auto
- label -> label
- items -> item
- rowsPerPageItems -> rows-per-page-items
- totalItems -> total-items
- contentProps -> content-props
- altLabels -> alt-labels
- complete -> complete
- tabs -> tabs
- miniVariant -> mini-variant
- slot -> slot
- grow -> grow
- tabIndex -> tabIndex
- errorMessages -> error-messages
- hint -> hint
- itemAvatar -> item-avatar
- placeholder -> placeholder
- rules -> rules
- toggleKeys -> toggle-keys
- origin -> origin
- type -> type

## Target related props

- to -> to
- target -> target
- scrollTarget -> scroll-target

## Other

- alignWithTitle -> align-with-title
- indeterminate -> indeterminate
- prefix -> prefix
- suffix -> suffix
- noTitle -> no-title
- mode -> mode
- divider -> divider
- interval -> interval
- item-key -> item-key
- search -> search
- select-all -> select-all
- headers -> header
- search-input -> search-input
- browser-autocomplete -> browser-autocomplete
- mask -> mask
- name -> name
- step -> step
- attachFalse= -> attach false

## EXTRAS (JAVASCRIPT IMPORTS & HELPER METHODS)

- vImport -> Vuetify import
- vImportCss -> Vuetify css import
- babelPolyfillImport -> babel-polyfill
- vThemeCreate -> Define new theme
- vThemeMinification -> Theme minification
- vThemeCaching -> Theme caching
- vFormEmailRules -> v-form email rule
- vFormNameRule -> v-form name rule

## Links

- vLink -> Vuetify script link
- mIconLink -> Material design icons link
- vQuickStart -> vuetify quick start

- © 2019 GitHub, Inc.
- [Terms](#)
- [Privacy](#)
- [Security](#)
- [Status](#)
- [Help](#)
  
- [Contact GitHub](#)
- [Pricing](#)
- [API](#)
- [Training](#)
- [Blog](#)
- [About](#)