
Trig Final (Solution v14)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 51 meters. The angle measure is 1.8 radians. How long is the arc in meters?




$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$


L = 91.8 meters.

Question 2

Consider angles $\frac{13\pi}{4}$ and $\frac{-19\pi}{6}$. For each angle, use a spiral with an arrow head to \mathbf{mark} the angle on a circle below in standard position. Then, find \mathbf{exact} expressions for $\sin\left(\frac{13\pi}{4}\right)$ and $\cos\left(\frac{-19\pi}{6}\right)$ by using a unit circle (provided separately).



$$\sin(13\pi/4) = \frac{-\sqrt{2}}{2}$$



Find $\cos(-19\pi/6)$

$$\cos(-19\pi/6) = \frac{-\sqrt{3}}{2}$$

Question 3

If $\cos(\theta) = \frac{-12}{37}$, and θ is in quadrant II, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$12^{2} + B^{2} = 37^{2}$$

$$B = \sqrt{37^{2} - 12^{2}}$$

$$B = 35$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\sin(\theta) = \frac{35}{37}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 5.01 Hz, a midline at y = -6.36 meters, and an amplitude of 2.68 meters. At t = 0, the mass is at the midline and moving down. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -2.68\sin(2\pi 5.01t) - 6.36$$

or

$$y = -2.68\sin(10.02\pi t) - 6.36$$

or

$$y = -2.68\sin(31.48t) - 6.36$$