
Trig Final (SLTN v617)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 26 meters. The arc length is 140 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r}$$
 $r = \frac{L}{\theta}$ $L = r\theta$


 $\theta = 5.385$ radians.

Question 2

Consider angles $\frac{19\pi}{6}$ and $\frac{-9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{19\pi}{6}\right)$ and $\cos\left(\frac{-9\pi}{4}\right)$ by using a unit circle (provided separately).



$$\sin(19\pi/6) = \frac{-1}{2}$$




Find $cos(-9\pi/4)$

$$\cos(-9\pi/4) = \frac{\sqrt{2}}{2}$$

Question 3

If $\cos(\theta) = \frac{-48}{73}$, and θ is in quadrant II, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$48^{2} + B^{2} = 73^{2}$$

$$B = \sqrt{73^{2} - 48^{2}}$$

$$B = 55$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\sin(\theta) = \frac{55}{73}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 6.21 Hz, an amplitude of 8.9 meters, and a midline at y = -2.88 meters. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 8.9\sin(2\pi6.21t) - 2.88$$

or

$$y = 8.9\sin(12.42\pi t) - 2.88$$

or

$$y = 8.9\sin(39.02t) - 2.88$$