
# Trig Final (Solution v42)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

#### Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 3.2 radians. The arc length is 49 meters. How long is the radius in meters?




$$\theta = rac{L}{r} \qquad r = rac{L}{ heta} \qquad L = r heta$$

r = 15.31 meters.


## Question 2

Consider angles  $\frac{-17\pi}{6}$  and  $\frac{13\pi}{4}$ . For each angle, use a spiral with an arrow head to  $\mathbf{mark}$  the angle on a circle below in standard position. Then, find  $\mathbf{exact}$  expressions for  $\sin\left(\frac{-17\pi}{6}\right)$  and  $\cos\left(\frac{13\pi}{4}\right)$  by using a unit circle (provided separately).



Find  $sin(-17\pi/6)$ 

$$\sin(-17\pi/6) = \frac{-1}{2}$$




Find  $cos(13\pi/4)$ 

$$\cos(13\pi/4) = \frac{-\sqrt{2}}{2}$$

## Question 3

If  $\cos(\theta) = \frac{-39}{89}$ , and  $\theta$  is in quadrant II, determine an exact value for  $\sin(\theta)$ .

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$39^{2} + B^{2} = 89^{2}$$

$$B = \sqrt{89^{2} - 39^{2}}$$

$$B = 80$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\sin(\theta) = \frac{80}{89}$$

#### Question 4

A mass-spring system oscillates vertically with an amplitude of 5.2 meters, a midline at y = -3.36 meters, and a frequency of 7.65 Hz. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 5.2\sin(2\pi 7.65t) - 3.36$$

or

$$y = 5.2\sin(15.3\pi t) - 3.36$$

or

$$y = 5.2\sin(48.07t) - 3.36$$