
Trig Final (SLTN v655)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 110 meters. The radius is 53 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r}$$
 $r = \frac{L}{\theta}$ $L = r\theta$

 $\theta = 2.075$ radians.


Question 2

Consider angles $\frac{15\pi}{4}$ and $\frac{-11\pi}{3}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{15\pi}{4}\right)$ and $\cos\left(\frac{-11\pi}{3}\right)$ by using a unit circle (provided separately).



Find $sin(15\pi/4)$

$$\sin(15\pi/4) = \frac{-\sqrt{2}}{2}$$




Find $cos(-11\pi/3)$

$$\cos(-11\pi/3) = \frac{1}{2}$$

Question 3

If $\sin(\theta) = \frac{-15}{17}$, and θ is in quadrant III, determine an exact value for $\tan(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$A^{2} + 15^{2} = 17^{2}$$
$$A = \sqrt{17^{2} - 15^{2}}$$
$$A = 8$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\tan(\theta) = \frac{\frac{-15}{17}}{\frac{-8}{17}} = \frac{15}{8}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 4.96 meters, a frequency of 8.27 Hz, and a midline at y = -3.61 meters. At t = 0, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -4.96\cos(2\pi 8.27t) - 3.61$$

or

$$y = -4.96\cos(16.54\pi t) - 3.61$$

or

$$y = -4.96\cos(51.96t) - 3.61$$