Name: Date:

Trig Final (SLTN v682)

- You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 0.81 radians. The radius is 48 meters. How long is the arc in meters?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$L = 38.88$ meters.

Question 2

Consider angles $\frac{9\pi}{4}$ and $\frac{-13\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{9\pi}{4}\right)$ and $\sin\left(\frac{-13\pi}{6}\right)$ by using a unit circle (provided separately).



Find $\cos(9\pi/4)$



Find $\sin(-13\pi/6)$

$\cos(9\pi/4) = \frac{\sqrt{2}}{2}$

$\sin(-13\pi/6) = \frac{-1}{2}$

Question 3

If $\sin(\theta) = \frac{-35}{37}$, and θ is in quadrant IV, determine an exact value for $\tan(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$A^2 + 35^2 = 37^2$$
$$A = \sqrt{37^2 - 35^2}$$
$$A = 12$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\tan(\theta) = \frac{\frac{-35}{37}}{\frac{12}{37}} = \frac{-35}{12}$$

Question 4

A mass-spring system oscillates vertically with a midline at $y = -6.69$ meters, a frequency of 2.26 Hz, and an amplitude of 5.18 meters. At $t = 0$, the mass is at the midline and moving down. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -5.18\sin(2\pi 2.26t) - 6.69$$

or

$$y = -5.18\sin(4.52\pi t) - 6.69$$

or

$$y = -5.18\sin(14.2t) - 6.69$$