Name: Date:

Trig Final (Solution v2)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 56 meters. The angle measure is 4.1 radians. How long is the radius in meters?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$r = 13.66$ meters.

Question 2

Consider angles $\frac{17\pi}{6}$ and $\frac{-9\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{17\pi}{6}\right)$ and $\cos\left(\frac{-9\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\sin(17\pi/6)$



Find $\cos(-9\pi/4)$

$\sin(17\pi/6) = \frac{1}{2}$

$\cos(-9\pi/4) = \frac{\sqrt{2}}{2}$

Question 3

If $\tan(\theta) = \frac{-77}{36}$, and θ is in quadrant IV, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$36^2 + 77^2 = C^2$$
$$C = \sqrt{36^2 + 77^2}$$
$$C = 85$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\sin(\theta) = \frac{-77}{85}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 6.4 Hz, an amplitude of 4.68 meters, and a midline at $y = -7.86$ meters. At $t = 0$, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -4.68\cos(2\pi 6.4t) - 7.86$$

or

$$y = -4.68\cos(12.8\pi t) - 7.86$$

or

$$y = -4.68\cos(40.21t) - 7.86$$