
Trig Final (Solution v2)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 18 meters. The radius is 4.3 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r}$$
 $r = \frac{L}{\theta}$ $L = r\theta$

 $\theta = 4.186$ radians.


Question 2

Consider angles $\frac{13\pi}{4}$ and $\frac{-13\pi}{6}$. For each angle, use a spiral with an arrow head to \mathbf{mark} the angle on a circle below in standard position. Then, find \mathbf{exact} expressions for $\sin\left(\frac{13\pi}{4}\right)$ and $\cos\left(\frac{-13\pi}{6}\right)$ by using a unit circle (provided separately).



Find $sin(13\pi/4)$

$$\sin(13\pi/4) = \frac{-\sqrt{2}}{2}$$



Find $cos(-13\pi/6)$

$$\cos(-13\pi/6) = \frac{\sqrt{3}}{2}$$

Question 3

If $\cos(\theta) = \frac{-16}{65}$, and θ is in quadrant III, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.




Solve the Pythagorean Equation

$$16^{2} + B^{2} = 65^{2}$$

$$B = \sqrt{65^{2} - 16^{2}}$$

$$B = 63$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\sin(\theta) = \frac{-63}{65}$$

Question 4

A mass-spring system oscillates vertically with a midline at y = -6.63 meters, a frequency of 2.52 Hz, and an amplitude of 5.11 meters. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 5.11\sin(2\pi 2.52t) - 6.63$$

or

$$y = 5.11\sin(5.04\pi t) - 6.63$$

or

$$y = 5.11\sin(15.83t) - 6.63$$