Name: Date:

Trig Final (SLTN v607)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 18 meters. The radius is 7.1 meters. What is the angle measure in radians?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$\theta = 2.535$ radians.

Question 2

Consider angles $\frac{13\pi}{4}$ and $\frac{-17\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(\frac{13\pi}{4}\right)$ and $\sin\left(\frac{-17\pi}{6}\right)$ by using a unit circle (provided separately).



Find $\cos(13\pi/4)$



Find $\sin(-17\pi/6)$

$\cos(13\pi/4) = \frac{-\sqrt{2}}{2}$

$\sin(-17\pi/6) = \frac{-1}{2}$

Question 3

If $\sin(\theta) = \frac{40}{41}$, and θ is in quadrant II, determine an exact value for $\tan(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$A^2 + 40^2 = 41^2$$
$$A = \sqrt{41^2 - 40^2}$$
$$A = 9$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant II in a unit circle.



$$\tan(\theta) = \frac{\frac{40}{41}}{\frac{-9}{41}} = \frac{-40}{9}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 2.17 Hz, a midline at $y = -6.73$ meters, and an amplitude of 7.82 meters. At $t = 0$, the mass is at the maximum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 7.82\cos(2\pi 2.17t) - 6.73$$

or

$$y = 7.82\cos(4.34\pi t) - 6.73$$

or

$$y = 7.82\cos(13.63t) - 6.73$$