Name: Date:

Trig Final (SLTN v674)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The angle measure is 2.5 radians. The arc length is 5.2 meters. How long is the radius in meters?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$r = 2.08$ meters.

Question 2

Consider angles $\frac{-7\pi}{3}$ and $\frac{11\pi}{4}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{-7\pi}{3}\right)$ and $\cos\left(\frac{11\pi}{4}\right)$ by using a unit circle (provided separately).



Find $\sin(-7\pi/3)$



Find $\cos(11\pi/4)$

$\sin(-7\pi/3) = \frac{-\sqrt{3}}{2}$

$\cos(11\pi/4) = \frac{-\sqrt{2}}{2}$

Question 3

If $\tan(\theta) = \frac{24}{7}$, and θ is in quadrant III, determine an exact value for $\sin(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$7^2 + 24^2 = C^2$$
$$C = \sqrt{7^2 + 24^2}$$
$$C = 25$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\sin(\theta) = \frac{-24}{25}$$

Question 4

A mass-spring system oscillates vertically with a frequency of 3.95 Hz, a midline at $y = -6.08$ meters, and an amplitude of 2.82 meters. At $t = 0$, the mass is at the midline and moving down. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -2.82\sin(2\pi 3.95t) - 6.08$$

or

$$y = -2.82\sin(7.9\pi t) - 6.08$$

or

$$y = -2.82\sin(24.82t) - 6.08$$