Name: Date:

Trig Final (SLTN v677)

- You can use a calculator (like Desmos)
- You should have a unit-circle with special angles and coordinates marked.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The arc length is 25 meters. The radius is 5.4 meters. What is the angle measure in radians?



$$\theta = \frac{L}{r} \qquad r = \frac{L}{\theta} \qquad L = r\theta$$

$\theta = 4.63$ radians.

Question 2

Consider angles $\frac{-9\pi}{4}$ and $\frac{17\pi}{6}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\sin\left(\frac{-9\pi}{4}\right)$ and $\cos\left(\frac{17\pi}{6}\right)$ by using a unit circle (provided separately).



Find $\sin(-9\pi/4)$



Find $\cos(17\pi/6)$

$\sin(-9\pi/4) = \frac{-\sqrt{2}}{2}$

$\cos(17\pi/6) = \frac{-\sqrt{3}}{2}$

Question 3

If $\sin(\theta) = \frac{-60}{61}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.

Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$A^2 + 60^2 = 61^2$$
$$A = \sqrt{61^2 - 60^2}$$
$$A = 11$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{11}{61}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 8.28 meters, a frequency of 4.99 Hz, and a midline at $y = 2.5$ meters. At $t = 0$, the mass is at the midline and moving down. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -8.28\sin(2\pi 4.99t) + 2.5$$

or

$$y = -8.28\sin(9.98\pi t) + 2.5$$

or

$$y = -8.28\sin(31.35t) + 2.5$$