
# Trig Final (SLTN v612)

• You should have a calculator (like Desmos) and a unit-circle reference sheet.

#### Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 30 meters. The arc length is 95 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r}$$
  $r = \frac{L}{\theta}$   $L = r\theta$ 

 $\theta = 3.167$  radians.


### Question 2

Consider angles  $\frac{-13\pi}{6}$  and  $\frac{11\pi}{4}$ . For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for  $\cos\left(\frac{-13\pi}{6}\right)$  and  $\sin\left(\frac{11\pi}{4}\right)$  by using a unit circle (provided separately).



Find  $\cos(-13\pi/6)$ 

$$\cos(-13\pi/6) = \frac{\sqrt{3}}{2}$$



Find  $sin(11\pi/4)$ 

$$\sin(11\pi/4) = \frac{\sqrt{2}}{2}$$

## Question 3

If  $\cos(\theta) = \frac{-5}{13}$ , and  $\theta$  is in quadrant III, determine an exact value for  $\sin(\theta)$ .


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$5^{2} + B^{2} = 13^{2}$$
$$B = \sqrt{13^{2} - 5^{2}}$$
$$B = 12$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant III in a unit circle.



$$\sin(\theta) = \frac{-12}{13}$$

### Question 4

A mass-spring system oscillates vertically with a midline at y = 2.18 meters, a frequency of 6.37 Hz, and an amplitude of 4.69 meters. At t = 0, the mass is at the midline and moving up. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = 4.69\sin(2\pi6.37t) + 2.18$$

or

$$y = 4.69\sin(12.74\pi t) + 2.18$$

or

$$y = 4.69\sin(40.02t) + 2.18$$