# Function-Feature Intervals (version 1)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 1)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 2)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 2)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 3)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 3)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 4)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 4)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 5)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 5)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 6)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 6)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use ∪ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 7)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 7)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 8)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 8)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 9)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 9)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	$(-10, -9) \cup (-4, 0)$
Negative	$(-9, -4) \cup (0, 8)$
Increasing	$(-7, -2) \cup (7, 8)$
Decreasing	$(-10, -7) \cup (-2, 7)$
Domain	$[-10, 8)$
Range	$[-8, 2]$

Function-Feature Intervals (version 10)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 10)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 11)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 11)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 12)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 12)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 13)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 13)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 14)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 14)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 15)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 15)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 16)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 16)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 17)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 17)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 18)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 18)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

| Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 19)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

Function-Feature Intervals (version 19)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

2

Function-Feature Intervals (version 20)

1. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	

1

Function-Feature Intervals (version 20)

2. The function f is graphed below.

Indicate the following intervals using interval notation. Remember, you can use $\cup$ between two intervals to indicate the union. Except for range, all intervals will indicate x values; this is standard.

Feature	Where
Positive	
Negative	
Increasing	
Decreasing	
Domain	
Range	