

Name: _____

Date: _____

Exam: Function Reflections (Solution version 3)


1. Let function f be defined by the polynomial below:

$$f(x) = -3x^4 - 5x^3 + 8x^2 + 9x + 7$$

Draw lines that match each function reflection with its polynomial:

| Reflections | | Polynomials |
|-------------|---|--------------------------------|
| $-f(-x)$ | ● | $-3x^4 + 5x^3 + 8x^2 - 9x + 7$ |
| $-f(x)$ | ● | $3x^4 + 5x^3 - 8x^2 - 9x - 7$ |
| $f(-x)$ | ● | $3x^4 - 5x^3 - 8x^2 + 9x - 7$ |

2. In each xy plane shown below, a function is graphed with blue. Draw the indicated reflections (as a second curve, indicated in legend) with black (or with whatever you have). The x axis is horizontal and the y axis is vertical (as typical), and the scale is equal on both axes.



Exam: Function Reflections (Solution version 3)

For all questions on this page, the functions f , g , and h are defined by the table below.

| x | $f(x)$ | $g(x)$ | $h(x)$ |
|-----|--------|--------|--------|
| 1 | 2 | 6 | 3 |
| 2 | 7 | 3 | 4 |
| 3 | 8 | 4 | 5 |
| 4 | 1 | 7 | 7 |
| 5 | 4 | 1 | 9 |
| 6 | 6 | 8 | 8 |
| 7 | 9 | 5 | 1 |
| 8 | 5 | 9 | 2 |
| 9 | 3 | 2 | 6 |

3. Evaluate $h(7)$.

$$h(7) = 1$$

4. Evaluate $f^{-1}(8)$.

$$f^{-1}(8) = 3$$

5. By filling more rows of the table, it is possible to make function g **odd**. If that were done, what would be the value of $g(-5)$?

If function g is odd, then

$$g(-5) = -1$$

6. By filling more rows of the table, it is possible to make function h **even**. If that were done, what would be the value of $h(-6)$?

If function h is even, then

$$h(-6) = 8$$

Exam: Function Reflections (Solution version 3)

7. A function, f , is **even** if $f(x) = f(-x)$ for all x in the domain. A function, g , is **odd** if $g(x) = -g(-x)$ for all x in the domain.

Let polynomial p be defined with the following equation:

$$p(x) = -x^2 - 1$$

- a. Express $p(-x)$ as a polynomial in standard form.

$$p(-x) = -(-x)^2 - 1$$

$$p(-x) = -x^2 - 1$$

- b. Express $-p(-x)$ as a polynomial in standard form.

$$-p(-x) = -(-x^2 - 1)$$

$$-p(-x) = x^2 + 1$$

- c. Is polynomial p even, odd, or neither?


even

- d. Explain how you know the answer to part c.

We see that $p(x) = p(-x)$ for all x because $p(x)$ and $p(-x)$ are equivalent polynomials. Thus function p satisfies the criterion for being an even function.

Exam: Function Reflections (Solution version 3)

8. I have drawn half of a function. Draw the other half to make it even or odd.



9. Let function f be defined with the equation below.

$$f(x) = \frac{x}{9} + 4$$

a. Evaluate $f(99)$.

step 1: divide by 9

step 2: add 4

$$f(99) = \frac{(99)}{9} + 4$$

$$f(99) = 15$$

b. Evaluate $f^{-1}(7)$.

step 1: subtract 4

step 2: multiply by 9


$$f^{-1}(x) = 9(x - 4)$$

$$f^{-1}(7) = 9((7) - 4)$$

$$f^{-1}(7) = 27$$

Exam: Function Reflections (Solution version 3)

10. The function b is represented by the curve $y = b(x)$ graphed below.



a. Evaluate $b(2)$.

$$b(2) = 7$$

b. Evaluate $b^{-1}(5)$.

$$b^{-1}(5) = 3$$

Exam: Function Reflections (Solution version 3)

11. Function f is defined by the table below.

a. Complete the columns for $-f(x)$ and $f(-x)$ and $-f(-x)$.

| x | $f(x)$ | $-f(x)$ | $f(-x)$ | $-f(-x)$ |
|-----|--------|---------|---------|----------|
| -2 | -5 | 5 | 5 | -5 |
| -1 | 7 | -7 | -7 | 7 |
| 0 | 0 | 0 | 0 | 0 |
| 1 | -7 | 7 | 7 | -7 |
| 2 | 5 | -5 | -5 | 5 |

b. Is function f even, odd, or neither?

odd

c. How do you know the answer to part b?

Function f is odd because column $-f(-x)$ matches column $f(x)$ exactly.