

Name: _____


Date: _____

Trig Final (Solution v11)

- You should have a calculator (like [Desmos](#)) and a [unit-circle](#) reference sheet.

Question 1

In the figure below, we see a circle and a central angle that subtends an arc. The radius is 52 meters. The arc length is 210 meters. What is the angle measure in radians?




$$\theta = \frac{L}{r} \quad r = \frac{L}{\theta} \quad L = r\theta$$

$\theta = 4.038$ radians.


Question 2

Consider angles $-\frac{13\pi}{4}$ and $\frac{10\pi}{3}$. For each angle, use a spiral with an arrow head to **mark** the angle on a circle below in standard position. Then, find **exact** expressions for $\cos\left(-\frac{13\pi}{4}\right)$ and $\sin\left(\frac{10\pi}{3}\right)$ by using a unit circle (provided separately).



Find $\cos(-13\pi/4)$

$$\cos(-13\pi/4) = \frac{-\sqrt{2}}{2}$$




Find $\sin(10\pi/3)$

$$\sin(10\pi/3) = \frac{-\sqrt{3}}{2}$$

Question 3

If $\sin(\theta) = \frac{-63}{65}$, and θ is in quadrant IV, determine an exact value for $\cos(\theta)$.


Ignore any negatives and the quadrant, and draw a right triangle (based on SOHCAHTOA) in standard (quadrant I) orientation.



Solve the Pythagorean Equation

$$\begin{aligned}A^2 + 63^2 &= 65^2 \\A &= \sqrt{65^2 - 63^2} \\A &= 16\end{aligned}$$

Rescale the triangle so the hypotenuse is 1. Reflect the triangle into Quadrant IV in a unit circle.



$$\cos(\theta) = \frac{16}{65}$$

Question 4

A mass-spring system oscillates vertically with an amplitude of 6.65 meters, a frequency of 4.69 Hz, and a midline at $y = 2.98$ meters. At $t = 0$, the mass is at the minimum height. Write an equation to model the height (y in meters) as a function of time (t in seconds).

Any of these equations would get full credit.

$$y = -6.65 \cos(2\pi 4.69t) + 2.98$$

or

$$y = -6.65 \cos(9.38\pi t) + 2.98$$

or

$$y = -6.65 \cos(29.47t) + 2.98$$