## Polynomial Operations PRACTICE (version 1)

1. Let polynomials p(x) and q(x) be defined below.

$$p(x) = -x^5 - 5x^3 - 7x^2 - 3x + 9$$

$$q(x) = -6x^5 - 7x^4 + x^3 - 5x + 10$$

Express the difference p(x) - q(x) in standard form.

2. Let polynomials a(x) and b(x) be defined below.

$$a(x) = -7x^2 - 2x + 5$$

$$b(x) = 4x + 7$$

Express the product  $a(x) \cdot b(x)$  in standard form.

3. Express  $(x+1)^5$  in standard (expanded) form.

## Polynomial Operations PRACTICE (version 1)

4. Let polynomials f(x) and g(x) be defined below.

$$f(x) = 2x^3 + 14x^2 + 3x + 23$$

$$g(x) = x + 7$$

The quotient of  $\frac{f(x)}{g(x)}$  can be expressed as a polynomial, h(x), and a remainder, R (a real number).

$$\frac{f(x)}{g(x)} = h(x) + \frac{R}{x+7}$$

By using synthetic division or long division, express h(x) in standard form, and find the remainder R.

5. Let polynomial f(x) still be defined as  $f(x) = 2x^3 + 14x^2 + 3x + 23$ . Evaluate f(-7).